DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

www.don-jo.com • info@don-jo.com • 1.800.628.8389

DON-JO MFG., INC.

Warranties

All Products: Limited One Year Warranty

Don-Jo Mfg. Warrants to the original buyer for a period of one year that our products are free from defects in workmanship and materials. At our option we will repair or replaced free of charge, including shipping charges back to you, any product found to be defective and subject to this warranty, provided it is delivered prepaid to us.

Exclusions:

This warranty does not apply to any defects or malfunctions resulting from improper installation or use. Products and parts not manufactured by Don-Jo are guaranteed only in accordance with that manufacturer's warranty. This warranty does not cover the finish of any product. Don-Jo Mfg. shall not be liable for any consequential damages to person or property or incidental expenses resulting from breach of warranty or any implied warranty. Some states do not allow the exclusion of limitation of consequential or incidental damages, so the above exclusion or limits may not apply to you.

Endurance:

Don-Jo Mfg. warrants that all products with the ENDURANCE finish from Don-Jo shall be free from defects in material, workmanship and operation and from tarnishing, flaking, pitting, and discoloration for 10 years from date of purchase. This warranty is subject to the terms and conditions below.

Exclusions:

Small surfaces indentations and imperfections due to malleability of the material and the crafting of the product may not constitute a defect. Any damages resulting from installation of the product contrary to any of Don-Jo's written installation instructions is not covered by this warranty. Any modification of the product by any non-Don-Jo component is not covered by this warranty. Any defect caused by neglect, misuse, abuse, unreasonable or extraordinary use or maintenance is not covered by this warranty.

Hinges:

Don-Jo Mfg hinges are warranted for the lifetime of the original installation for defects in the workmanship, as it applies to function of those products. Any such defects will be repaired or replaced at Don-Jo's sole discretion and will be manufactured and shipped in a timely manner. Such decisions and subsequent action will be done at Don-Jo's discretion.

Remedies:

If a claim is made under our warranties Don-Jo has the right to investigate the claim. In the event the claim proves to be valid, Don-Jo will, at its sole option, either repair or replace the defective product. This warranty will continue in effect for the repaired or replacement Don-Jo product. If Don-Jo has discontinued the product at the time a valid claim is made, or if Don-Jo determines, in its sole discretion, that such a repair or replacement is inappropriate, Don-Jo reserves the right to refund the original purchase price of the product instead.

Except as expressly provided in this warranty to the contrary, Don-Jo shall not be liable for labor or other costs related to installation, repair or replacement or for loss or damage to, any material which is not sold by Don-Jo or for any consequential damages or lost profits.

Warranty Claims:

All claims under this warranty must be made to the claimant's Don-Jo dealer or retailer. Each claim must be in writing, briefly describing the defect, and be accompanied by a proof of purchase. The claimant must provide his or her Don-Jo dealer or retailer other information and evidence reasonably required by Don-Jo and if requested must permit inspection by Don-Jo or its representative(s). If Don-Jo determines that the claim is valid, please see remedies above.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Leeds Information

Below is a listing of the material used in the manufacturing of most items offered by Don-Jo Mfg. All domestically made products will fall under one of the sections noted below. Don-Jo manufactures all domestic products in our facility in Sterling Ma. 01564. The LEEDS information for all raw materials is as follows:

Cold Rolled Steel:

All cold rolled steel products are made from the melting of at least 25% post consumed steel products and where appropriate, combined with molten iron for the remaining portion. Post Consumer vs. Post Industrial content can not be determined.

Stainless Steel:

All Stainless Steel is made with a process of a minimum of 80% scrap stainless steel. The scrap used has shown that it is comprised of 15-20% Post Consumer scrap, 40-50% Post Industrial Scrap and 8-10% Home Scrap.

Aluminum:

All Aluminum material is made from 39 % Secondary Material and 61% Virgin Material.

Brass:

All Brass material is prepared, melted and cast with a minimum of 51% recycled brass scrape content.

Please note that all information provided above has been supplied by Don-Jo Mfg vendors. Detailed letters from each vendor can be provided from Don-Jo with a written request.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

BRASS HARDWARE - Instructions for Care & Maintenance

This DON-JO product has been manufactured of high quality solid brass. Each piece has been individually coated with a superior quality clear coating for protection and durability. The environmental conditions. location and exposure to corrosives such as high industrial sites, pesticides, herbicides and coastal climates are influential in your ability to maintain the elegance, life and lustre of your brass. To maintain the beauty of your brass follow the cleaning instructions. To refinish tarnished brass follow the refurbishing instructions.

Cleaning Instructions:

a. Using a mild detergent and a soft c loth, wash all hardware. DO NOT use abrasive cleaners, abrasive cloths or brushes as they will mar or scratch the clear coating.

b. Apply a non-abrasive paste wax such as Johnson or Turtle Wax, per the manufacturers directions.

WARNING: The clear coating which protects your brass is resistant to most cleaners. Harsh chemicals and cleaners which come in contact with the brass should be rinsed with clear water immediately to prevent the coating from softening. Avoid the following chemicals: Hydrogen Chloride, Sodium Hyperchlorite, and Hydroxyacetic Sulfanacide.

If tarnish has formed on the brass (a brown, black, green or copper colored film), it will be necessary to remove the remaining protective coating and refurbish the brass. This can be done by a professional refinisher or restoration company, however it is also possible for you to do it yourself. Follow the refurbishing instructions.

Refurbishing Instructions:

a. Remove the brass from the door.

b. Using a paint stripper containing methylene chloride, per manufacturers directions, remove the clear coating. This could take up to two hours in some instances.

c. Remove brass from stripping solution and lightly rub the surface with # 00 steel or bronze wool to remove any remaining coating. Rinse each part thoroughly. Rub lightly over any tarnished areas with # 00 steel or bronze wool until the original yellow brass color returns.

d. Clean the brass surface using a brass or copper cleaner following manufacturers instructions.

e. To reapply clear protective coating use a clear lacquer spray available at most hardware stores. In highly corrosive areas tarnishing could reappear under the new coating, therefore reapplication is not recommended. Maintaining lustre with a brass or copper cleaner is recommended.

WARNING: Refurbishing antiqued brass will result in a lightening of the antique finish. Most stripping and cleaning compounds may contain harsh chemicals. Follow the safety precautions listed on each product used.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

GENERAL INFORMATION

HOW TO ORDER:

For correct ordering, and to ensure no delays in shipment of your order, the following descriptive data must be listed.

Quantity: Most of the items are ordered in per each quantities. The following are the exceptions to this rule:

1. Push/Pull Bar Sets - these come in sets of a door pull and a pushbar.
2. 1560 & 1562 which come two per box

Catalog Number: Select a catalog number. Please do not order using government or BHMA numbers.

Size: Please indicate the size of the product. Push plates, pull plates, door pulls, pushbars, push/pull bar sets, door edgings and kick plates all need a size, whether it be center-to-center or size of the plates.

Additional Information: Special fasteners, i.e., Torx screws, scotch mounting and special mountings. Any cutouts, such as cut for cylinder, cut for t-turn, cut for lock, and cut for flush bolt. With any cutouts, please provide detailed drawings showing the locations of these cutouts on the plate with the dimensions and sizes.

Finish: When the finish is the same for both inside and outside of the door, it is shown once (630). On a pull plate, the plate is indicated first, then the pull. Example: 1 ea. 7116 pull plate 4 x 16 630.

HOW TO SPECIFY FINISHES:

Please specify BMHA numbers when ordering finishes. If old U.S. finish number is ordered, all paperwork and shipping materials will be marked with BMHA numbers.

HOW TO DETERMINE THE HAND OF A DOOR



info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Philadelphia, Pennsylvania

ACCESSORY HARDWARE

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section J, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
104	5j
106	5j
125	4j
130	4j
135	4j
300	4j
302	4j
350	5j
1590	3j
1603	3j
1604	3j
1607	3j
1611	6j
1613	6j
AP-34	3j
BN-4	6j
BN-6	6j
C5-1	6j
C5-2	6j
C6-1	6j
C6-2	6j
CC-100	5j
CHP-100	4j
CR-1-F	6j
CR-2-NR	6j
CR-3-NF	6j
DSP-135	1j
DV-90	3j
DV-180	3j
EM-2	5j
EM-4	5j
PBDSP-135	1j
PBSP-135	1j
PDL-100	1j
PDL-101	1j
RHP-100	4j
RP-14-2	2j
RP-15	2j
RP-18	2j
RP-27	2j
RP-13509	2j
RP-13509-2	2j
RP-13515	2j
RP-13515-2	2j
RP-13545	2j
RP-13545-2	2j
RPE2000-14	2j
RPK-109	2j
SP-135	1j
ULDV-90	3j
ULDV-180	3j
WB-112	4j
WP-34	3j

FASTENERS

Product	Fastening Type
PDL-100, PDL-101	2 ea. #6 x 1" OHSMS, 2 ea. #6 x 1/2" OHSMS
RP-13509, RP-13509-2, RP-13515, RP-13515-2, RP-13545, RP-13545-2, RP-14-2, RP-15, RP-18, RP-27, RP-28, RP-109	4 ea. #8 x 3/4" Truss Head SMS
130, 135	3 ea. #10 x 1 1/2" SMS
1603, 1604	2 ea. #6 x 3/4" SMS, 2 ea. #8 x 1" SMS
1607	6 ea. #8 x 1" SMS
1590	4 ea. #5 x 3/4" SMS
300, 302	2 ea. #6 x 5/8" SMS
EM-2, EM-4	4 ea. #8 x 3/4" Truss Head SMS
CC-100	4 ea. #8 x 3/4" SMS
104, 106	2 ea. #6 x 3/4" SMS
BN-4, BN-6	2 ea. #8 x 1" SMS
1611, 1613	2 ea. #8-32 x 2" SMS
350	2 ea. #6 x 5/8" SMS

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Pocket Door Locks



PDL-100
Passage



PDL-101
Privacy

NUMBER	DIMENSIONS	ANSI
PDL-100	2 1/2" x 2 3/4"	D0821
PDL-101	2 1/2" x 2 3/4"	D0831

SHELF PACK: 10 **Box Pack**
FEATURES:
- **Field Reversible**
- **Adjustable for various door thickness**
- **Includes pin & screws for 1 3/4" door width**

FINISHES: 605, 609, 613, 619, 620, 622, 625, 626, 605x625



POCKET DOOR LOCK PREP

Scar Plates used to convert 2 3/8" to 2 3/4" backset



SP-135



DSP-135

NUMBER	DIMENSIONS
SP-135	3 1/2" O.D - 2 1/8" I.D
DSP-135	3 1/2" O.D. - 1 1/2" I.D
PBSP-135	3 1/2" O.D - 2 1/8" I.D
PBDSP-135	3 1/2" O.D. - 1 1/2" I.D

SHELF PACK: 10 **Display Package Size - 5 1/4" x 6 1/2"**
FEATURES:
- **SP-135 fits under rose of key-in-knob or deadbolt locks**
- **DSP-135 fits under deadbolt collars**
- **SPs & DSPs are display packed**
- **PBSPs & PBDSPs are polybagged**

FINISHES: 605, 609, 612, 630

SAVE $!
Product available polybagged
To order, add prefix "PB".
(i.e., SP-135 will become PBSP-135)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

REMODELER PLATES for modernizing or decorating



RP-13509



RP-13509-2



RP-13515



RP-13515-2



RP-E2000-14

NUMBER	DIMENSIONS
RP-13509	3 1/2" x 9"
RP-13509-2	3 1/2" x 9"
RP-13515	3 1/2" x 15"
RP-13515-2	3 1/2" x 15"
RP-13545	3 1/2" x 4 1/2"
RP-13545-2	3 1/2" x 4 1/2"
RPK-109	3 1/2" x 9"
RPE2000-14	5" x 14"
RP-15	5" x 14"
RP-18	5" x 14"
RP-27	5" x 14"
RP-14-2	5" x 14"

SHELF PACK: 10 **Polybagged**
RPK-109 Display Packaged Size - 7 1/2" x 13"
GAUGE: **.032 thick**
FINISHES: (RP-13509, RP-13509-2, RP-13545, RP-13545-2) **605, 609, 612, 630**
(RP-13515, RP-13515-2, RP-109, RPE2000-14, RP-15, RP-18, RP-27, RP-14-2) **605, 630**



RPK-109
Kit Contains:
(2) RP-13509
(1) CV-86-C &
all fasteners



RP-13545



RP-13545-2



RP-18



RP-15



RP-27



RP-14-2

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Door Viewers



DV-90
ULDV-90
1/2" installation hole



DV-180
ULDV-180
9/16" installation hole

NUMBER	VIEW DIMENS.	ANSI
DV-90	160 Degrees	L21372
DV-180	180 Degrees	L21371
ULDV-90	160 Degrees	L23222
ULDV-180	180 Degrees	L23221

SHELF PACK: 10 **Polybagged**
FEATURES:
- **For doors 1 3/8" to 2" thickness**
- **DV-90 and DV-180 with plastic lens**
- **ULDV-90 and ULDV-180 with glass lens are UL rated**

FINISHES: 605, 626

Door Flip Guards



1603



1604

AP-34
1" x 1" x 1/2"

WP-34
1" x 1"

NUMBER	ANSI	MATERIAL
1603	L33042	Aluminum
1604	L13042	Brass
AP-34	–	–
WP-34	–	–

SHELF PACK: (1603, 1604) **10** **Polybagged**
(AP-34, WP-34) **100**
FEATURES:
- **Black rubber shim available for 1603 and 1604**
- **AP-34 included with item 1604**
- **Both models feature Ball Bearing Design**

FINISHES: (1603, 1604) **605, 606, 613, 625, 626**
(AP-34) **605, 606, 625, 626**
(WP-34) **605, 606, 625, 626, Clear**

Chain Guard



1607

NUMBER	MATERIAL
1607	Cast Brass

SHELF PACK: 20 **Polybagged**
FINISHES: 605, 625, 626

Elbow Catch



1590

NUMBER	MATERIAL
1590	Cast

SHELF PACK: 10 **Polybagged**
FINISHES: 605, 613, 625, 626

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Handrail Brackets



130



135

NUMBER	ANSI	MATERIAL
130	L33061	Cast Aluminum
135	L13061	Solid Brass

SHELF PACK: (130) **20,** (135) **10** **Polybagged**
FEATURES: (130) **Base 2 13/16" x 1 1/2"**
(135) **Base 2 1/4" x 1 1/4"**
FINISHES: (130)**: 605, 609, 613, 619, 620, 625, 626**
(135)**: 605, 613, 619, 620, 626**

Hinge Pins/Window Bolts



CHP-100
RHP-100



WB-112

NUMBER	DIMENSIONS
CHP-100	#12 Head
RHP-100	#10 Head
WB-112	Contains: 8 Bolts, 4 Tools

SHELF PACK: (CHP-100, RHP-100) **10 pack of 2 each** **Polybagged**
(WB-112) **10**
FINISHES: (CHP-100, RHP-100) **BP (Brass Plated), CP (Chrome Plated)**
(WB-112) **ZINC**

Coat Hooks



300



302

NUMBER	MATERIAL
300	Die Cast
302	Die Cast

SHELF PACK: 20 **Polybagged**
FINISHES: 605, 613, 619, 620, 625, 626

Finger Pull



125

NUMBER	DIMENSIONS	MATERIAL
125	2 1/8"	Zinc

SHELF PACK: 50 **Polybagged**
FINISHES: 605, 609, 613, 619, 620, 625, 626, Black

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Scar Plate for door damaged by prying



EM-2
EM-4

NUMBER	DIMENSIONS
EM-2	9" x 4" x 2 3/8"
EM-4	9" x 4 1/4" x 2 3/4"

SHELF PACK: 10 **Polybagged**
FEATURES: • Fits one side of door with curved lip
• Fits under key-in-knob
FINISHES: 605, 630

Crash Chain



CC-100

NUMBER	LENGTH
CC-100	21 3/4"

SHELF PACK: 20 **Polybagged**
FEATURE: Vinyl Cover
FINISHES: Zinc

Edge Pulls



104

106

NUMBER	DIMENSIONS
104	3 7/8" x 3/4"
106	6" x 1 1/4"

SHELF PACK: 10 **Polybagged**
FINISHES: 605, 613, 619, 620, 626

Window Lock



350

NUMBER	DIMENSIONS		MATERIAL
	BASE	STRIKE	
350	15/16" x 2 5/8"	5/8" x 2 5/8"	Steel

SHELF PACK: 10 **Polybagged**
FINISHES: 605, 613, 619, 626

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Numbers/Door Knockers



378

BN4 (shown) - BN6

How to Order: eg: BN4-2-605

NUMBER	DIMENSIONS	ANSI
1611	6 7/8" x 3 1/2"	L13151
1613	3 7/8" x 2 1/4"	L13151
BN4	4"	–
BN6	6"	–

SHELF PACK: 10 **Polybagged**
FEATURE: Forged Brass
FINISHES: 605

Cylinder Guards



C6-1



C6-2

NUMBER	DIAMETER	THICKNESS	MATERIAL
C6-1	1 1/8"	1/4"	Steel
C6-2	1 1/8"	3/8"	Steel

SHELF PACK: 10 **Polybagged**
FINISHES: BP, CP, DU

Cylinder Rings



CR-1-F



CR-2-NR



CR-3-NF

NUMBER	DIAMETER	THICKNESS	MATERIAL
CR-1-F	1 1/4"	1/4"	Aluminum
CR-2-NR	1 1/8"	1/4"	Aluminum
CR-3-NF	1 1/8"	1/4"	Brass

SHELF PACK: 10 **Polybagged**
FINISHES: BP, CP, DU

Cylinder Rings

C5-1

C5-2

NUMBER	DIAMETER	THICKNESS	MATERIAL
C5-1	1 1/8"	1/16"	Plastic
C5-2	1 1/8"	3/16"	Brass

SHELF PACK: 10 **Polybagged**
FINISHES: Clear plastic, 605

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES





Chicago, Illinois

BOLTS & LATCHES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section D, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
1550	2d
1551	2d
1555	1d
1557	1d
1560	1d
1562	2d
1570	3d
1572	3d
1573	3d
1578	5d
1580	5d
1581	5d
1582	5d
1630	6d
1632	6d
1634	6d
1636	6d
1638	6d
1639	6d
1640	2d
1640R	2d
1700	3d
1702	3d
1704	3d
1710	3d
1712	4d
1714	4d
1716	4d
1718	4d
1720	4d
1722	4d
1724	4d
RB-50	2d
RG-50	2d
SB-2	6d
SB-3	6d
SB-4	6d
SB-6	6d
SB-12	6d

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Flush Bolts

1555
Metal Doors

1557
Wood Doors

NUMBER	SIZE	ANSI A156.16	MATERIAL
1555	Face Plate: 1" x 6 3/4"	L14251	Cast Brass
	Strike: 15/16" x 2 1/4"		
	Guide: 1" x 2"		
1557	Face Plate: 1" x 6 3/4"	L04261	Cast Brass
	Strike: 15/16" x 2 1/4"		

SHELF PACK: 10 Box Pack
FASTENERS: (1555) 4 ea. #8 x 1 1/2" Combo Screw, 4 ea. #8 x 3/4" Combo Screw
(1557) 7 ea. #8 x 3/4" Combo Screw
FEATURES: (1555)
- **Fits ANSI Door & Frame Prep.**
- **3/4" Bolt Throw, 3/4" Rod Backset**
- **12" Rod length**
- **1 1/2" Adjustable Bolt Head**

FEATURES: (1557)
- **3/4" Bolt Throw, 3/4" Backset**
- **Door strength maintained by corner reinforcement plate**

FINISHES: 605, 606, 612, 613, 625, 626
OPTIONS: (1555) Longer rod options available
Works w/1570 Dust Proof Strike

Automatic Flush Bolts

1560
Metal Doors

NUMBER	SIZE	ANSI A156.3	MATERIAL
1560	Face Plate: 1" x 6 3/4"	Type 25	Brass
	Strike: 15/16" x 2 1/4"		Cast Brass
	Guide: 1" x 1 7/8"		Cast Brass
	Door Strike: 1 3/4" x 1 3/4"		Cast Brass

SHELF PACK: 10 Box Pack
FASTENERS: 8 ea. #8 x 3/4" Combo Screw, 2 ea. #8 x 3/8" MS
FEATURES:
- **Non handed**
- **Conforms to UL, IOC and UBC 7-2-1997**
- **For Fire Rated Metal Doors labeled A, B, C, D & E**
- **Sold in pairs**
- **Fits standard ANSI prep for metal doors**
- **Requires only 5 lbs. of force meeting ADA regulations**
- **1" vertical adjustment for bolts**

FINISHES: 605, 613, 626
OPTION: Works w/1570 Dust Proof Strike

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Automatic Flush Bolt

1562
Wood Doors

NUMBER	SIZE	ANSI A156.3	MATERIAL
1562	Face Plate: 1" x 8 1/2"	Type 25	Cast Brass
	Frame Strike: 15/16" x 2 1/4"		
	Guide: 1" x 6 1/16"		
	Door Strike: 1 1/4" x 1 3/4"		

SHELF PACK: 10 **Box Pack**
FASTENERS: 6 ea. #8 x 3/4" Combo Screw, 2 ea. #8 x 3/8" MS, 3 ea. #10 x 1" SMS
FEATURES:
- **Non handed**
- **Conforms to UL, IOC and UBC 7-2-1997**
- **For Fire Rated Wood Doors labelled B, C, D & E**
- **Sold in pairs**
- **Fits standard ANSI prep for wood doors**
- **Requires only 5 lbs. of force meeting ADA regulations**
- **Bolt has 3/4 vertical adjustments**

FINISHES: 605, 613, 626
OPTION: Works w/1570 Dust Proof Strike

Flush Bolts

1640

1640R

NUMBER	SIZE	ANSI A156.16	MATERIAL
1640	Face Plate: 3/4" x 6"	L04201	Cast Brass
	Strike: 15/16" x 2"		
1640R	Face Plate: 3/4" x 6"	L04201	Cast Brass
	Strike: 15/16" x 2"		

SHELF PACK: 10 **Box Pack**
FASTENERS: 4 ea. #6 x 3/4" SMS
FEATURES:
- **1" bolt throw**
- **1/2" diameter bolt**
- **For wood doors only!**
- **(1640R) 3/8" Radius End**

FINISHES: 605, 609, 613, 619, 620, 626

Aluminum Door Flush Bolts



1550

1551

RB-50

RG-50

NUMBER	DIMENSIONS	OFFSET
1550	15/16" x 4 1/4" Radius End	1/8"
1551		1/4"
RB-50	-	-
RG-50	-	-

SHELF PACK: 4 **Box Pack**
FASTENERS: (1550, 1551) 3 ea. #8-32 x 1/2" MS
(RG50) 2 ea. #8-32 x 1/2" MS
FINISHES: SL, DU

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Dust Proof Strikes

1570

1572

1573

NUMBER	DIMENSIONS	ANSI A156.16	MATERIAL
1570	2 7/8" x 2 1/4"	L24021	Cast Brass
1572	15/16" Dia. x 2" Depth	L24021	Cast Brass
1573	2 7/8" x 2 1/4"	L24021	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1570, 1573) **2 ea. #8 x 1" SMS, 2 ea. Plastic Anchor**
FEATURE: (1573) **Can be locked closed**
FINISHES: **605, 612, 613, 625, 626**
(1573) **605, 613, 626**

Roller Latches

1700



1702

1704



1710

NUMBER	SIZE	ANSI A156.16	MATERIAL
1700	Body: 3 3/8" x 1"	E19091	Cast Brass
	Strike: 1 11/16" x 2 1/4"		
1702	Body: 3 3/8" x 1"	-	Cast Brass
	Strike: 1 1/8" x 2 3/4"	-	
1704	Body: 3 3/8" x 1"	E19091	Cast Brass
	Strike: 1 1/4" x 4 7/8"		
1710	Body: 2 1/4" x 7/8"	L17802	Cast Brass
	Strike: 2 1/4" x 1 3/4"		

SHELF PACK: 10 **Polybagged**
FASTENERS: (1700, 1702) **2 ea. #8 x 1" SMS, 2 ea. #8-32 x 3/4" MS, 2 ea. #10 x 1 1/2" SMS**
(1704) **2 ea. #12-24 x 1/2" MS, 2 ea. #12 x 3/4" SMS, 2 ea. #10 x 1 1/2" SMS**
(1710) **4 ea. #8 x 1" SMS**
FEATURES:
- **Solid nylon roller for silent operation**
- **Adjustable roller latch**

FINISHES: 605, 613, 619, 620, 626

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Ball Latches



1712



1714



1716

NUMBER	LATCH DIMENSIONS	STRIKE	MATERIAL
1712	2 1/8" x 1"	2 1/8" x 1" / 2 1/8" x 1 3/8"	Cast Brass
1714	2 1/4" x 1"	2 1/8" x 1 13/32"	Cast Aluminum
1716	1"	2 1/4" x 1 13/32"	Cast Brass

SHELF PACK: 20 **Polybagged**
FASTENERS: (1712) **6 ea. #6 x 5/8" SMS**
(1714) **4 ea. #8 x 3/4" SMS**
(1716) **2 ea. #8 x 3/4" SMS**
FEATURES: (1712) **Packed with narrow & wide strikes / Adjustable height**
(1714) **Packed with full lip R/C strike**
(1716) **Drive In latch**
FINISHES: (1712) **605, 613, 619, 620, 626**
(1714) **605, 609, 613, 619, 620**
(1716) **605, 609, 613, 619, 620, 626**

Friction Catch

1718

NUMBER	SIZE			ANSI A156.16	MATERIAL
	Height	Wide	Depth		
1718	Body: 1 7/8"	3/8"	7/16"	B13302	Cast Brass
	Strike: 1 1/8"	3/8"	7/16"		

SHELF PACK: 20 **Polybagged**
FASTENERS: 4 ea. #5 x 1/2" SMS
FINISHES: 605, 609, 613, 619, 620, 625, 626

Magnetic Catches

1720

1722



1724

NUMBER	DIMENSIONS	LOAD CAPACITY	ANSI A156.16	MATERIAL
1720	2 1/16" x 1 1/8" x 5/8"	5 lbs.	-	Brass
1722	3 1/8" x 1" x 9/16"	9 lbs.	B43161	Brass
1724	3 1/8" x 1" x 3/4"	14 lbs.	B43161	Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1720) **3 ea. #6 x 5/8" SMS**
(1722, 1724) **2 ea. #6 x 1 1/4" WS, 2 ea. #6 x 5/8" SMS**
FEATURES: (1722, 1724) **packaged w/multiple strikes**
FINISHES: **605, 626**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Surface Bolts–UL Rated

1578
UL Surface Bolt



1580 (Shown)
& 1581
UL Surface Bolt

NUMBER	BOLT LENGTH	ANSI A156.16	MATERIAL
1578	8"	L84161	Solid Brass
1580	8"	L84161	Solid Brass
1581	12"	L84161	Solid Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1578) **5 ea. #10 x 1" MS, 5 ea. #10 x 1 1/4" SMS, 2 ea. Plastic Anchors**
(1580, 1581) **8 ea. #12-24 x 1" MS, 8 ea. #12 x 1 1/4" SMS**
FEATURES:
- **Furnished with Rim and Mortise strikes**
- (1580, 1581) **1 1/8 bolt throw, 1/4" x 3/4" size**
- (1578) **Concealed screw mount**

FINISHES: (1578) **626**
(1580) **605, 613, 626**
(1581) **626**
OPTION: **Sex bolt available**

Surface Bolts–UL Rated



1582

NUMBER	BOLT LENGTH	THROW	MATERIAL
1582	8"	1"	Stainless Steel

SHELF PACK: 10 **Polybagged**
FASTENERS: 6 ea. #10-24 x 1" MS, 6 ea. #10 x 1 1/4" SMS
FEATURES:
- **1/4" x 3/4" bolt size**
- **Furnished with rim and mortise strikes**
- **Padlock not included**

FINISH: **626, 630**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Slide Bolts



SB-2
SB-3
SB-4
SB-6
SB-12

NUMBER	DIMENSIONS	ANSI A156.16	MATERIAL
SB-2	5/8" x 2"	L04151	Solid Brass
SB-3	5/8" x 3"	L04151	Solid Brass
SB-4	5/8" x 4"	L04151	Solid Brass
SB-6	5/8" x 6"	L04151	Solid Brass
SB-12	5/8" x 12"	L04151	Solid Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: 6 ea. #6 x 3/4" SMS
FINISHES: (SB-2, SB-3) **605, 613, 619, 620, 625, 626**
(SB-4, SB-6, SB-12) **605, 613, 619, 620, 625, 626**
FEATURES: Furnished with rim, mortise strikes

Dutch Door Bolts

1630 **1636**
1632 **1638**
1634 **1639**

NUMBER	DIMENSIONS	BOLT	MATERIAL
1630	4 1/2" x 1 5/8"	5/8" Half Round	Solid Brass
1632	8" x 1 5/8"	5/8" Half Round	Solid Brass
1634	12" x 1 5/8"	5/8" Half Round	Solid Brass
1636	18" x 1 5/8"	5/8" Half Round	Solid Brass
1638	24" x 1 5/8"	5/8" Half Round	Solid Brass
1639	36" x 1 5/8"	5/8" Half Round	Solid Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1630) **8 ea. #6 x 1" SMS**
(1632, 1634, 1636, 1638, 1639) **11 ea. #6 x 1" SMS**
FEATURES:
- **Furnished w/rim, mortise & t-strikes**
- **1" dia. knob**

FINISHES: 605, 613, 619, 620, 625, 626

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Pittsburgh, Pennsylvania

DOOR CONTROLS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section E, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
2011	1e
2012	1e
2021	1e
2022	1e
2023	1e
2033	1e
2040	1e
2050	1e
2051	1e
2060	2e
2080	2e
3023	3e
3024	3e
3123	3e
3124	3e
3212	3e
3323	4e
3324	4e
4500	4e
4550	4e
HDCC-2012	2e
HDCC-2512	2e
HDCC-3012	2e

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Coordinators Series

PART #	DOOR FRAME OPENING	COORDINATOR SIZE	FILLER BAR SIZE	ANSI A156.3	MATERIAL
2011	52" or less	1 5/8" x 32"	1 5/8" x 25"	Type 21	Aluminum
2012	52 1/16" to 56"	1 5/8" x 32"	1 5/8" x 32"	Type 21	Aluminum
2021	56 1/16" to 72"	1 5/8" x 52"	1 5/8" x 20"	Type 21	Aluminum
2022	72 1/16" to 84"	1 5/8" x 52"	1 5/8" x 32"	Type 21	Aluminum
2023	84 1/16" to 96"	1 5/8" x 52"	1 5/8" x 44"	Type 21	Aluminum
2033	96 1/16" to 104"	1 5/8" x 60"	1 5/8" x 44"	Type 21	Aluminum
over 104"		Call Factory			

SHELF PACK: 1 Box Pack
FASTENERS: 8 ea. #12-24 x 1 1/4" MS, 6 ea. #8 x 3/4" Combo Screw
FEATURES:
- **For use on pair of doors when one door must close before the other**
- **Safety override allows active door to close first when extreme force applied**
- **Filler bar available when coordinator does not fill entire length of opening**
- **Mounting brackets available when stop mounted hardware used**

FINISH: 628 (2021 also available in Dark Brown DB)

Universal Coordinator

NUMBER	SIZE	ANSI A156.3	MATERIAL
2040	20 1/4" x 1 5/8"	Type 21	Steel

2040

SHELF PACK: 1 Box Pack
FASTENERS: 6 ea. #10-32 x 1 1/2" MS, 6 ea.#10 x 1 3/4" SMS
FEATURES:
- **One size for all pairs of doors up to 8' wide**
- **Non-handed**
- **Stop mounted**
- **Meets ANSI 156.3, Type 21 requirements (when used with carry bar)**
- **Mounting brackets not required when using stop mounted hardware**

FINISH: 622

Mounting Brackets

2050

2051



NUMBER	STOP WIDTH	SIZE	MATERIAL
2050	over 2 1/2"	5" x 3"	Aluminum
2051	under 2 1/2"	5" x 3 1/4"	Aluminum

SHELF PACK: 1 Box Pack
FASTENERS: (2050) 4 ea. #10-32 X 1 1/2" M/S
(2051) 6 ea. #10-32 X 1 1/2" M/S
FEATURES:
- **For stop mounted hardware**
- **Ready to paint aluminum, plated finishes available**

FINISH: 628

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Carry Bar

NUMBER	SIZE	MATERIAL
2060	4 1/4" x 1 5/8"	Steel

2060

SHELF PACK: 1 **Box Pack**
FASTENERS: 3 ea. #10-32 x 1" MS, 3 ea. #10-32 x 1 9/16" Sex Nut
FEATURES:
- For pair of doors, where inactive door can be opened before active door
- Mounted on inactive door

FINISH: 622

Gravity Coordinator

NUMBER	SIZE	MATERIAL
2080	5 3/8" x 7"	Brass

2080

SHELF PACK: 1 **Box Pack**
FASTENERS: 2 ea. #12 x 1" SMS, 5 ea. #6 x 3/4" SMS
FEATURES:
- Drop arm type
- Adjustable
- Field reversible

FINISH: 626

Heavy-Duty Crash Chains

NUMBER	SIZE	ANSI A156.3	MATERIAL
HDCC-2012	20 1/2"	LB2231	Steel
HDCC-2512	25 1/2"	LB2231	Steel
HDCC-3012	30 1/2"	LB2231	Steel

SHELF PACK: 10 **Polybagged**
FASTENERS: 8 ea. #10 x 1" SMS
FEATURE: Gray Vinyl Cover
FINISH: 626
OPTION: Available with thru bolts, Contact factory

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Concealed Stop

3023
3024

	DOOR OPENING				
NUMBER	BUTTS	CENTER HUNG	DOOR SIZE	ANSI A156.3	MATERIAL
3023	30" to 35 15/16"	32" to 37 15/16"	30"	C04541	Stainless Steel
3024	35" to 48"	38" to 48"	36"	C04541	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: **2 ea. #10 x 1 1/2" MS, 4 ea. #10-32 x 1/2" MS, 4 ea. #10 x 1 1/2" WS**
FEATURES:
- **Non Handed Medium-duty overhead stop**
- **For interior door, single or double acting**

FINISH: 630

Surface Stop

3123
3124

	DOOR OPENING				
NUMBER	BUTTS	CENTER HUNG	DOOR SIZE	ANSI A156.3	MATERIAL
3123	30" to 35 15/16"	33-1/2" to 38 15/16"	30"	C05541	Stainless Steel
3124	36" to 48"	39" to 48"	36"	C05541	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: **2 ea. #10 x 1 1/2" MS, 4 ea. #10-32 x 1/2" MS,**
4 ea. #10 x 1 1/2" WS, 2 ea. #10-32 x 1 9/16" Sex Nut
FEATURES:
- **Non Handed Medium-Duty overhead stop**
- **For interior door, single acting**

FINISH: 630

Surface Holder

3212

	DOOR OPENING			
NUMBER	BUTTS	CENTER HUNG	ANSI A156.3	MATERIAL
3212	35" to 40 15/16"	38 1/2" to 44 3/16"	C08511	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: **4 ea. #14 x 1 1/2" WS, 4 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4-20 x 3/4" truss MS,**
3 ea. 1/4-20 grommet nut
FEATURES:
- **Heavy-duty overhead door holder**
- **For exterior, vestibule and interior doors, single acting**

FINISH: 630

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Surface Stop

3323
3324

Warnock Hersey

	DOOR OPENING				
NUMBER	BUTTS	CENTER HUNG	DOOR SIZE	ANSI A156.3	MATERIAL
3323	32" to 35 15/16"	36" to 38 15/16"	30"	C02541	Stainless Steel
3324	36" to 39 15/16"	39" to 40 15/16"	36"	C02541	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: (3323, 3324) **2 ea. 5/16-18 x 2" MS, 4 ea. 1/4-20 x 3/4" MS, 4 ea. 1/4 x 1 1/2" WS, 2 ea. 5/16-18 x 1 1/2" Set Nut**
FEATURES:
- **Non Handed Heavy-duty overhead door stop**
- **For exterior, vestibule or interior doors, single acting**

FINISH: 630

Hospital Latch

4500
4550

NUMBER	BACK SET	SIZE	MATERIAL
4500	2 3/4"	Body: 4 1/2" x 2 3/4"	Brass
		Latch: 2 1/4" x 1 1/4"	Brass
		ASA Strike: 1 1/4" x 4 7/8"	Brass
		"T" Strike: 1 1/8" x 2 3/4"	Brass
4550	5"	Body: 4 1/2" x 2 3/4"	Brass
		Latch: 2 1/4" x 1 1/4"	Brass
		ASA Strike: 1 1/4" x 4 7/8"	Brass
		"T" Strike: 1 1/8" x 2 3/4"	Brass

SHELF PACK: 1 **Box Pack**
FASTENERS:
- **4 ea. 1/4-20 x 2 3/8" MS, 8 ea. #8-32 x 3/8" MS, 2 ea. #6 x 3/4" WS, 4 ea. 1/4-20 Nut w/nylon washer**

FEATURES:
- **Push/pull latch can be mounted with the handles up, down or horizontal without any modification.**
- **UL listed for all fire doors. • Meets ADA requirements**
- **Works with 1 3/4 doors**
- **Packed with ANSI strike and T strike as standard**
- **Lever projection 3 1/4"**
- **Bolt 1/2" throw with anti-friction nylon insert**
- **Non-handed** (except for engraved models).

FINISH: 630
OPTIONS: **When ordering engraved models, add the letter P after the item number and designate hand.**



HORIZONTAL



HORIZONTAL



LEVERS DOWN



PUSH DOWN PULL UP



LEVERS UP



PUSH UP PULL DOWN

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE

New Products Showcase



4U-2-CW



25-CW



E2000-CW



5000-CW



RP-I4-2



RP-I5



RP-I8



MELP-210



OSLP-207



9450



FBRK-2



9454



HRP-I



BX-2-SDS

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE

New Products Showcase

C Pulls 1170

Ladder Pull Ladder Pull Set

1463

1846

1464

1458



46



1718

1517

1573



1581

1710



TL-1



TL-2



TL-3

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Denver, Colorado

DOOR PROTECTION PLATES & DOOR EDGES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section A, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
81	5a
83	5a
85	5a
90	1a
91	1a
92	1a
93	1a
1284	2a
1285	2a
1286	2a
1287	2a
1288	2a
1289	2a
1290	2a
1292	2a
1293	2a
1294	2a
1295	2a
1297	2a
1298	2a
1299	2a
1310	3a
1311	3a
1312	3a
1313	3a
1314	3a
1315	3a
1316	3a
1317	3a
1318	3a
1319	3a
1320	3a
1321	3a
KP-628	5a
KP-630	5a
KP-632	5a
KP-634	5a
KP-828	5a
KP-830	5a
KP-832	5a
KP-834	5a
RS2430	5a

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Commercial Kick Plates

ARMOR PLATE



ANSI:
J101 Metal / J105 Plastic
Up to 48"h x 48"w for some finishes

KICK PLATE



ANSI:
J102 Metal / J106 Plastic
8" to 16"h x 48"w

MOP PLATE



ANSI:
J103 Metal / J107 Plastic
under 8"h to 48"w

FASTENERS:
- Individually packaged with screws #6 x 5/8" SMS
- Full threaded to the head stainless steel sheet metal screws with plated finish

FEATURES:
- Beveled 3 or 4 sides optional
- Commercial grade thickness
- Other thicknesses available on special order
- Furnished with grain or satin finish running horizontally to door
- Finishes: 605, 606, 609, 612, 613, 619, 620, 626, 628, 629, 630, 670, Brass Tone (BT), Dark Anodized Aluminum (DB), Kydex, and **Endurance**.™
- Plastic colors include: Black, Brown, Gray, Beige, White, Clear

ORDERING: Specify height x width x finish – add options
(e.g.: 8" X 34" - 630, Tek)

OPTIONS:
- MAG - Magnetic backing for metal doors
- SM - Double face 3M Tape (Scotch Mount)
- Tek - Self drilling screws
- CSK - Countersunk holes
- C/O - Cutout for locks, louvers & windows
- Torx - Security torx screws
- WH - Warnock Hersey listed armor plates for fire rated 3 hour metal doors*

NUMBER	MATERIAL
90	.050 Metal
91	.038 Metal
92	.125 Plastic
93	.125 Clear Plastic

* Only available on .050 thick 630 plates
Labelling only required when the top of the plate exceeds 16" in height

** Some options carry additional charges.

Warnock Hersey

***New* WARNOCK HERSEY LISTED ARMOR PLATES**

We now offer Armor Plates for fire rated 3 hour metal doors. Please specify prefix "WH" when ordering (i.e. WH-48" x 48"-630). Screw mount only. There is a $5.00 per plate additional charge.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Angle Plates

TWO-SIDE



#1284 - Scotch Mount
#1285 - Screw Mount

ONE-SIDE



#1286 - Scotch Mount
#1287 - Screw Mount

BOTTOM SIDE



#1288 - Scotch Mount
#1289 - Screw Mount

ORDERING:
2 SIDES: PART # x A (Leg Width) x B (Door Width) x C (Leg Width) x D (Height) x Finish
ONE SIDE: PART # x A (Leg Width) x B (Door Width) x C (Height) x Finish
BOTTOM SIDE: PART # x A (Height) x B (Bottom Width) x C (Door Width) x Finish
MATERIAL: .050" Thick Aluminum, Brass, Bronze, Stainless Steel
FASTENER: #6 x 5/8 FH SMS
FINISHES: Available in standard architectural finishes, prime painted steel
OPTIONS: Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a for details on how to order.)

Corner Guards / U-Channels



#1290 - Scotch Mount
#1295 - Screw Mount
ANSI 156.6 - J204



#1292 - Scotch Mount
#1293 - Screw Mount
ANSI 156.6 - J205



#1298 - Scotch Mount
#1299 - Screw Mount
ANSI 156.6 - J210



#1294 - Scotch Mount
#1297 - Screw Mount
ANSI 156.6 - J211

ORDERING:
CORNER GUARDS: PART # x A x B x HEIGHT
U-CHANNELS: PART # x A x B x C x HEIGHT
MATERIAL: .050" Thick Aluminum, Brass, Bronze, Stainless Steel
FASTENER: #6 x 5/8 FH SMS
FINISHES: Available in standard architectural finishes, prime painted steel
OPTIONS:
- Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a)
- 10° return on legs available upon request

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Overlapping Corner Guards / U-Channels



#1310 - Scotch Mount
#1311 - Screw Mount
ANSI 156.6 - J201



#1312 - Scotch Mount
#1313 - Screw Mount
ANSI 156.6 - J202



#1314 - Scotch Mount
#1315 - Screw Mount
ANSI 156.6 - J207



#1316 - Scotch Mount
#1317 - Screw Mount
ANSI 156.6 - J207



#1318 - Scotch Mount
#1319 - Screw Mount
ANSI 156.6 - J208



#1320 - Scotch Mount
#1321 - Screw Mount
ANSI 156.6 - J208

ORDERING:
CORNER GUARDS: PART # / A x B x HEIGHT
U-CHANNELS: PART # / A x B x C x HEIGHT
OVERLAPPING OFFSET: 1/16"
MATERIAL: **.050" Thick Aluminum, Brass, Bronze, Plain Steel, Stainless Steel**
FASTENER: **#6 x 5/8 FH SMS**
FINISHES: **Available in standard architectural finishes, prime painted steel**
OPTIONS:
- **Cutouts for flush bolts, lock strikes, locks, and hinges (see worksheet on page 4a)**
- **10° return available upon request**

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

How to Specify Cut-Out Locations

This drawing shows typical location of cutouts for full length door edges on lock edge of doors. Use this page as a worksheet or photocopy and fill in your dimentions.

Top of Typical Metal Door



Top of Typical Wood Door



For Use on 1 3/4" Doors



161 Latch Bolt



86 Mortise Lock



ASA Strike



Wood Door Automatic Flush Bolt



Metal Door Manual/Automatic Flush Bolt

Wood Door Manual Flush Bolt



Hinges

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Vertical Rod Protector



#81
For use on right hand reverse doors

#83
For use on left hand reverse doors

#85
Rod Cover

NUMBER	DESCRIPTION	WIDTH	HEIGHT	PROJECTION	MATERIAL
81	Latch bolt cover	6 3/4"	10"	2 1/8"	Stainless steel
83	Latch bolt cover	6 3/4"	10"	2 1/8"	Stainless steel
85	Rod cover	3 1/8"	24"	1 1/8"	Stainless steel

SHELF PACK: 1 **Box Pack**
GAUGE: **18 (.050)**
FASTENERS: **#6 X 3/4"**
FEATURES:
- **Assist in handicap conformance**
- **Use in hospitals, schools, etc.**
- **Installs on any type of wood, metal or plastic door, any thickness. Covers the latching bolt and lower portion of the vertical rod assembly.**

FINISH: **630**

Range Shields

RS2430

NUMBER	DIMENSIONS
RS2430	24" x 30"

SHELF PACK: 4 **Box Pack**
GAUGE: **22 (.032)**
FASTENERS: **#6 x 5/8" SMS**
FINISHES: **White, Almond**

Display Packaged Kick Plates



Innovative packaging includes an outer corrugation that insures the inner package will remain fresh for display. Package allows for hanging or stacking.

- **Furnished with grain or satin finish running horizontally to door**
- **Finishes: 605, 628, 630, Brass Tone (BT)**
- **Individually packaged with screws #6 x 5/8 SMS**
- **Full threaded to the head stainless steel sheet metal screws with plated finish**

NUMBER	DIMENSIONS
KP-628	6" x 28"
KP-630	6" x 30"
KP-632	6" x 32"
KP-634	6" x 34"
KP-828	8" x 28"
KP-830	8" x 30"
KP-832	8" x 32"
KP-834	8" x 34"

SHELF PACK: 1
Display Packaged Size - 8 1/4" x 38 1/2"

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE

DON-JO posters available for you and your customers to display in your show room.

Contact DON-JO for posters and details.

www.don-jo.com

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



New York, New York

DOOR PULLS, PUSH & PULL PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section B, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
10	3b
11	2b
14	2b
15	2b
16	2b
17	2b
19	2b
20	2b
21	2b
22	2b
30	2b
31	2b
32	2b
35	3b
36	3b
37	3b
38	3b
42	3b
44	3b
46	13b
54	12b
56	12b
57	12b
58	12b
59	12b
62	11b
64	11b
66	11b
69	1b
70	1b
71	1b
72	1b
73	1b
76	1b
77	1b
78	1b
79	1b
80	1b
120	12b
121	12b
147	5b
160	6b
161	6b
162	6b
163	6b
1150	4b
1151	4b
1152	4b
1156	4b
1157	4b
1158	4b
1159	4b
1160	4b
1170	4b
1846	10b
1848	10b
1850	10b
1858	10b
1860	10b
1866	11b
1874	11b
7010	7b
7011	7b
7014	7b
7015	7b
7016	7b
7017	7b
7019	8b
7020	8b
7021	8b
7030	8b
7031	8b
7032	8b
7037	9b
7038	9b
7110	7b
7111	7b
7114	7b
7115	7b
7116	7b
7117	7b
7119	8b
7120	8b
7121	8b
7130	8b
7131	8b
7132	8b
7137	9b
7138	9b
7816	9b
19147	5b
20147	5b
21147	5b
22147	5b
1156147	5b
1157147	5b
1158147	5b
1159147	5b
1160147	5b
1170147	6b
CFC70	10b
CFC71	10b
CFC7015	10b
CFC7115	10b
CFD70	10b
CFD71	10b
CFD7015	10b
CFD7115	10b
CFK70	10b
CFK71	10b
CFK7015	10b
CFK7115	10b
CFL70	10b
CFL71	10b
CFL7015	10b
CFL7115	10b
PL-13515	13b
PS-13515	13b

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

.050 Push Plates



NUMBER	DIMENSIONS	ANSI A156.6	MATERIAL
69	3" X 12"	J301	Aluminum, Brass, Bronze, Stainless Steel, Plastic
70	3 1/2" X 15"	J301	
71	4" X 16"	J301	
72	6" X 16"	J301	
73	8" X 16"	J301	

SHELF PACK: 10 **Box Pack**
FASTENERS: #6 x 5/8 OH SMS
FEATURE: **Four beveled edges**
FINISHES: **605, 606, 609, 612, 613, 619, 620, 626, 628, 629, 630**
ORDERING: **Specify plate number followed by size and finish – specify additional options and/or features.**

OPTIONS:
- **Rounded corners - RC**
- **Custom sizes available**
- **Torx screws**
- **Scotch Mount, double face tape (no holes, no screws)**
- **Magnetic, no holes, no screws**
- **Engraving**
- **Hole cut outs available**

.125 Push Plates



NUMBER	DIMENSIONS	ANSI A156.6	MATERIAL
76	3" X 12"	J301	Stainless Steel
77	3 1/2" X 15"	J301	
78	4" X 16"	J301	
79	6" X 16"	J301	
80	8" X 16"	J301	

SHELF PACK: 10 **Box Pack**
FASTENERS: #6 x 5/8 OH SMS
FEATURE: **Four beveled edges**
FINISH: **630**
ORDERING: **Specify plate number followed by size and finish – specify additional options and/or features.**

OPTIONS:
- **Rounded corners - RC**
- **Custom sizes available**
- **Torx screws**
- **Scotch Mount, double face tape (no holes, no screws)**
- **Magnetic, no holes, no screws**
- **Engraving**
- **Hole cut outs available**

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

5/8" & 3/4" Round Door Pulls

NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
11	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J401	Aluminum, Brass, Bronze, Stainless Steel
14	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J401	
15	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J401	
16	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J401	
17	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 Thru bolt & finish washer
FEATURE: Made from solid bar stock
FINISHES: 605, 606, 609, 612, 613, 628, 629, 630
OPTIONS:
- Back to back mounting for pulls 3/4" dia. only
- Back to back mounting not available on 5/8" dia. Pulls
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

1" Round Door Pulls

NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
19	8"	1"	9"	3"	2"	J401	Aluminum, Brass, Bronze, Stainless Steel
20	10"	1"	11"	3"	2"	J401	
21	12"	1"	13"	3"	2"	J401	
22	18"	1"	19"	3"	2"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 Thru bolt & finish washer
FEATURE: Made from solid bar stock
FINISHES: 605, 606, 612, 613, 628, 629, 630
OPTIONS:
- Back to back mounting for pairs
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

Flat Bar Door Pulls

NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
30	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J401	Aluminum, Brass, Bronze, Stainless Steel
31	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J401	
32	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 thru bolt & finish washer
FEATURE: Made from solid bar stock
FINISHES: 605, 613, 628, 630

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Half Round Door Pulls

NUMBER	CTC	DIAMETER	DIMENSIONS			ANSI A156.6	MATERIAL
			OVERALL	PROJECTION	CLEARANCE		
37	6"	1" Half Round	6 1/2"	2"	1 1/2"	J401	Aluminum, Brass, Stainless Steel
38	8"	1" Half Round	8 1/2"	2"	1 1/2"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 thru bolt & finish washer
FEATURE: Made from solid bar stock
FINISHES: 605, 613, 630

Cast Door Pulls

NUMBER	CTC	DIMENSIONS			ANSI A156.6	MATERIAL
		OVERALL	PROJECTION	CLEARANCE		
10	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J401	Cast Aluminum, Brass, Bronze, Stainless Steel
36	5 1/2"	7 1/2"	1 7/8"	1 1/2"	J401	
42	5"	8 1/8"	2 1/2"	2 1/8"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: 1/4-20 thru bolt & finish washer
FEATURE: Made from cast material
FINISHES: (10) 605, 612, 613, 628, 630
(36) 605, 613, 625, 626, 628, 630
(42) 630

Surface Mount Cast Door Pulls

NUMBER	CTC	DIMENSIONS			ANSI A156.6	MATERIALS
		OVERALL	PROJECTION	CLEARANCE		
35	5 1/2"	7 1/2"	1 7/8"	1 1/2"	J401	Cast Aluminum, Brass, Stainless Steel
44	6"	8 7/8"	3 1/4"	2 1/16"	J401	

SHELF PACK: 1 **Box Pack**
FASTENERS: (35) 6 ea. #10 x 1" SMS
(44) 4 ea. #10 x 1" SMS
FINISHES: (35) 605, 613, 625, 626, 628, 630
(44) 605, 630

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

"C" Door Pulls

NUMBER	CTC	DIMENSIONS					ANSI A156.6	MATERIAL
		DIAMETER	OVERALL	PROJECTION	CLEARANCE	OFFSET		
1170	12"	1"	13"	3"	2"	8"	J402	Stainless Steel

SHELF PACK: 1 **Box Pack**
FASTENERS: 3/8-24 x 2 1/2" MS
FINISH: 630
OPTIONS:
- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selection
- Specify door thickness if over 1 3/4" thick door

Offset Door Pulls

NUMBER	CTC	DIMENSIONS					ANSI A156.6	MATERIAL
		DIAMETER	OVERALL	PROJECTION	CLEARANCE	OFFSET		
1150	8"	3/4"	8 3/4"	2 1/2"	1 3/4"	90°	J402	Aluminum, Brass, Bronze, Stainless Steel
1151	10"	3/4"	10 3/4"	2 1/2"	1 3/4"	90°	J402	
1152	12"	3/4"	12 3/4"	2 1/2"	1 3/4"	90°	J402	
1156	8"	1"	9"	3 1/2"	2 1/2"	90°	J402	
1157	10"	1"	11"	3 1/2"	2 1/2"	90°	J402	
1158	12"	1"	13"	3 1/2"	2 1/2"	90°	J402	
1159	18"	1"	19"	3 1/2"	2 1/2"	90°	J402	
1160	9"	1"	10"	3 1/2"	2 1/2"	90°	J402	

SHELF PACK: 1 **Box Pack**
FASTENERS: (1150, 1151, 1152) 1/4-20 x 2 1/2" MS
(1156, 1157, 1158, 1159, 1160) 3/8-24 x 2 1/2" MS
FINISHES: 605, 606, 613, 628, 629, 630
OPTIONS:
- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selections
- Specify door thickness if over 1 3/4" thick door

ADA Accessibility Guidelines for Buildings and Facilities (ADAAG)
As amended through January 1998

4.13.9 **Door Hardware.** Handles, pulls, latches, locks, and other operating devices on accessible doors shall have a shape that is easy to grasp with one hand and does not require tight grasping, tight pinching, or twisting of the wrist to operate. Lever-operated mechanisms, push-type mechanisms, and U-shaped handles are acceptable designs. When sliding doors are fully open, operating hardware shall be exposed and usable from both sides. Hardware required for accessible door passage shall be mounted no higher than 48 in. (1220 mm) above finished floor.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Push/Pull Bars

	PULL			PUSH				
NUMBER	CTC	PROJECTION	CLEARANCE	CTC	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
147	Specify	3 1/2"	2 1/2"	–	Specify	1 1/2"	J501	Aluminum, Brass, Bronze Stainless Steel
19147	8"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
20147	10"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
21147	12"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
22147	18"	3"	2"	Specify	2 1/2"	1 1/2"	J504	
1156147	8"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1157147	10"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1158147	12"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1159147	18"	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	
1160147	9	3 1/2"	2 1/2"	Specify	2 1/2"	1 1/2"	J504	

SHELF PACK: 1 **Box Pack**
FASTENER: See page 14b for all details
FEATURE: Made from solid bar stock
FINISHES: 605, 606, 613, 628, 629, 630, 313
ORDERING: Specify door pull, push bar, CTC of push bar & finish & mounting method.

147



19147 thru 22147



1156147 thru 1159147



19148 thru 22148



1156148 thru 1159148



19149 thru 22149



1156149 thru 1159149

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

"C" Pull/Push Bars

	PULL			PUSH			
NUMBER	CTC	PROJECTION	CLEARANCE	CTC	PROJECTION	CLEARANCE	MATERIAL
1170147	12"	3"	2"	Specify-	2 1/2"	1 1/2"	Stainless Steel

SHELF PACK: 1 Box Pack
FASTENER: See page 14b for all details
FEATURE: Made from solid bar stock
FINISHES: 630
ORDERING: Specify door pull, push bar, CTC of push bar & finish & mounting method.

Ladder Pulls

Ladder Pull Set

		DIMENSIONS				
NUMBER	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	MATERIAL
160	36"	1 1/4"	48"	3 1/4"	2"	Stainless Steel
161	48"	1 1/4"	60"	3 1/4"	2"	Stainless Steel
162	60"	1 1/4"	72"	3 1/4"	2"	Stainless Steel
163	72"	1 1/4"	84"	3 1/4"	2"	Stainless Steel

SHELF PACK: 1 Box Pack
FASTENERS: 3/8-24 x 2 1/2" MS
FINISHES: 629, 630
OPTIONS:
- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selection

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Pull Plate w/Cast Pull

NUMBER	PLATE	CTC	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7010	3 1/2" x 15"	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J405	Aluminum, Brass, Bronze, Stainless Steel
7110	4" x 16"	5 1/2"	6 1/2"	1 3/4"	1 5/16"	J405	

SHELF PACK: 1 Box Pack
FASTENER: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 612, 613, 628, 630
OPTION: Other size plates & custom sizes available

Pull Plates w/3/4" Round Pulls

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7011	3 1/2" x 15"	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J405	Aluminum, Brass, Bronze, Stainless Steel
7014	3 1/2" x 15"	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J405	
7015	3 1/2" x 15"	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J405	
7016	3 1/2" x 15"	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J405	
7017	3 1/2" x 15"	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J405	
7111	4" x 16"	5 1/2"	5/8"	6 1/8"	2"	1 3/8"	J405	
7114	4" x 16"	5 1/2"	3/4"	6 1/4"	2 1/4"	1 1/2"	J405	
7115	4" x 16"	6"	3/4"	6 3/4"	2 1/4"	1 1/2"	J405	
7116	4" x 16"	8"	3/4"	8 3/4"	2 1/4"	1 1/2"	J405	
7117	4" x 16"	10"	3/4"	10 3/4"	2 1/4"	1 1/2"	J405	

SHELF PACK: 1 Box Pack
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 606, 612, 613, 628, 629, 630
OPTIONS:
- Add prefix "H" for 2 1/2" clearance
- Other plate sizes available

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Pull Plates w/ 1" Round Pulls

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7019	3 1/2" x 15"	8"	1"	9"	3"	2"	J405	Aluminum, Brass, Bronze, Stainless Steel
7020	3 1/2" x 15"	10"	1"	11"	3"	2"	J405	
7021	3 1/2" x 15"	12"	1"	13"	3"	2"	J405	
7119	4" x 16"	8"	1"	9"	3"	2"	J405	
7120	4" x 16"	10"	1"	11"	3"	2"	J405	
7121	4" x 16"	12"	1"	13"	3"	2"	J405	

SHELF PACK: 1 Box Pack
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 606, 612, 613, 628, 629, 630
OPTIONS:
- Add prefix "H" for 2 1/2" clearance
- Other plate sizes available

Pull Plates w/Flat Pulls

NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
7030	3 1/2" x 15"	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J405	Aluminum, Brass, Bronze, Stainless Steel
7031	3 1/2" x 15"	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J405	
7032	3 1/2" x 15"	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J405	
7130	4" x 16"	6"	3/8" x 1 1/4"	6 3/8"	2"	1 5/8"	J405	
7131	4" x 16"	8"	3/8" x 1 1/4"	8 3/8"	2"	1 5/8"	J405	
7132	4" x 16"	10"	3/8" x 1 1/4"	10 3/8"	2"	1 5/8"	J405	



SHELF PACK: 1 Box Pack
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 613, 628, 630
OPTION: Other plate sizes available

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Pull Plates w/ Half Round Pulls



NUMBER	PLATE	CTC	DIAMETER	OVERALL	PROJ.	CLEARANCE	ANSI A156.6	MATERIAL
7037	3 1/2" x 15"	6"	1" Half Round	6 1/2"	2"	1 1/2"	J405	Aluminum, Brass, Bronze, Stainless Steel
7038	3 1/2" x 15"	8"	1" Half Round	8 1/2"	2"	1 1/2"	J405	
7137	4" x 16"	6"	1" Half Round	6 1/2"	2"	1 1/2"	J405	
7138	4" x 16"	8"	1" Half Round	8 1/2"	2"	1 1/2"	J405	

SHELF PACK: 1 Box Pack
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISHES: 605, 613, 630
OPTION: Other plate sizes available

1/8" Thick Pull Plate w/ Round Pull

NUMBER	THICKNESS	DIMENSIONS	ANSI A156.6	MATERIAL
7816	.125	4" x 16"	J407	Stainless Steel

SHELF PACK: 1 Box Pack
FASTENERS: 1/4-20 thru bolt, #6 x 5/8" OH SMS
FINISH: 630
OPTION: Other plate sizes available

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Push Plates & Pull Plates WITH HOLES



NUMBER	PULL	DIMENSIONS	MATERIAL
*70	-	3 1/2" x 15"	Aluminum, Brass, Bronze, Stainless Steel
*71	-	4" x 16"	
*7015	15	3 1/2" x 15"	
*7115	15	4" x 16"	

SHELF PACK: (70, 71) **10** **Box Pack**
(7015, 7115) **1**
FASTENERS: **1/4-20 thru bolt for handles, #6 x 5/8" OH SMS**
FEATURE: **All holes are 2 1/2" on center from the end of the plate.**
FINISHES: **605, 606, 612, 613, 628, 629, 630**
OPTIONS:
- **Hole location can be varied**
- **Other plate sizes & pulls can be specified**

HOW TO ORDER:
Hole Size, Number, Finish e.g.: CFC70 - 605

HOLE SIZE: CFC 1 1/4" - CFD 1 1/2" - CFK 2 1/8" - CFL 2 1/8" with lever prep

Flush Cup Pulls

1848

1850

NUMBER	DIMENSIONS	OPENING SIZE	DEPTH	ANSI A156.6	MATERIAL
1846	5" x 5"	3 1/2" x 3 1/2"	7/8"	J403	Stainless Steel
1848	3 1/2" x 4 3/4"	2" x 3 1/2"	3/4"	J403	
1850	3 1/2" x 4 3/4"	2" x 3 1/2"	3/4"	J403	
1858	4" x 10"	2" x 3 1/2"	3/4"	J403	
1860	4" x 16"	2" x 3 1/2"	3/4"	J403	

SHELF PACK: (1846) **1** **Box Pack**
(1848, 1850, 1858, 1860) **10**
GAUGE: **16 (.062)**
FASTENERS: (1846) **4 ea. #10-24 x 5/8" Pin in head Torx MS, 4 ea. one way x 5/8" sex nut**
(1850, 1858) **4 ea. #8 x 3/4" SMS**
(1860) **6 ea. #8 x 3/4" SMS**
FEATURES: (1846) **ADA Compliant**
FINISH: **630**
OPTIONS:
- **Back to back Mounting for 1848 & 1850 only**
- **Torx screws**

1858

1860



1846

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Cylinder Pull

NUMBER	HOLE	DIMENSIONS	PROJECTION	ANSI A156.6	MATERIAL
1874	1 1/4"	2" x 3 3/4"	5/8"	J303	Stainless Steel

SHELF PACK: 10 **Box Pack**
GAUGE: 11 (.125)
FEATURE: Mounts underneath cylinders
FINISH: 630

Push/Pull Plate

NUMBER	DIMENSIONS	PROJECTION	ANSI A156.6	MATERIAL
1866	3 1/2" x 15 3/4"	1 1/4"	J303	Stainless Steel

SHELF PACK: 10 **Box Pack**
GAUGE: 11 (.125)
FASTENERS: #8 x 3/4" SMS
FINISH: 630
OPTIONS:
- Hole cut outs available
- Torx screws

Wire Pulls

NUMBER	CTC	DIAMETER	OVERALL	PROJECTION	CLEARANCE	ANSI A156.6	MATERIAL
62	3"	5/16"	3 5/16"	1 11/32"	1 1/32"	B22011	Brass
64	3 1/2"	5/16"	3 13/16"	1 11/32"	1 1/32"	B22011	Brass
66	4"	5/16"	4 5/16"	1 11/32"	1 1/32"	B22011	Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: 2 ea. #8-32 x 1 3/4" SMS, 2 ea. #8-32 x 1" SMS
FINISHES: 605, 625, 626

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Cabinet Knob

54, 56

120, 121

57

NUMBER	SIZE	PROJECTION	ANSI A156.6	MATERIAL
54	1 1/4"	1 5/32"	B12131	Brass
56	1 1/2"	1 17/64"	B12131	Brass
57	1 1/2"	1/8"	-	Aluminum
120	1 1/2"	1/2"	-	Aluminum
121	1 3/4"	3/4"	-	Aluminum

SHELF PACK: 10 Polybagged
FASTENERS: (54, 56, 120, 121) **#8-32 x 1 3/4" SMS, #8-32 x 1 1/4" SMS**
FINISHES: **605, 613, 619, 620, 626**

Cabinet Knob

58



NUMBER	KNOB	BACK PLATE	PROJECTION	MATERIAL
58	1 1/4"	–	1 9/32"	Cast Aluminum
59	–	1 3/4"	1/2"	Cast Aluminum

SHELF PACK: 10 Polybagged
FASTENERS: (58) **#8-32 x 1 3/4" SMS**
FINISHES: **605, 620, 625, 626**

59

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Foot Pull

NUMBER	DOOR THICKNESS	PROJECTION	MATERIAL
46	1 3/4"	4 1/2"	Stainless Steel

SHELF PACK: 1 **Polybagged**
FASTENERS: #6 x 5/8" OH SMS
FEATURES: To pull door open w/foot, mounts under the bottom of the door
FINISH: 630

Display Packaged Push & Pull Plates

PL-13515

PS-13515

NUMBER	PULL	DIMENSIONS
PL-13515	No. 11	3 1/2" x 15"
PS-13515	-	3 1/2" x 15"

SHELF PACK: 10 **Display Packaged Size - 4 1/4" x 17 1/4"**
FASTENERS: (PL-13515) **#6 x 5/8" SMS, 1/4-20" x 2 1/4" thru-bolt**
(PS-13515) **#6 x 5/8" SMS**
FINISHES: 605, 613, 630

© Don-Jo Mfg. 2010

DON-JO MFG., INC.



1 Mounting - Thru Bolt (wood or metal doors)



All pulls: 1/4-20 w/Finish Washer
Offset Pulls: 3/8-24 (Finish washer not supplied.)

2 Mounting - Surface Concealed (Wood Doors)



1/4" x 1" w/set screw

3 Mounting - Back to Back (Wood or Metal Doors)



All Pulls: 1/4-20 w/set screw



Offset Pulls: 3/8-24
w/set screw

4 Mounting - Thru Bolt (Glass Doors)



3/8-24 decorative thru bolt
w/newprene washers
5/8" Plexiglass bushing

5 Mounting - Back to Back (Glass Doors)



3/8-24 Bolt w/set screw
5/8" Plexiglass bushing
w/Neoprene washers

6 Mounting - Surface Concealed (Metal Doors)



1/4-20 w/set screw

7 Mounting - Concealed (Wood or Metal Doors)



1/4-20 w/set screw
Concealed studs welded to back of Push Plate
*Must mount studs to 1/8" thick plates only! Thinner gauge cannot be used!

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Minneapolis, Minnesota

DOOR STOPS, HOLDERS & BUMPERS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com

Section C, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
1400	1c
1401	1c
1402	1c
1406	1c
1407	1c
1410	1c
1412	1c
1413	1c
1420	9c
1430	9c
1432	9c
1440	2c
1442	2c
1443	2c
1444	2c
1445	2c
1446	2c
1448	3c
1449	3c
1449P	3c
1450	4c
1452	4c
1453	4c
1455	5c
1457	6c
1458	6c
1462	5c
1463	5c
1464	5c
1465	5c
1466	5c
1467	5c
1468	5c
1469	5c
1471	3c
1472	3c
1473	3c
1474	3c
1475	3c
1476	3c
1477	3c
1478	3c
1480	3c
1486	4c
1487	4c
1488	4c
1490	7c
1492	7c
1500	8c
1501	7c
1502	8c
1503	8c
1504	7c
1505	8c
1506	7c
1508	8c
1509	8c
1510	8c
1511	8c
1514	7c
1517	7c
1520	6c
1521	6c
1522	6c
1523	6c
1608	8c
1609	8c
1610	8c

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Wrought Wall Bumpers

1400

1402

1406

1407

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
1400	Convex	1/2"	1"	L02101	Brass
1402	Concave	1 1/8"	1 1/2"	–	Solid Brass
1406	Convex	1 1/8"	2 1/2"	L22101, L52101	Wrought
1407	Concave	1"	2 1/2"	L22251, L52251	Wrought

SHELF PACK: (1400, 1406, 1407) **50** **Polybagged**
(1402) **10**
FASTENERS: (1400) **1 ea. #8 x 1" SMS, 1 ea. Brad Nail, 1 ea. Plastic Anchor**
(1402) **1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor**
(1406, 1407) **1 ea. #8 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor**
FINISHES: (1400) **605, 606, 613, 625, 626**
(1402) **626**
(1406) **605, 606, 612, 613, 619, 620, 625, 626, 630**
(1407) **605, 606, 612, 613, 619, 620, 625, 626, 630**

Cast Wall Bumpers

1412

1413

1410

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
1410	Convex	7/8"	3 7/8"	-	Cast Brass
1412	Convex	1"	2 1/2"	L12101	Cast Brass
1413	Concave	1"	2 1/2"	L12251	Cast Brass

SHELF PACK: **10** **Polybagged**
FASTENERS: (1412, 1413) **1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor & Plastic Drywall Anchor**
(1410) **1 ea. 1/4-20 x 1 1/4" MS, 3 ea. #8-32 x 1/4" MS, 1 ea. Lead Expansion Shield**
FINISHES: (1412, 1413) **605, 606, 612, 613, 626**
(1410) **626**
OPTIONS: (1410) **Torx screws available**

Rubber Wall Bumpers

1401

NUMBER	TYPE	PROJ.	DIA.	MATERIAL
1401	Concave	9/16"	1 13/16"	Rubber

SHELF PACK: **10** **Polybagged**
FASTENER: **Adhesive**
FINISHES: **White & Gray**

Proj. = Projection, Dia. = Diameter

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Floor Stops

1440

1442

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
1440	1"	1/8" x 1 3/4"	L12141	Cast Brass
1442	1 1/4"	3/8" x 1 3/4"	L12161	Cast Brass

SHELF PACK: (1440, 1442) **20** **Polybagged**
FASTENERS: (1440, 1442) **1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS, 1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield**
FINISHES: (1440, 1442) **605, 606, 612, 613, 619, 620, 625, 626**

Risers

1446

NUMBER	HEIGHT	BASE	MATERIAL
1446	1/2"	1 3/4"	Cast Brass

SHELF PACK: **50** **Polybagged**
FINISHES: **605, 612, 613, 625, 626**

Floor Stops

1445

NUMBER	HEIGHT	BASE	MATERIAL
1445	1 1/2"	5/8" x 1 3/4"	Cast Brass

SHELF PACK: **20** **Polybagged**
FASTENERS: **1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS, 1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield**
FEATURES: **1445 is made by combining the 1440 & 1446**
FINISHES: **605, 612, 613, 625, 626**

Floor Stops

1443

1444

NUMBER	HEIGHT	BASE	MATERIAL
1443	1"	1/8" x 4"	Cast Brass
1444	1 3/8"	1/2" x 4"	Cast Brass

SHELF PACK: (1443, 1444) **10** **Polybagged**
FASTENERS: (1443, 1444) **2 ea. 1/4-20 x 1 1/4" MS, 2 ea. 1/4" x 1 1/4" SMS, 2 ea. Plastic Anchor and 2 ea. Lead Expansion Shield**
FINISHES: (1443, 1444) **605, 613, 626**

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Door Stops

1471 (shown), 1472

1473 (shown) 1474

1475 (shown), 1476

1477 (shown) 1478

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
1471	3 1/8"	2 1/4"	L12131	Cast Brass
1472	3 1/8"	2 1/4"	L12121	Cast Brass
1473	3 7/8"	2 1/4"	L11371	Cast Brass
1474	3 7/8"	2 1/4"	L11361	Cast Brass
1475	3 7/8"	2 1/4"	L12021	Cast Brass
1476	3 7/8"	2 1/4"	L12011	Cast Brass
1477	3 1/2"	2 1/4"	L11351	Cast Brass
1478	3 1/2"	2 1/4"	L11341	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1471, 1475) **1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 1/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield**
(1472, 1476) **3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors**
(1473, 1477) **1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shield**
(1474, 1478) **5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors**
FEATURES: (1471, 1473, 1475, 1477) **concealed mounting**
(1472, 1474, 1476, 1478) **surface mounting**
FINISHES: (1471, 1477) **605, 613, 626**
(1472, 1474, 1476, 1478) **626**
(1473, 1475) **605, 613, 626**

Angle Stop

1480

NUMBER	BASE	RUBBER	
		HEIGHT	WIDTH
1480	2 1/2" x 1"	2 5/8"	1 1/2"

SHELF PACK: 10 **Polybagged**
FASTENERS: 2 ea. 1/4" x 1 1/2" SMS, 2 ea. Plastic Anchors
FINISHES: 626

Door Stops

1448

1449

1449P

NUMBER	HEIGHT	BASE	MATERIAL
1448	1 5/8"	2 1/4" x 1 5/8"	Cast Brass
1449	2 1/2"	2 1/4" x 1 5/8"	Cast Brass
1449P	3 3/4"	2 11/16" dia.	Cast Aluminum

SHELF PACK: 10 **Polybagged**
FASTENERS (1448, 1449) **3 ea. 8/32 x 1" MS, 3 ea. #8 x 1 1/4" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shields**
FINISHES: (1448, 1449) **605, 613, 626**
(1449P) **628**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Door Stops

1450

1452

1453

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
1450	2 1/8"	2 5/8" x 1 5/8"	L12131	Cast Brass
1452	2 3/4"	2 1/2" x 1 1/2"	L12131	Cast Brass
1453	3"	2 1/2" x 1 1/2"	L13171	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: (1450, 1452) **1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield**
(1453) **1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 2 ea. #8 x 1" SMS, 1 ea. 14-20 x 1 1/4" MS, 1 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shields**
FINISHES: (1450, 1452) **605, 613, 619, 620, 626**
(1453) **605, 613, 626**

Roller Bumpers

1486

1487

1488

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
1486	2" dia.	4 1/2"	L12191	Cast Brass
1487	2" dia.	6"	L12201	Cast Brass
1488	1 5/8" x 2 1/4"	2 3/4"	L12211	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors
FINISHES: 605, 613, 626

1488



1486 & 1487



© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Detention Stop

1462

1463

NUMBER	HEIGHT	BASE	MOUNTING BOLT
1462	4 1/2"	1 1/2 x 2"	1/2" x 3"
1463	6"	3 1/2 x 2"	1/2" x 2 1/2"

SHELF PACK: (1462) **20,** (1463) **10** **Polybagged**
FINISH: Black

Door Holders

1455

1464

1465

1466

1467

1468

1469

NUMBER	PROJECTION	ANSI A156.16	MATERIAL
1455	4"	L11382	Cast Aluminum
1464	4"	L11382	Solid Brass
1465	4"	L11382	Solid Brass
1466	4"	–	Cast Iron
1467	5"	L11382	Solid Brass
1468	-	–	Rubber
1469	-	–	Rubber

SHELF PACK: **10** **Polybagged**
FASTENERS: (1455) **3 ea. #8 x 1" SMS**
(1464, 1465, 1466, 1467) **4 ea. #8 x 1" SMS**
(1469) **1 ea. #8-32 x 7/8" MS**
FINISHES: (1455) **626, BP (Brass Plated), BZ (Bronze Sprayed), CP (Chrome Plated), DU (Duro Coated)**
(1465) **605, 613, 625, 626**
(1466) **Sprayed Brass, Sprayed Bronze, Sprayed Aluminum, Sprayed Durocoat**
(1464) (1467) **605, 613, 626**
(1468) **Gray Rubber**
(1469) **Gray Rubber**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Plunger Stop

1457

1458

NUMBER	PROJECTION	BASE	ANSI A156.16	MATERIAL
1457	1 1/4"	6 3/16" x 1 7/16"	L11401	Cast Aluminum
1458	1 7/8"	1 3/8" x 5 3/8"	L01411	Brass

SHELF PACK: 10 Polybagged
FASTENERS: (1457) 2 ea. #8 x 1" SMS
(1458) 3 ea. #10 x 3/4" OHSMS
FINISH: (1457) 628
(1458) 626

Door Holder

NUMBER	DOOR TO FLOOR CLEARANCE	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1520	1/2" or less	3" W x 3 1/2" H	L11301	Cast Brass
1521	9/16" – 1 1/16"	3" W x 3 1/2" H	L11301	Cast Brass
1522	1 1/8" – 1 9/16"	3" W x 3 1/2" H	L11301	Cast Brass
1523	1 5/8" – 2 1/16"	3" W x 3 1/2" H	L11301	Cast Brass

SHELF PACK: 1 Box Pack
FASTENERS: 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/4" SMS, 4 ea. #12-24 x 1" MS, 4 ea. #12 x 1" SMS, 3 ea. Lead Expansion Shields
FINISH: 626



1520



1521



1522



1523

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Door Holder

1517

NUMBER	HEIGHT	BASE DIMENSIONS	ANSI A156.16	MATERIAL
1517	3 1/2"	2" x 3 1/2"	L11241	Brass

SHELF PACK: 1 **Polybagged**
FASTENERS: **2 ea. Plastic Anchors, 1 ea. 1/2-13" x 3 1/4" Stud, 1 ea. Lead Anchor, 2 ea. 1/4 x 1 1/2" FHSMS, 1 ea. 1/4-20 x 1 1/4" FHMS, 1 ea. Lead Anchor**
FINISH: 626

Door Holder



1514

NUMBER	PROJECTION	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1514	3 1/2"	2 1/2" H x 2 1/4" W	L11291	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: **2 ea. #10-24 x 1 1/4" MS, 5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors**
FINISH: 626

Door Stops

1490

1492

NUMBER	HEIGHT	LENGTH	MATERIAL
1490	3"	3 3/4"	Cast Brass
1492	3"	3 3/4"	Cast Brass

SHELF PACK: 10 **Polybagged**
FASTENERS: **(1490) 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shield**
(1492) 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. 1/4 x 1 1/2" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield
FINISHES: 626

Rigid Base Stops

1501

1504

1506

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
1501	3/4"	3"	L32031	Cast Zinc
1504	1"	3"	L32031	Cast Aluminum
1506	1"	3 1/4"	L12031	Cast Brass

SHELF PACK: (1501) **50** **Polybagged**
(1504, 1506) **10**
FASTENERS: **#10 SMS**
FINISHES: (1501) **605, 609, 625**
(1504, 1506) **605, 609, 613, 619, 620, 622, 625, 626**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Spring Base Stops

1508

1509
1510
1511

NUMBER	BASE	PROJECTION	MATERIAL
1508	3/4"	3"	Spring Steel
1509	1"	3 1/8"	Spring Steel
1510	1"	3 3/4"	Spring Steel
1511	1"	3 1/8"	Spring Steel

SHELF PACK: 50 **Polybagged**
FASTENERS: (1508) **#8 SMS**
(1509, 1510) **#8 x 1" SMS**
(1511) **#8 x 1 1/4" SMS**
FINISHES: 605, 609, 613, 619, 620, 625, 626

Hinge Stop

1500

1502

1503

1505

NUMBER	DOOR OPEN ADJ.	MATERIAL
1500	70° - 100°	Cast Zinc
1502	70° - 100°	Steel
1503	70° - 100°	Cast Brass
1505	70° - 100°	Cast Zinc

SHELF PACK: (1500) **100,** (1502, 1503, 1505) **20** **Polybagged**
FINISHES: (1500) **605, 619, 620, 625**
(1502) **605, 613, 619, 620, 626**
(1503) **605, 609, 619, 620, 625**
(1505) **605, 609, 613, 619, 620, 622, 626**
FEATURES: Works w/ 1/4" hinge pins only!

Door Silencers

1608
For metal frame

1609
For wood frame

1610
Adhesive mounting

NUMBER	ANSI A156.16
1608	L03011
1609	L03021
1610	–

SHELF PACK: 100 **Polybagged**
FINISHES: Gray Rubber
(1610 also available in clear)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Door Stops

1430

1432

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
1430	1 5/16"	1 1/4"	–	Cast Brass
1432	1 5/16"	1 1/4"	L32181	Cast Aluminum

SHELF PACK: 10 **Polybagged**
FASTENERS: (1430) **#8 x 1 SMS**
(1432) **2 ea. #8 x 3/4" SMS**
FINISHES: 605, 613, 619, 620, 626

Applied Stop

1420

NUMBER	WIDTH	HEIGHT	LENGTH
1420	1 1/2"	3/4"	3 1/2"

SHELF PACK: 10 **Polybagged**
FASTENERS: **2 ea. #12 x 1 1/2" FHWS and**
2 ea. 12-24 x 3/4" FHWS
FEATURES:
- **For use with single or double doors without stops**
- **Supplied with machine & wood screws**

FINISHES: 605, 613, 626

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE

www.don-jo.com



Check out our website at www.don-jo.com
to take advantage of these great conveniences:

- On-line Ordering
- Checking Status of Open Orders
- Templates
- Plus Many Other Features

Please contact DON-JO for a username and password
to access all of these features on the DON-JO website.

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Los Angeles, California

FILLER PLATES, MOUNTING TABS & SIGNS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section H, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
534-MWA	7h
834-ADJ	7h
AF-29	3h
AF-29L	3h
AF-260	3h
AF-261	3h
AF-291	3h
AF-291L	3h
AR-335	2h
AR-9K	2h
BF-135	2h
BF-161	2h
BF-178	2h
BTS-160	1h
CHS-1	9h
CHS-2	9h
CHS-3	9h
CHS-4	9h
CHS-5	9h
CHS-6	9h
CHS-7	9h
CHS-8	9h
CP-258	2h
CR-060	8h
CR-125	8h
CR-275	8h
CR-300	8h
CSPB-30	7h
CSPB-50	7h
CSPB-80	7h
CV-86	2h
CV-2414	2h
CV-8624	2h
CVRL	2h
DBS-386	2h
DCB-270	5h
DCB-280	5h
DCB-340	5h
DCB-350	5h
DD-1	9h
DD-2	9h
DD-3	9h
DD-4	9h
DD-5	9h
DD-6	9h
DD-7	9h
DD-8	9h
EF-86	1h
EF-160	1h
EF-161	1h
EF-161-S	1h
EF-161-TG	1h
EF-634	1h
EL-86	2h
EPT-1	1h
FB-225	1h
FBG-1-D	6h
FBG-1-SQ	6h
FBT-1	6h
FBRK-2	3h
FBRK-3	3h
FBR-A	1h
FBR-B	1h
FBR-C	1h
FF-45	1h
FF-50	1h
FPK-86	3h
FPK-161	3h
FS-260	1h
GS-10-G	6h
GS-10-PC	6h
HD-1	9h
HF-45	1h
HR-100	4h
HR-110	4h
HR-120	4h
HR-130	4h
HR-150	4h
HR-160	4h
HR-170	4h
HR-180	4h
HR-190	4h
HR-200-4	4h
HR-210-5	4h
HR-215-4	4h
HR-216-5	4h
HR-217	4h
HR-218	4h
HS-050	1h
HS-060	1h
HS-080	1h
HS-090	1h
HS-9050-01	10h
HS-9050-05	10h
HS-9050-32	10h
HS-9060-01	10h
HS-9060-02	10h
HS-9060-03	10h
HS-9060-04	10h
HS-9060-05	10h
HS-9060-22	10h
HS-9060-24	10h
HS-9060-32	10h
HS-9060-35	10h
HS-9060-36	10h
HS-9060-37	10h
HS-9070-01	10h
HS-9070-02	10h
HS-9070-03	10h
HS-9070-04	10h
HS-9070-05	10h
HS-9070-06	10h
HS-9070-07	10h
HS-9070-08	10h
HS-9070-22	10h
HS-9070-24	10h
HS-9070-27	10h
HS-9070-32	10h
HS-9070-35	10h
HS-9070-46	9h
HS-9070-47	9h
HS-9070-48	9h
HS-9080-32	10h
HS-9090-01	10h
HS-9090-05	10h
HS-9090-32	10h
LW-86	1h
PDF-161	2h
PSA	6h
SA-615	5h
SA-618	5h
SFF-50	1h
SHF-45	1h
SPB-30	7h
SPB-60	7h
SPB-80	7h
ST-386	2h
TB-215	6h
TL-1	8h
TL-2	8h
TL-3	8h

FASTENERS

Product	Fastening Type
AF-260 & AF-261, AF-29 & AF-291, AF-29L & AF-291L	2 ea. 12-24 x 3/4" Flat Head Combo Screw
BTS-160, FB-225, EF-160, EF-161, EF-161-TG, EF-161-S, EF-634	2 ea. #8-32 x 1/2" FHMS
FF-45 & FF-50, FS-260, DBS-386, ST-386, CV-86, CV-8624, EF-86, LW-86, EL-86, SFF-50, HF-45, SHF-45	2 ea. #12-24 x 1/2" FHMS
EPT-1	2 ea. #10-24 x 1/2" FHMS
CV-2414, CVRL	2 ea. #10 x 1 1/2" FHSMS
BF-161, BF-178, BF-135, PDF-161	1 ea. #10-32 x 1 1/2" FHMS
TL-1, TL-3	2 ea. #12-24 x 1/2" FHSMS, 2 ea. #8-32 x 1/2" FHMS
TL-2	4 ea. #12-24 x 1/2" FHMS

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Filler Plates

BTS-160-PC
T-strike with 160 cut out

FF-45
FF-50
Frame hinge cut out

FS-260-PC
ANSI strike cut out

EPT-1
Fill holes left by electric power transfer



HS-060
16 (.060) Gauge Hinge shim

HS-090
13 (.090) Gauge Hinge shim

HS-050
16 (.060) Gauge Hinge shim

HS-080
13 (.090) Gauge Hinge shim

FBR-A

FBR-B

FBR-C

NUMBER	DIMENSIONS	MATERIAL
BTS-160	2 3/4" x 1 3/8"	Steel
EPT-1	9" x 1 1/4"	
FBR-A	3 7/8" x 1"	
FBR-B	5 7/8" x 1 1/4"	
FBR-C	3 7/8" x 1"	
FF-45	4 1/2" x 1 5/8"	
FF-50	5" x 1 5/8"	
FS-260	4 7/8" x 1 1/4"	
HS-050	4 1/2" x 1/2"	
HS-060	4 1/2" x 1 5/8"	
HS-080	4 1/2" x 1/2"	
HS-090	4 1/2" x 1 5/8"	

SHELF PACK: 10 **Polybagged**
FINISH: PC (Prime Coated)

Filler Plates

EF-86
LW-86
86 cut out

EF-160
160 cut out
EF-161
161 cut out

FB-225
Flush bolt strike filler

EF-634
Flush bolt cut out

HF-45
SHF-45
SHF-50
Door hinge cut out

NUMBER	DIMENSIONS	MATERIAL
EF-86	8" x 1 1/4" x 3/16"	Steel
EF-160	2 1/4" x 1"	
EF-161	2 1/4" x 1 1/8"	
EF-161-S	2 3/4" x 1 1/8"	
EF-161-TG	2 1/4" x 1 1/8"	
EF-634	6 3/4" x 1"	
FB-225	2 1/4" x 1 15/16"	
HF-45	4 1/2" x 1 3/4"	
LW-86	8" x 1 1/4" x 1/4"	
SHF-45	4 1/2" x 1 1/2"	
SHF-50	5" x 1 1/2"	

SHELF PACK: 10 **Polybagged**
FINISHES: (EF-86, EF-634, LW-86, FB-225, HF-45, SHF-45, EF-161-S, EF-161-TG, SHF-50) **PC (Prime Coated)** (EF-160, EF-161) **BP (Brass Plated), CP (Chrome Plated), PC (Prime Coated),**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Conversion Plates

CV-86
Converts 86 cut out to 161

CV-2414
Converts Sargent's Integra locks



CV-8624
Converts 86 cut out to (2) 161



CVRL
Converts 3 3/8" x 1" roller latch to a standard latch prep

DBS-386
Deadbolt strike for 86 cut out Use with pair of doors

EL-86
Converts mortise to electronic lock

ST-386-PC
Use with pair of 86 cut out doors Apply ANSI strike over Reversible

NUMBER	DIMENSIONS	MATERIAL
CV-86	8" x 1 1/4"	Steel
CV-2414	4 1/4" x 1 1/4"	Steel
CV-8624	8" x 1 1/4"	Steel
CVRL	3 3/8" x 1"	Steel
DBS-386	8" x 1 1/4"	Aluminum
EL-86	8" x 1 1/4"	Steel
ST-386-PC	8" x 1 1/4"	Aluminum

SHELF PACK: 10 **Polybagged**
FINISHES: (CV-86, CVRL, CV-8624, DBS-386, EL-86 ST-386) **PC (Prime Coated)**
(CV-2414) **SL (Silver Coated)**

Hole Filler Plates



AR-335
Allows for use of levers on 1 3/8" door



BF-135
Covers up to 3 3/4" hole



BF-161
Covers up to 2 1/8" hole



AR-9K
Allows for use of levers on 1 3/8" door



BF-178
Covers up to 1 1/2" hole



PDF-161
Covers up to 2 1/8" hole under rim panic device



CP-258
2 5/8" cylinder plate - indents at 3 & 9 o'clock prevents collar from shifting on wood or metal

NUMBER	DIMENSIONS	MATERIAL
AR-335	3 1/2" Diameter	Aluminum
AR-9K	3 1/2" Diameter	
BF-135	3 3/4" Diameter	Steel
BF-161	2 5/8" Diameter	
BF-178	1 7/8" Diameter	
CP-258	2 5/8" Diameter	
PDF-161	2 1/8" Hole	

SHELF PACK: 10 **Polybagged**
FEATURES:
- (CP-258): **Can be used with Rim or Mortise Cylinders**
- (AR-335): **Use with Schlage, Yale, Arrow, Corbin-Russwin, Cal-Royal, Hager**
- (AR-9K): **Use with Sargent, Best, Marks**

FINISHES: (AR-335, AR-9K) **605, 613, 630**
(BF-135, BF-161, BF-178, CP-258) **BP (Brass Plated), CP (Chrome Plated), PC (Prime Coated), SL (Silver Coated),**
(PDF-161) **PC (Prime Coated)**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Electric Strike Filler plates for selected Folger Adams, Von Duprin, and Rofu numbers



AF-260



AF-29



AF-29L

AF-261

AF-291

AF-291L

NUMBER	DIMENSIONS	MATERIAL
AF-29	9" x 1 3/8"	Steel
AF-29L	9" x 1 3/8"	
AF-260	4 7/8" x 1 1/4"	
AF-261	4 7/8" x 1 1/4"	
AF-291	9" x 1 3/8"	
AF-291L	9" x 1 3/8"	

SHELF PACK: 10 **Polybagged**
GAUGE: **13 (.095) Steel**
FEATURES:
- **Electric Strike Filler**
- **Fits selected Folger Adams, Von Duprin, and Rofu numbers**

FINISHES: DU (Duro Coated), SL (Silver Coated)

Filler Plate Kits



FBRK-2
Flush bolt reinforcement kit



FBRK-3
Blank Flush Bolt reinforcement kit

FPK-86
For 86 cut out



FPK-161
For 161 cut out

NUMBER	CONTENTS	MATERIAL
FBRK-2	Strike/Reinforcement	Steel
FBRK-3	Blank/Reinforcement	
FPK-86	EF-86/FS-260	
FPK-161	BF-161/EF-161 FS-260	

SHELF PACK: 10 **Polybagged**
FINISHES: PC (Prime Coated)

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Hinge Reinforcements

NUMBER	DESCRIPTION	USED WITH	SIZE	OFFSET	HINGE WEIGHT	GAUGE	MATERIAL
HR-100	3 1/2" Hinge Reinforcement	Door/Frame	1 1/16" x 8 1/2"	1/16"	.120	10	Steel
HR-110	4" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.124	7	
HR-120	4 1/2" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.134	7	
HR-130	4 1/2" Hinge Reinforcement	Frames	1 1/2" x 10"	3/32"	.134	7	
HR-140	4 1/2" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	1/8"	.190	7	
HR-150	4 1/2" Hinge Reinforcement	Frames	1 1/2" x 10"	1/8"	.190	7	
HR-160	5" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	.146	7	
HR-170	5" Hinge Reinforcement	Frames	1 1/2" x 10"	3/32"	.146	7	
HR-180	5" Hinge Reinforcement	Door/Frame	1 1/4" x 10"	1/8"	.190	7	
HR-190	5" Hinge Reinforcement	Frames	1 1/2" x 10"	1/8"	.190	7	
HR-200-4 1/2	4 1/2" Blank Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	–	7	
HR-210-5	5" Blank Hinge Reinforcement	Door/Frame	1 1/4" x 10"	3/32"	–	7	
HR-215-4 1/2	4 1/2" Flat Hinge Reinforcement	Doors	1 1/4" x 10"	–	–	7	
HR-216-5	5" Flat Hinge Reinforcement	Doors	1 1/4" x 10"	–	–	7	
HR-217	6" Hinge Reinforcement	Door/Frame	1 1/4" x 12"	7/64"	.160	7	
HR-218	6" Hinge Reinforcement	Door/Frame	1 1/4" x 12"	9/64"	.203	7	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel



HR-100



HR-110
HR-120
HR-130
HR-140
HR-150
HR-160
HR-170
HR-180
HR-190



HR-200-4 1/2
HR-210-5



HR-215-4 1/2
HR-216-5



HR-217
HR-218

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Hinge Reinforcements



DCB-270



DCB-280

NUMBER	DESCRIPTION	DEPTH	GAUGE	MATERIAL
DCB-270	Dust Cover Box/Frame Hinge	3/4"	25	Steel
DCB-280	Dust Cover Box/Frame Hinge	5/16"	25	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel

Strike Reinforcements



DCB-340



DCB-350

NUMBER	DESCRIPTION	MATERIAL
DCB-340	4 7/8" Strike w/Dust Cover	Steel
DCB-350	2 3/4" Strike w/Dust Cover	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel

Strap Anchors



SA-615



SA-618

NUMBER	DESCRIPTION	SIZE	GAUGE	MATERIAL
SA-615	Strap Anchor	1" x 4 1/2" x 1 1/4" W	16	Steel
SA-618	Strap Anchor	1" x 5" x 1" W	18	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Tabs & Guides



TB-215



FBT-1



FBG-1-D



FBG-1-SQ

NUMBER	DIMENSIONS		OFFSET	MATERIAL
	LENGTH	WIDTH		
TB-215	1"	1 1/2"	1/8"	Steel
FBT-1	2 1/2"	7/8"	1/8"	
FBG-1-D	2 1/2"	7/8"	5/16"	
FBG-1-SQ	3 1/4"	1 3/4"	5/16"	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel

Glazing Bead



GS-10-G
GS-10-PC

NUMBER	SIZE	GAUGE	MATERIAL
GS-10-G	5/8" x 5/8" x 5/8"	18	Galvanized
GS-10-PC	5/8" x 5/8" x 5/8"	16	Steel

SHELF PACK: 50

Pipe Sleeve Anchors



NUMBER	SIZES	GAUGE	MATERIAL
PSA	4 3/4", 5 3/4", 6 3/4", 7 3/4", 8 1/4", 8 3/4"	11	Steel

SHELF PACK: 50 **Box Pack**

HOW TO ORDER:
Part # x Size, i.e.: PSA-5 3/4

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Spreader Bars



SPB-30
SPB-60
SPB-80

NUMBER	SIZE	LENGTH	GAUGE	MATERIAL
SPB-30	3/4" x 3/4"	36"	16	Steel
SPB-60	3/4" x 3/4"	72"	16	
SPB-80	3/4" x 3/4"	96"	16	
CSPB-30	3/4" x 3/4" x 3/4"	36"	16	
CSPB-50	3/4" x 3/4" x 3/4"	60"	16	
CSPB-80	3/4" x 3/4" x 3/4"	96"	16	

SHELF PACK: 50
FINISH: Raw Steel



CSPB-30
CSPB-50
CSPB-80

Metal-Wood Stud Combo Anchor



534-MWA
834-ADJ

NUMBER	DESCRIPTION	MATERIAL
534-MWA	5 3/4"	Steel
834-ADJ	Adjust 5 3/4" to 8 3/4"	

SHELF PACK: 50 **Box Pack**
FINISH: Raw Steel

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Reinforcement Plates



CR-275
Closer Reinforcement





CR-300
For use with Parallel arm closers



NUMBER	DIMENSIONS	GAUGE	MATERIAL
CR-060	12" x 1 3/4"	16	Steel
CR-125	12" x 1 3/4"	10	
CR-275	14" x 4 1/8"	12	
CR-300	14" x 4 1/8"	12	

SHELF PACK: 10
FINISH: Raw Steel

CR-060
16 (.060) Gauge
Closer Reinforcement

CR-125
10 (.125) Gauge
Closer Reinforcement

Temporary Locks



TL-1



TL-2



TL-3

NUMBER	DIMENSIONS		MATERIAL
	STRIKE	LATCH	
TL-1	4 7/8" x 1 1/4"	2 1/4" x 1 1/8"	Steel
TL-2	4 7/8" x 1 1/4"	8" x 1 1/4"	
TL-3	4 7/8" x 1 1/4"	2 1/4" x 1 1/8"	

SHELF PACK: 10 **Polybagged**
FEATURES:
- **(TL-1) Fits 2 1/4" latch preps and fits 4 7/8" strike prep**
- **(TL-2) Fits 86 edge preps and fits 4 7/8" strike prep**
- **(TL-3) Works with in swing doors**

FINISH: Prime Coated

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Title 24 Signs

CHS-1
CHS-6

CHS-2
CHS-7

CHS-3
CHS-8

CHS-4

CHS-5

HS-9070-46

HS-9070-47

HS-9070-48

Sign Size 1 3/4" x 6"

NUMBER	DESCRIPTION	COLOR
CHS-1	Men	Blue
CHS-2	Women	Blue
CHS-3	Restroom	Blue
CHS-4	Boys	Blue
CHS-5	Girls	Blue
CHS-6	Men	Black
CHS-7	Women	Black
CHS-8	Restroom	Black
HS-9070-46	Men	Blue
HS-9070-47	Women	Blue
HS-9070-48	Restroom	Blue

SHELF PACK: 10 **Polybagged**
FEATURES:
- **Raised white lettering**
- **Braille translation on sign**

Decals

HD-1

NUMBER	DECAL COLOR	DIMENSIONS
DD-1/DD-5	Black on Clear	1 1/2" x 24"
DD-2/DD-6	White on Black	1 1/2" x 24"
DD-3/DD-7	Black on Clear	1 1/2" x 24"
DD-4/DD-8	White on Black	1 1/2" x 24"
HD-1	White on Blue	4" x 4"

Polybagged

DD-1/DD-2 THIS DOOR TO REMAIN UNLOCKED DURING BUSINESS HOURS

DD-3/DD-4 THESE DOORS TO REMAIN UNLOCKED DURING BUSINESS HOURS

DD-5/DD-6 THIS DOOR TO REMAIN UNLOCKED WHILE BUILDING IS OCCUPIED

DD-7/DD-8 THESE DOORS TO REMAIN UNLOCKED WHILE BUILDING IS OCCUPIED

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

A.D.A. Signs

HS-9050-01
HS-9060-01
HS-9070-01
HS-9090-01



HS-9060-02
HS-9070-02

HS-9060-03
HS-9070-03

HS-9070-07

HS-9060-04
HS-9070-04

HS-9050-05
HS-9060-05
HS-9070-05
HS-9090-05

HS-9060-22
HS-9070-22

HS-9070-08

HS-9060-24
HS-9070-24

HS-9070-27

HS-9050-32
HS-9060-32
HS-9070-32
HS-9090-32

HS-9080-02
HS-9070-06

HS-9060-35
HS-9070-35

HS-9060-36

HS-9060-37

BROWN SIGNS

	NUMBER	DESCRIPTION
	HS-9060-01	Men's/Handicap
	HS-9060-02	Men's Room
	HS-9060-03	Restrooms
	HS-9060-04	Women's Room
	HS-9060-05	Women's/Handicap
	HS-9060-22	No Smoking
	HS-9060-24	Stairs
	HS-9060-32	Women/Men/Handicap
(6"x6")	HS-9060-35	Exit
(6"x6")	HS-9060-36	Arrow Diagonal
(6"x6")	HS-9060-37	Arrow Across
	HS-9080-02	Handicap Accessible

BLUE SIGNS

	NUMBER	DESCRIPTION
	HS-9070-01	Men's/Handicap
	HS-9070-02	Men's room
	HS-9070-03	Restrooms
	HS-9070-04	Women's Room
	HS-9070-05	Women's/Handicap
	HS-9070-06	Handicap Accessible
	HS-9070-07	Boy's/Handicap
	HS-9070-08	Girl's/Handicap
	HS-9070-22	No Smoking
	HS-9070-24	Stairs
	HS-9070-27	Telephone
	HS-9070-32	Women/Men/Handicap
(6"x6")	HS-9070-35	Exit

TAN SIGNS

NUMBER	DESCRIPTION
HS-9050-01	Men's/Handicap
HS-9050-05	Women's/Handicap
HS-9050-32	Women/Men/Handicap

BLACK SIGNS

NUMBER	DESCRIPTION
HS-9090-01	Men's/Handicap
HS-9090-05	Women's/Handicap
HS-9090-32	Women/Men/Handicap

SHELF PACK: 10 **Polybagged**

FEATURES:
- **Sign Size - 6" x 9"**
- **Raised white lettering**
- **Braille translation on sign**
- **A.D.A. compliant**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Boston, Massachusetts

HINGES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section K, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
BB74540	2k
BB74545	2k
BB84545	2k
BB94545	2k
CP74545	4k
CP94545	4k
ELECTRIC HINGE	4k
HRP-1-LHR	6k
HRP-1-RHR	6k
HRP-2-LHR	6k
HRP-2-RHR	6k
HWBB74545	3k
HWBB75045	3k
HWBB84545	3k
HWBB85045	3k
HWBB94545	3k
HWBB95045	3k
PB74540	2k
PB74545	2k
PB94545	2k
RPB73535-14	5k
RPB73535-58	5k
RPB74040-14	5k
RPB74040-58	5k
SH74545	3k
SH94545	3k

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

DON-JO HINGE CONVERSION CHART

DON-JO #	Bommer	Hager	Stanley	McKinney	PBB	ANSI
PB74540	5000	1279	F179	T2714	PB81	A8133
PB74545	5000	1279	F1979	T2714	PB81	A8133
PB94545	5002	1191	*F191	*T2314	PB51	A5133
BB74540	BB5000	BB1279	FBB179	TA2714	BB81	A8112
BB74545	BB5000	BB1279	FBB179	TA2714	BB81	A8112
BB84545	BB5001	BB1191	FBB191	TA2314	BB21	A2112
BB94545	BB5002	BB1191	*FBB191	*TA2314	BB51	A5112
SH74545	LB4310C	1250	2060	1502	SP81	K8107-1F
SH94545	LB4390C	1150	2060	1552		K51007-1F
HWBB74545	BB5004	BB1168	FBB168	T4A3786	4B81	A8111
HWBB84545	BB5005	BB1199	FBB199	T4A3386	4B21	A2111
HWBB94545	BB5006	BB1199	*FBB199	*T4A3386	4B51	A5111
HWBB75045	BB5004	BB1168	FBB168	T4A3786	4B81	A8111
HWBB85045	BB5005	BB1199	FBB199	T4A3386	4B21	A2111
HWBB95045	BB5006	BB1199	*FBB199	*T4A3386	4B51	A5111

*Use as a prefix to note Stainless Steel, 630

FINISH DESCRIPTIONS

BHMA Finish Code	U.S. Equivalent	Finish Description	Base Material
600	US P	Primed for Painting	Steel
626	US 26D	Satin Chrome Plated	Brass
630	US 32D	Satin Stainless Steel	Stainless Steel
632	US 3	Bright Brass Plated, Clear Coated	Steel
633	US 4	Satin Brass Plated, Clear Coated	Steel
639	US 10	Satin Bronze Plated, Clear Coated	Steel
640	US 10B	Satin Bronze Plated, Dark Anodized, Oil Rubbed	Steel
651	US 26	Bright Chrome Plated	Steel
652	US 26D	Satin Chrome Plated	Steel

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Full Mortise Plain Bearing

Template Hinges – Standard Weight

For Medium Weight Doors/Low Frequency

All Hinges are ANSI Template

NUMBER	SIZE	GAUGE	ANSI	MATERIAL
PB74540	4 1/2" x 4"	.134	A8133	Steel
PB74545	4 1/2" x 4 1/2"	.134	A8133	Steel
PB94545	4 1/2" x 4 1/2"	.134	A5133	Stainless Steel

SHELF PACK: **3 hinges per box w/screws** **Box Pack**
24 hinges per case
FASTENERS: **8 ea. FHMS 12-24 x 1/2 (per hinge)**
8 ea. FHWS 12 x 1 1/4 (per hinge)
FEATURES: **5 knuckle**
FINISHES: (PB74540) **652**
(PB74545) **600, 632, 633, 639, 640, 651, 652**
(PB94545) **630**
OPTION: **Non-Removable Pin Available. Please specify NRP as a prefix**

Full Mortise Ball Bearing

Template Hinges – Standard Weight

For Medium Weight Doors/Average Frequency

All Hinges are ANSI Template



NUMBER	SIZE	GAUGE	ANSI	MATERIAL
BB74540	4 1/2" x 4"	.134	A8112	Steel
BB74545	4 1/2" x 4 1/2"	.134	A8112	Steel
BB84545	4 1/2" x 4 1/2"	.134	A2112	Brass
BB94545	4 1/2" x 4 1/2"	.134	A5112	Stainless Steel

SHELF PACK: **3 hinges per box w/screws** **Box Pack**
24 hinges per case
FASTENERS: **8 ea. FHMS 12-24 x 1/2 (per hinge)**
8 ea. FHWS 12-24 x 1 1/4 (per hinge)
FEATURES: **5 knuckle**
FINISHES: (BB74540) **652**
(BB74545) **600, 632, 633, 639, 640, 651, 652**
(BB84545) **626**
(BB94545) **630**
OPTION: **Non-Removable Pin Available. Please specify NRP as a prefix when ordering (i.e. NRPBB74545-652)**

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Full Mortise Ball Bearing

Template Hinges – Heavy Weight

For Heavy Doors/High Frequency

All Hinges are ANSI Template

NUMBER	SIZE	GAUGE	ANSI	MATERIAL
HWBB74545	4 1/2" x 4 1/2"	.180	A8111	Steel
HWBB84545	4 1/2" x 4 1/2"	.180	A2111	Brass
HWBB94545	4 1/2" x 4 1/2"	.180	A5111	Stainless Steel
HWBB75045	5" x 4 1/2"	.190	A8111	Steel
HWBB85045	5" x 4 1/2"	.190	A2111	Brass
HWBB95045	5" x 4 1/2"	.190	A5111	Stainless Steel

SHELF PACK: **3 hinges per box w/screws** **Box Pack**
24 hinges per case
FASTENERS: **8 ea. FHMS 12-24 x 1/2 (per hinge)**
8 ea. FHWS 12 x 1 1/4 (per hinge)
FEATURES:
- **All Heavyweight hinges come with Non-Removable Pin (NRP) as standard**
- **4 ball bearings**
- **5 knuckle**

FINISHES: (HWBB74545, HWBB75045) **632, 633, 640, 651, 652**
(HWBB84545, HWBB85045) **626**
(HWBB94545, HWBB95045) **630**

Full Mortise Spring Hinge

Template Hinges – Standard Weight

All Hinges are ANSI Template

NUMBER	SIZE	GAUGE	ANSI	MATERIAL
SH74545	4 1/2" x 4 1/2"	.134	K81071F	Steel
SH94545	4 1/2" x 4 1/2"	.134	K51071F	Stainless Steel

SHELF PACK: **2 hinges per box w/screws** **Box Pack**
20 hinges per case
FASTENERS: **8 ea. FHMS 12-24 x 1/2 (per hinge)**
8 ea. FHWS 12 x 1 1/4 (per hinge)
FEATURES:
- **UL Listed - Grade 1**
- **Single acting**
- **Self lubricating bearings**
- **Easy spring tension adjustment**
- **Non-handed**

FINISHES: (SH74545) **600, 632, 633, 640, 651, 652**
(SH94545) **630**

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Combo Pack

2 Spring Hinges - 1 Ball Bearing Hinge

All Hinges are ANSI Template

NUMBER	SIZE	GAUGE	ANSI	MATERIAL
CP74545	4 1/2" x 4 1/2"	.134	K81071F (Spring) A8112 (Ball Bearing)	Steel
CP94545	4 1/2" x 4 1/2"	.134	K51071F (Spring) A5112 (Ball Bearing)	Stainless Steel

SHELF PACK: **3 hinges per box w/screws** **Box Pack**
36 hinges per case
FASTENERS: **8 ea. FHMS 12-24 x 1/2 (per hinge)**
8 ea. FHWS 12 x 1 1/4 (per hinge)
FINISHES: (CP74545) **600, 632, 633, 640, 651, 652**
(CP94545) **630**

- **NFPA 80 recommends the use of a Ball Bearing Hinge with Spring Hinges**

Electrified Hinges

SHELF PACK: **1** **Box Pack**
FEATURES:
- **UL Listed**
- **Rated 3.5 amps**
- **NRP provided w/all wired hinges**
- **Templates available**
- **12" lead on one leaf, 36" lead on the other leaf!**
- **28 gauge wire**
- **20 gauge wire for 2 wire hinges**

FINISHES: **600, 632, 633, 639, 640, 651, 652**
OPTIONS:
- **Available w/ 2, 4, 6, 8, 10 & 12 wires**
- **Longer leads available upon request**
- **Concealed electronic monitor available**
- **7" mortar guard**

HOW TO ORDER: **Specify: Number of wires, type of hinge and finish**
Example: E4W-BB74545-652

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Residential Hinges

RPB73535-58 (Shown)
RPB73535-I4

NUMBER	SIZE	RADIUS	GAUGE	MATERIAL
RPB73535-58	3 1/2" x 3 1/2"	5/8"	.085	Steel
RPB73535-I4	3 1/2" x 3 1/2"	1/4"	.085	Steel

SHELF PACK: 2 per box / CASE: 50 pcs. Box Pack
FASTENERS: Screws: #9 x 3/4" flat head Phillips
FINISHES: 632, 633, 640, 646, 647, 651, 652
OPTION: Square corner availiable per special order

Residential Hinges

RPB74040-58
RPB74040-I4 (Shown)

NUMBER	SIZE	RADIUS	GAUGE	MATERIAL
RPB74040-58	4" x 4"	5/8"	.097	Steel
RPB74040-I4	4" x 4"	1/4"	.097	Steel

SHELF PACK: 2 per box / CASE: 50 pcs. Box Pack
FASTENERS: Screws: #9 x 1" flat head Phillips
FINISHES: 632, 633, 640, 646, 647, 651, 652
OPTION: Square corner availiable per special order

Don-Jo Mfg. template hinges are manufactured to close tolerances and meet all specifications and requirements set by the American National Standards Institute (ANSI)

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Hinge Reinforcing Pivot

NUMBER	SIZE	PIVOT OFFSET	HINGE SIZE	MATERIAL
HRP-1-LHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	3/4"	4 1/2" x 4 1/2" 5" x 4 1/2"	Steel
HRP-1-RHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	3/4"	4 1/2" x 4 1/2" 5" x 4 1/2"	Steel
HRP-2-LHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	1/2"	4" x 4" 4 1/2" x 4" / 5" x 4 1/2"	Steel
HRP-2-RHR	Frame: 1 11/16" x 3 5/8" Door: 1 11/16" x 1 11/16"	1/2"	4" x 4" 4 1/2" x 4" / 5" x 4 1/2"	Steel

SHELF PACK: 1 Box Pack
FASTENERS: 8 ea. 1/4-20 x 3/4" FHMS
8 ea. #14 x 1 1/4" FHWS
2 ea. Sex nuts
FEATURE: Helps to repair and prevent sagging doors
FINISH: 626



HRP-1-LHR
HRP-1-RHR
HRP-2-LHR
HRP-2-RHR

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Seattle, Washington

LATCH PROTECTORS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section G, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
9211	2g
9211-EBF	2g
AL-211	6g
ALP-206	3g
ALP-210	3g
BLP-107	4g
BLP-110	4g
BLP-207	4g
BLP-210	4g
CLP-106	3g
CLP-110	3g
ELP-208	5g
ELP-208-EBF	5g
ELP-208P	5g
ELP-208P-EBF	5g
FLP-111	6g
FLP-211	6g
GLP-307-LHR	1g
GLP-307-RHR	1g
ILP-206	1g
ILP-212	1g
KLP-110-LHR	4g
KLP-110-RHR	4g
LELP-208	5g
LELP-208-EBF	5g
LP-107	3g
LP-107-EBF	3g
LP-207	3g
LP-207-EBF	3g
LP-111	2g
LP-111-EBF	2g
LP-211	2g
LP-211-EBF	2g
LP-307	1g
LP-312	6g
LP-312-EBF	6g
LP-312P	6g
LP-312P-EBF	6g
LP-2878	6g
MELP-210	5g
MELP-210-EBF	5g
MLP-111	2g
MLP-111-EBF	2g
MLP-211	2g
MLP-211-EBF	2g
NLP-106	4g
NLP-110	4g
NLP-206	4g
NLP-210	4g
OLP-2650	1g
OLP-2651	1g
OSLP-107	5g
OSLP-107-EBF	5g
OSLP-110	5g
OSLP-110-EBF	5g
OSLP-207	5g
OSLP-207-EBF	5g
OSLP-210	5g
OLSP-210-EBF	5g
PLP-111	2g
PLP-111-EBF	2g
PLP-211	2g
PLP-211-EBF	2g
PMLP-111	3g
PMLP-111-EBF	3g
PMLP-211	3g
PMLP-211-EBF	3g
SLP-106	5g
SLP-106-EBF	5g
SLP-206	5g
SLP-206-EBF	5g



* Special Fasteners to prevent interference with the frame
* Available on selected Latch Protectors as an option

FASTENERS

Product	Fastening Type
ILP-206 &ILP-212	3 ea. #10 x 1 1/4" one way screws, 3 ea. #8 x 1 1/4" WS Flat Head
LP-307 GLP-307, OLP-2650, OLP-2651	1 ea. 5/16-18 x 2 1/4" Carriage bolt w/Acorn nut & washer 1 ea. Drive in Rivet
LP-111 & LP-211	4 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
MLP-111 & MLP-211, PLP-111 & PLP-211, PMLP-111 & PMLP-211, LP-107 & LP-207, ELP-208 & ELP-208P, LELP-208, MELP-210, SLP-106-SLP-206, OSLP-107 & OSLP-207, OSLP-110 & OSLP-210, LP-312 & LP-312P	2 ea. 5/16-18 x 2 1/4" Carriage bolts w/Acorn nuts & washers
CLP-106 & CLP-110, NLP-106 & NLP-206, NLP-110 & NLP-210, BLP-107 & BLP-207, BLP-110 & BLP-210, KLP-110, FLP-111 & FLP-211, LP-2878	2 ea. 1/4-20 x 1 3/4" Flat Head MS w/Finish Washer
ALP-206 & ALP-210	4 ea. #10-1 1/2 Phillips SMS

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

The INTERLOCK for inswinging doors



ILP-206
ILP-212

NUMBER	DIMENSIONS	MATERIAL
ILP-206	6"	Steel
ILP-212	12"	

SHELF PACK: 10 Display Package Size - 4" x 12" and 4" x 16"
GAUGE: 14 (.075)
FEATURES:
- 6" version for use with key-in-knob and deadbolt locks
- 12" version for use with Mortise Locks, Simplex 1000 series, Alarm Lock DL-2500, DL-2700 & 3000, Card Access Systems, etc.

FINISHES: BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)

For ALUMINUM ENTRANCE doors



LP-307

NUMBER	DIMENSIONS	MATERIAL
LP-307	2 5/8" x 7"	Steel Stainless Steel

SHELF PACK: 10 Polybagged / Display Package Size 4" x 12"
GAUGE: 12 (.104)
FEATURES:
- Reversible • Fits over cylinder - lock removal NOT required
- Hand carriage bolt and rivet supplied • No specific tools required
- 3/8" offset

FINISHES: 630, DU (Duro Coated), SL (Silver Coated)

For ALUMINUM ENTRANCE doors- solves pull handle interference



GLP-307
LHR SHOWN

NUMBER	DIMENSIONS	MATERIAL
GLP-307 LHR	2 5/8" x 7"	Steel Stainless Steel
GLP-307 RHR	2 5/8" x 7"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES:
- Fits over cylinder - lock removal NOT required
- Hand carriage bolt and rivet supplied • No specific tools required
- 3/8" offset
- Center of cylinder hole is 2 1/2" from end of plate

FINISHES: 630, DU (Duro Coated), SL (Silver Coated)

For use with CENTER HUNG OUTSWINGING ALUMINUM doors



OLP-2650
OLP-2651

NUMBER	DIMENSIONS	MATERIAL
OLP-2650	2 5/8" x 6 1/2"	Steel
OLP-2651	2 5/8" x 6 1/2"	

SHELF PACK: 10 Polybagged
GAUGE: 12 (.104)
FEATURES:
- (OLP-2650) available in 1 1/8" offset
- (OLP-2651) available in 1 3/8" offset

FINISHES: DU (Duro Coated), SL (Silver Coated)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

EBF Fasteners available with selected Latch Protectors.

America's favorite for OUTSWINGING DOORS - completely covers the strike plate



MLP-111
MLP-211

NUMBER	DIMENSIONS	MATERIAL
MLP-111	3" x 11"	Stainless Steel
MLP-211	3" x 11"	Steel
MLP-111-EBF	3" x 11"	Stainless Steel
MLP-211-EBF	3" x 11"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES: (MLP-111, MLP-211) **Furnished with carriage bolts, washers & acorn cap nuts for safety and strength**
(MLP-111-EBF, MLP-211-EBF) **Furnished w/carriage bolt & sex nut**
FINISHES: (MLP-111) **630**
(MLP-211) **BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)**

America's favorite for OUTSWINGING DOORS - completely covers the strike plate



LP-111
LP-211
9211

SAVE $!
Product available polybagged
To order, replace "LP" with "9". (i.e., LP-211 will become 9211)

NUMBER	DIMENSIONS	MATERIAL
LP-111	3" x 11"	Stainless Steel
LP-211	3" x 11"	Steel
9211 (*Polybagged)	3" x 11"	Steel
LP-111-EBF	3" x 11"	Stainless Steel
LP-211-EBF	3" x 11"	Steel
9211 (*Polybagged)-EBF	3" x 11"	Steel

SHELF PACK: 10 **Display Package Size - 4" x 16"** (9211, LP-111) **Polybagged**
GAUGE: 12 (.104)
FEATURES:
- **Furnished with carriage bolts, washers & acorn cap nuts for safety and strength**
- **Fits 2 3/4" and 2 3/8" backsets**

FINISHES: (LP-111) **630**
(LP-211) **BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)**

Pin Latch protectors for OUTSWINGING DOORS



PLP-111
PLP-211

NUMBER	DIMENSIONS	MATERIAL
PLP-111	3" x 11"	Stainless Steel
PLP-211	3" x 11"	Steel
PLP-111-EBF	3" x 11"	Stainless Steel
PLP-211-EBF	3" x 11"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES:
- **Solid steel pin prevents spreading of door from frame**
- **Pin is welded on back leaving no visible point of attack from outside**
- **Fits 2 3/4" and 2 3/8" backsets**

FINISHES: (PLP-111) **630**
(PLP-211) **626, BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated),**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

EBF Fasteners available with selected Latch Protectors.

DON-JO MFG., INC.

Pin Latch protectors for Outswinging Doors



PMLP-111
PMLP-211

NUMBER	DIMENSIONS	MATERIAL
PMLP-111	3" x 11"	Stainless Steel
PMLP-211	3" x 11"	Steel
PMLP-111-EBF	3" x 11"	Stainless Steel
PMLP-211-EBF	3" x 11"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: **12 (.104)**
FEATURES: • **Solid steel pin prevents spreading of door from frame**
• **Pin is welded on back leaving no visible point of attack from outside**
FINISHES: (PMLP-111) **630**
(PMLP-211) **BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)**

For Outswinging doors



LP-107
LP-207

NUMBER	DIMENSIONS	MATERIAL
LP-107	2 3/4" x 7"	Stainless Steel
LP-207	2 3/4" x 7"	Steel
LP-107-EBF	2 3/4" x 7"	Stainless Steel
LP-207-EBF	2 3/4" x 7"	Steel

SHELF PACK: 10 **Display Package Size - 4" x 12"**
GAUGE: **12 (.104)**
FEATURES: **Furnished with carriage bolts, washers & acorn cap nuts for safety and strength**
FINISHES: (LP-107) **630**
(LP-207) **BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated)**

Commercial Type for outswinging doors



CLP-106
CLP-110

NUMBER	DIMENSIONS	MATERIAL
CLP-106	2 1/8" x 6"	Stainless Steel
CLP-110	2 1/8" x 10"	

SHELF PACK: 10 **Polybagged**
GAUGE: **12 (.104)**
FEATURES: • **6" for key-in-knobs** • **10" for Mortise Locks**
• **Architectural design** • **Concealed welded studs with fasteners**
FINISHES: **630**

Angle Type for outswinging doors



ALP-206
ALP-210

NUMBER	DIMENSIONS	MATERIAL
ALP-206	6"	Steel
ALP-210	10"	

SHELF PACK: 10 **Polybagged**
GAUGE: **10 (.134)**
FEATURES: • **6" for key-in-knobs**
• **10" for Mortise Locks**
• **1 1/2" sheet metal screws for wood or metal**
FINISHES: BC (Brass Coated), DU (Duro Coated), SL (Silver Coated)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Narrow Commercial Type for outswinging doors



NLP-106
NLP-110
NLP-206
NLP-210

NUMBER	DIMENSIONS	MATERIAL
NLP-106	1 1/2" x 6"	Stainless Steel
NLP-110	1 1/2" x 10"	
NLP-206	1 1/2" x 6"	Steel
NLP-210	1 1/2" x 10"	

SHELF PACK: 10 **Polybagged**
GAUGE: **12 (.104)**
FEATURES: • **6" for key-in-knobs** • **10" for Mortise Locks**
• **Narrow type for outswinging doors**
FINISHES: (NLP-106, NLP-110) **630**
(NLP-206, NLP-210) **DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)**

For Key-In-Lever Locks with up to 3 3/4" Escutcheon



BLP-107
BLP-207



BLP-110
BLP-210

NUMBER	DIMENSIONS	MATERIAL
BLP-107	3 1/4" x 7"	Stainless Steel
BLP-110	3 1/4" x 10"	
BLP-207	3 1/4" x 7"	Steel
BLP-210	3 1/4" x 10"	

SHELF PACK: 10 **Polybagged**
GAUGE: **12 (.104)**
FEATURES: • **Works with up to 3 3/4" rose**
• **Concealed welded studs with fasteners**
FINISHES: (BLP-107, BLP-110) **630**
(BLP-207, BLP 210) **BP (Brass Plated), DU (Duro Coated), SL (Silver Coated)**

For Electronic Locks



"RHR" SHOWN

KLP-110-LHR
KLP-110-RHR

NUMBER	DIMENSIONS	MATERIAL
KLP-110-LHR	1 1/2" x 10"	Stainless Steel
KLP-110-RHR	1 1/2" x 10"	

SHELF PACK: 10 **Polybagged**
GAUGE: **12 (.104)**
FEATURES: • **Works with ILCO 1000, 4000**
• **Alarm Lock Trilogy Locks**
• **Mas-Hamilton Power Levers**
• **Schlage Cobra**
• **Marks I-Q**
FINISHES: **630**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

EBF Fasteners available with selected Latch Protectors.

DON-JO MFG., INC.

SHORT TYPE for outswinging doors



SLP-106
SLP-206



OSLP-110
OSLP-210

NUMBER	DIMENSIONS	MATERIAL
SLP-106	2 5/8" x 6"	Stainless Steel
SLP-206	2 5/8" x 6"	Steel
OSLP-107	2 5/8" x 7"	Stainless Steel
OSLP-207	2 5/8" x 7"	Steel
OSLP-110	2 5/8" x 10"	Stainless Steel
OSLP-210	2 5/8" x 10"	Steel
SLP-106-EBF	2 5/8" x 6"	Stainless Steel
SLP-206-EBF	2 5/8" x 6"	Steel
OSLP-107-EBF	2 5/8" x 7"	Stainless Steel
OSLP-207-EBF	2 5/8" x 7"	Steel
OSLP-110-EBF	2 5/8" x 10"	Stainless Steel
OSLP-210-EBF	2 5/8" x 10"	Steel

SHELF PACK: 10 **Display Package Size - 4" x 12"**
GAUGE: 12 (.104)
FEATURES:
- **(SLP) Display Packaged**
- **(OSLP) Polybagged**
- **Furnished with carriage bolts, washers & acorn cap nuts for safety and strength**
- **May be used on hollow metal door/frame using ANSI strike**
- **Works with up to 3 3/4" rose**
- **SLP - 3/8" offset / OSLP - 3/4" offset**

FINISHES: (SLP-106, OSLP-107, OSLP-110) **630**
(SLP-206, OSLP-207, OSLP-210) **BP (Brass Plated), CP (Chrome Plated), DU (Duro Coated), SL (Silver Coated),**

For use with ELECTRIC STRIKES



ELP-208
ELP-208P



LELP-208
Fits up to
3 3/4" Rose



MELP 210

NUMBER	DIMENSIONS	MATERIAL
ELP-208	3 1/2" x 8"	Steel
ELP-208P	3 1/2" x 8"	
LELP-208	3 1/2" x 8"	
MELP-210	2 5/8" x 10"	
ELP-208-EBF	3 1/2" x 8"	
ELP-208P-EBF	3 1/2" x 8"	
LELP-208-EBF	3 1/2" x 8"	
MELP-210-EBF	2 5/8" x 10"	

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES:
- **Available with or without cylinder hole**
- **Designed to fit most electric strikes**
- **Completely encases the keeper for maximum protection**
- **Use with Mortise, Keyless Locks & Exit Devices**
- **ELP-208P No Cylinder Hole**

FINISHES: DU (Duro Coated), SL (Silver Coated)

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

EBF Fasteners available with selected Latch Protectors.

Fits Folger Adams Electric Strike for outswinging doors



FLP-111
FLP-211

NUMBER	DIMENSIONS	MATERIAL
FLP-111	1 3/4" x 11 1/4"	Stainless Steel
FLP-211	1 3/4" x 11 1/4"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES: Works with Folger Adams 310 & 710 models
FINISHES: (FLP-111) **630**
(FLP-211) **BP (Brass Plated), DU (Duro Coated)**

For outswinging Aluminum Entrance Doors



AL-211

NUMBER	DIMENSIONS	MATERIAL
AL-211	3 1/2" x 12"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FINISHES: DU (Duro Coated), SL (Silver Coated)
FEATURES: Sex nuts and bolts for secure mounting and professional appearance

Fits Adams Rite Latch Lock for outswinging doors



LP-312
LP-312P

NUMBER	DIMENSIONS	MATERIAL
LP-312	2 5/8" x 12"	Steel
LP-312P	2 5/8" x 12"	
LP-312-EBF	2 5/8" x 12"	
LP-312P-EBF	2 5/8" x 12"	

SHELF PACK: 10 **Polybagged**
GAUGE: 12 (.104)
FEATURES:
- **Reversible**
- **3/8" offset - 1 7/16" hole - 1 1/8" backset**
- **LP-312P No Center Hole**

FINISHES: DU (Duro Coated), SL (Silver Coated)

Slimline for outswinging doors



LP-2878

NUMBER	DIMENSIONS	MATERIAL
LP-2878	1 1/2" x 8 7/8"	Steel

SHELF PACK: 10 **Polybagged**
GAUGE: 5/16" thick (.3125)
FEATURES: Sleek appearance
FINISHES: DU (Duro Coated), PC (Prime Coated), SL (Silver Coated)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Dallas, Texas

STRIKE PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section 1, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
2-SDS	5i
2-SDS-8	5i
2-SS	5i
9102	2i
9103	2i
9104	2i
9115	2i
9125	2i
9175	2i
9234	1i
9450	5i
9454	5i
A-2-SDS	5i
A-2-SS	5i
AST-21341	4i
AST-21381	4i
AST-21342	4i
AST-21382	4i
AST-21346	4i
AST-21386	4i
AST-2134M	4i
AST-2138M	4i
BDF-2	1i
BS-161	1i
BX-2-SDS	5i
DBS-1478	1i
DBS-2478	1i
DL-11	5i
DL-12	5i
DS-234	1i
DST-161	1i
EL-102	2i
EL-103	2i
EL-104	2i
EL-115	2i
EL-125	2i
EL-175	2i
EL-202	2i
EL-203	2i
EL-204	2i
EL-205	2i
EL-225	2i
EST-102	2i
EST-103	2i
EST-104	2i
EST-115	2i
EST-125	2i
EST-175	2i
ETS-102	3i
ETS-103	3i
ETS-104	3i
ETS-115	3i
ETS-125	3i
ETS-175	3i
FL-208N	4i
FL-208W	4i
FL-208NM	4i
FL-208WM	4i
FL-212N	4i
FL-212W	4i
FL-212N4	4i
FL-212W4	4i
FL-212N6	4i
FL-212W6	4i
FL-212NM	4i
FL-212WM	4i
MEST-102	3i
MEST-103	3i
MEST-104	3i
MEST-115	3i
MEST-125	3i
MEST-175	3i
MST-161	1i
MST-261	1i
ST-134	1i
ST-144	1i
ST-161	1i
ST-214	1i
ST-214-RC	1i
ST-261	1i
T9102	3i
T9103	3i
T9104	3i
T9115	3i
T9125	3i
T9175	3i
TS-100	3i
TS-234	1i

FASTENERS

Product	Fastening Type
BFD-2, BS-161, DBS-2478, DST-161, MST-161, MST-261, ST-134, ST-144, ST-161, ST-261	2 ea. 12-24 x 3/4" FH Combo Screw
DS-234, TS-234, 9234, ST-214, ST-214-RC	2 ea. #8-32 x 3/4" FH Combo Screw
EL-200s	2 ea. #8-32 x 3/4" FH Combo Screw
EL-100s, 9100s	2 ea. #8-32 x 3/4" FH Combo Screw
EST-100s	2 ea. 12-24 x 3/4" FH Combo Screw
ETS-100s, T9100s	2 ea. #8-32 x 3/4" FH Combo Screw
MEST-100s	#12-24 x 3/4" FH Combo Screw
TS-100	1 ea. #10 x 1 3/8" Truss Head Screw
2-SDS, 2-SS, 2-SDS-8	2 ea. #12 x 1" FHSMS, 2 ea. #8 x 3" Bugle Head WS
DL-11, DL-12	2 ea. #8 x 3/4" FH Combo Screw
AST & FL STRIKES	4 ea. #12 x 1" FHSMS, 2 ea. #8 X 3" Bugle Head WS
A-2-SDS, A-2-SS, 9450, 9454	2 ea. #8 x 2" FHSMS

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Ansi Strikes

BFD-2
Deadbolt type for hollow metal frame

BS-161
Blank strikes

DBS-1478
DBS-2478
For deadbolt

DST-161
Dimpled type for use with roller latch

NUMBER	DIMENSIONS
BFD-2	4 7/8" x 1 1/4"
BS-161	4 7/8" x 1 1/4"
DBS-1478	4 7/8" x 1 1/4"
DBS-2478	4 7/8" x 1 1/4"
DST-161	4 7/8" x 1 1/4"
MST-161	4 7/8" x 1 1/4"
MST-261	4 7/8" x 1 1/4"
ST-134	3 1/4" x 1 1/8"
ST-144	4 1/4" x 1 1/8"
ST-161	4 7/8" x 1 1/4"
ST-261	4 7/8" x 1 1/4"

MST-161
MST-261
Mortise type

ST-134
Replacement strike

ST-144
Replacement strike



ST-161
ST-261
Standard ANSI

SHELF PACK: 30 **Polybagged**
GAUGE: **13 (.095) Steel**
FINISHES: (BFD-2) **BP (Steel Brass Plated), SL (Silver Coated)**
(BS-161) **605, 613, 626, 630**
(DBS-1478) **626**
(DBS-2478, MST-261, ST-261) **BP (Steel Brass Plated), DU (Duro Coated), SL (Silver Coated)**
(DST-161) **605**
(ST-161) **605, 606, 612, 613, 625, 626, 630**
(ST-134, ST-144, MST-161) **630**

Replacement Strikes

DS-234
Replacement strike

TS-234
9234
T-strike

SAVE $!
Product available polybagged
To order replace "TS" with "9". (i.e., TS-234 will become 9234)

NUMBER	DIMENSIONS
DS-234	2 3/4" x 1 1/8"
TS-234	2 3/4" x 1 1/8"
9234	2 3/4" x 1 1/8"
ST-214	2 1/4" x 1 1/4"
ST-214-RC	2 1/4" x 1 1/4"

SHELF PACK: (ST-214, ST-214-RC, TS-234,) **10**
(DS-234) **30**
GAUGE: **18 (.050)**
FINISHES: (DS-234, TS-234) **605, 630**
(ST-214, ST-214-RC) **605, 619, 620, 630, DU (Duro Coated)**

(9234, DS-234, ST-214, ST-214RC) **Polybagged**
(TS-234) **- Display Packaged size – 4" x 6 1/2"**



ST-214
Replacement strike



ST-214-RC
Replacement strike

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

2 3/4" Extended Lip Strike



NUMBER	DIMENSIONS
EL-202	2 3/4" x 2"
EL-203	2 3/4" x 3"
EL-204	2 3/4" x 4"
EL-205	2 3/4" x 5"
EL-225	2 3/4" x 2 1/2"

SHELF PACK: 10 **Polybagged**
GAUGE: 13 (.095)
FINISHES: BP (Steel Brass Plated), SL (Silver Coated), DU (Duro Coated)

2 1/4" Extended Lip Strike



SAVE $!
Product available polybagged
To order, replace "EL" with "9". (i.e., EL-102 will become 9102)

NUMBER	DIMENSIONS
EL-102	2 1/4" x 2"
EL-103	2 1/4" x 3"
EL-104	2 1/4" x 4"
EL-115	2 1/4" x 1 1/2"
EL-125	2 1/4" x 2 1/2"
EL-175	2 1/4" x 1 3/4"
9102	2 1/4" x 2"
9103	2 1/4" x 3"
9104	2 1/4" x 4"
9115	2 1/4" x 1 1/2"
9125	2 1/4" x 2 1/2"
9175	2 1/4" x 1 3/4"

SHELF PACK: 10 **Display Packaged Size - 4" x 6 1/2"**
GAUGE: 18 (.050)
FEATURES:
- **Also available with 1/4" radius corners - RC (i.e., EL-115-630-RC)**
- **"EL" series will be shipped in Display Package Only**
- **"9" series will be shipped in Poly Bag Package Only**

FINISHES: 605, 609, 619, 620, 630, DU

4 7/8" Extended Lip ANSI Strike



NUMBER	DIMENSIONS
EST-102	4 7/8" x 2"
EST-103	4 7/8" x 3"
EST-104	4 7/8" x 4"
EST-115	4 7/8" x 1 1/2"
EST-125	4 7/8" x 2 1/2"
EST-158	4 7/8" x 1 5/8"
EST-175	4 7/8" x 1 3/4"

SHELF PACK: 5 **Polybagged**
GAUGE: 13 (.095)
FINISH: 630

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

2 3/4" Extended Lip T-Strike



SAVE $!
Product available polybagged
To order, replace "ETS" with "T9". (i.e., ETS-102 will become T9102)

NUMBER	DIMENSIONS
ETS-102	2 3/4" x 2"
ETS-103	2 3/4" x 3"
ETS-104	2 3/4" x 4"
ETS-115	2 3/4" x 1 1/2"
ETS-125	2 3/4" x 2 1/2"
ETS-175	2 3/4" x 1 3/4"
T9102	2 3/4" x 2"
T9103	2 3/4" x 3"
T9104	2 3/4" x 4"
T9115	2 3/4" x 1 1/2"
T9125	2 3/4" x 2 1/2"
T9175	2 3/4" x 1 3/4"

SHELF PACK: 10 **Display Packaged Size - 4" x 6 1/2"**
GAUGE: 18 (.050)
FEATURES:
- **"ETS" series will be shipped in Display Package Only**
- **"T9" series will be shipped in Poly Bag Package Only**

FINISHES: 605, 609, 630

Mortise Type Extended Lip ANSI Strike



NUMBER	DIMENSIONS
MEST-102	4 7/8" x 2"
MEST-103	4 7/8" x 3"
MEST-104	4 7/8" x 4"
MEST-115	4 7/8" x 1 1/2"
MEST-125	4 7/8" x 2 1/2"
MEST-158	4 7/8" x 1 5/8"
MEST-175	4 7/8" x 1 3/4"

SHELF PACK: 5 **Polybagged**
GAUGE: 13 (.095) Steel
FINISH: 630

Thimble Strike



TS-100
Thimble strike

NUMBER	DIMENSIONS
TS-100	1" Diameter

SHELF PACK: 20 **Polybagged**
FINISHES: BP (Brass Plated), CP (Chrome Plated)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Series-8, Series-12 and Series-18 Strikes

Single hole version designed to work with key-in-knob or deadbolt

AST-21341
AST-21381
FL-208N
FL-208W
FL-212N
FL-212W

Double hole version designed to accomodate both 3 5/8" & 4" centered locksets

AST-21342
AST-21382
FL-212N4
FL-212W4

Double hole version designed to accommodate 5 1/2" & 6" center holes



AST-21346
AST-21386
FL-212N6
FL-212W6

Mortise hole version with "universal" center hole

AST-2134M
AST-2138M
FL-208NM
FL-208WM
FL-212NM
FL-212WM

NUMBER	DIMENSIONS
AST-21341	18" x 1 3/4"
AST-21381	18" x 1 3/8"
FL-208N	8" x 1 3/8"
FL-208W	8" x 1 3/4"
FL-212N	12" x 1 3/8"
FL-212W	12" x 1 3/4"
AST-21342	18" x 1 3/4"
AST-21382	18" x 1 3/8"
FL-212N4	12" x 1 3/8"
FL-212W4	12" x 1 3/4"
AST-21346	18" x 1 3/4"
AST-21386	18" x 1 3/8"
FL-212N6	12" x 1 3/8"
FL-212W6	12" x 1 3/4"
AST-2134M	18" x 1 3/4"
AST-2138M	18" x 1 3/8"
FL-208NM	8" x 1 3/8"
FL-208WM	8" x 1 3/4"
FL-212NM	12" x 1 3/8"
FL-212WM	12" x 1 3/4"

SHELF PACK: 10 **Polybagged**
GAUGE: 13 (.095) Steel **Display Packaged Size - 4" x 16"**
FINISHES: BP (Brass Plated), SL (Silver Coated), WH (White Coated)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Security Strikes



2-SDS
For deadbolt

2-SS
For key-in-knob

2-SDS-8
Super strike for deadbolt



BX-2-SDS

NUMBER	DIMENSIONS
2-SDS	4 7/8" x 1 1/4"
2-SS	4 7/8" x 1 1/4"
2-SDS-8	8" x 1 3/8"
BX-2-SDS	4 7/8" x 1 1/4"

SHELF PACK: 10 **Display Packaged Size - 4" x 7 3/4"**
FEATURES: • **Super Strike: Display Packaged Size - 4" x 16"**
• **Supplied with 3" screws for extra security**
FINISHES: BP (Steel Brass Plated), SL (Steel Silver Coated)
13 (.095) Gauge Steel

Double Lip Strikes



DL-11
Center Hung



DL-12

NUMBER	DIMENSIONS
DL-11	5 3/4" x 2 3/4"
DL-12	5 3/4" x 2 3/4"

SHELF PACK: 10 **Polybagged**
FINISHES: 630
13 (.095) Gauge Steel

Adjustable Strikes



A-2-SDS
Adjustable for deadbolt



A-2-SS
Adjustable for key-in-knob



9450
Adjustable "T" Strike



9454
Adjustable ANSI Strike

NUMBER	DIMENSIONS
A-2-SDS	1 1/4" x 3 3/8"
A-2-SS	1 3/4" x 3 3/8"
9450	1 1/4" x 2 3/4"
9454	1 1/4" x 4 7/8"

SHELF PACK: 10 **Polybagged**
FINISHES: (A-2-SDS, A-2-SS) **BP (Steel Brass Plated), SL (Steel Silver Coated)**
(9450, 9454) **BP (Steel Brass Plated), CP (Chrome Plated)**
13 (.095) Gauge Steel

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE

CUSTOM STRIKE ORDER FORM



* FOR STRIKES WITH 2 LATCH HOLES, PLEASE ADD SECOND HOLE WITH ALL NECESSARY MEASURMENTS *

** IF STRIKE IS HANDED PLEASE NOTE HAND SHOWN **

A=	E=	I=
B=	F=	J=
C=	G=	K (SCREW SIZE)=
D=	H=	

PART #	FINISH	HANDING	QTY.	LIP
CST-100	☐ 630	LH_____		Flat
CST-200	☐ STEEL-BP		_____	
CST-200	☐ STEEL-DU	RH_____		Curved
CST-200	☐ STEEL-SL			

P.O. BOX 929 * STERLING, MA. 01564-0929
* PH (800) 628-8389 * FAX (800) 278-8202
E-MAIL: sales@don-jo.com * http://www.don-jo.com

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

San Francisco, California

WRAP-AROUND PLATES

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section F, Version 1

DON-JO MFG., INC.

INDEX

Item#	Page#
1-CW	1f
2-CW	1f
3-CW	1f
4-CW	1f
4-2-CW	4f
4U-2-CW	8f
5-CW	1f
5K-CW	4f
6-CW	1f
7-CW	1f
8-CW	1f
9-CW	5f
9K-CW	4f
10-FE	9f
12-CW	2f
12-2-CW	2f
14-CW	7f
14-2-CW	7f
15-CW	5f
16-CW	6f
17-CW	6f
18-CW	6f
19-CW	7f
20-CW	4f
20-2-CW	4f
20B-CW	4f
20C-CW	4f
20-FE	9f
21-CW	7f
22-CW	7f
23-CW	7f
24-CW	7f
25-CW	6f
27-CW	5f
28-CW	5f
30-CW	3f
33-CW	9f
33A-CW	9f
33A-2-CW	9f
40-CW	3f
51-CW	1f
55-CW	9f
55A-CW	9f
55A-2-CW	9f
61-CW	1f
70-CW	3f
71-CW	1f
75-CW	4f
80-CW	3f
81-CW	1f
81-2-CW	4f
90-CW	3f
93-KV-CW	6f
95-CW	4f
151-CW	2f
154-CW	2f
200-CW	9f
200C-CW	9f
212-CW	9f
212C-CW	9f
214-CW	9f
214C-CW	9f
256-CW	2f
258-CW	2f
261-CW	2f
264-CW	2f
481-CW	2f
484-CW	2f
486-CW	3f
504-CW	8f
504-FE	10f
514-CW	8f
518-CW	6f
942-CW	3f
943-CW	3f
946-CW	3f
4000-2-CW	5f
4000-4-CW	5f
4500-CW	8f
4550-CW	8f
5000-CW	5f
5100-CW	6f
E2000-CW	5f

FASTENERS

Product	Fastening Type
All Wrap-Arounds	Trim Screws: 4 ea. #8 x 3/4" Phillips Truss Head Latch Screws: 2 ea. #8-32 x 1/4" Flat Head (per latch)
CW-504 & CW-514	Trim Screws: 2 ea. 1/4-20 x 3/4" MS Truss Head and 1/4-20 x 1 1/2" Sex Nut Latch Screws: #12-24 x 1/2" FHMS

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Classic Wrap-Arounds

For Cylindrical Door Locks with 2 1/8" hole



1-CW
2-CW
3-CW
4-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
1-CW	2 3/8"	1 3/8"	4" x 9"
2-CW	2 3/8"	1 3/4"	4" x 9"
3-CW	2 3/4"	1 3/8"	4 1/4" x 9"
4-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1 **Box Size - 4 1/2" x 9 3/4"**
GAUGE: 22 (.032) **CW comes box packaged as standard.**
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

For Deadbolts with 1 1/2" hole



5-CW
6-CW
7-CW
8-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
5-CW	2 3/8"	1 3/8"	4" x 4 1/2"
6-CW	2 3/8"	1 3/4"	4" x 4 1/2"
7-CW	2 3/4"	1 3/8"	4 1/4" x 4 1/2"
8-CW	2 3/4"	1 3/4"	4 1/4" x 4 1/2"

SHELF PACK: 1 **Box Size - 5 1/4" x 4 1/2"**
GAUGE: 22 (.032) **CW comes box packaged as standard.**
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 6 1/2"

For Cylindrical Door Locks with 2 1/8" hole



51-CW
61-CW
71-CW
81-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
51-CW	2 3/8"	1 3/8"	4" x 4 1/2"
61-CW	2 3/8"	1 3/4"	4" x 4 1/2"
71-CW	2 3/4"	1 3/8"	4 1/4" x 4 1/2"
81-CW	2 3/4"	1 3/4"	4 1/4" x 4 1/2"

SHELF PACK: 1 **Box Size - 5 1/4" x 4 1/2"**
GAUGE: 22 (.032) **CW comes box packaged as standard.**
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 6 1/2"

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Double Lock Combination Locksets with 1 1/2" hole on top and 2 1/8" hole on bottom with 4" centers



154-CW
264-CW
484-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
154-CW	2 3/8"	1 3/8"	4" x 9"
264-CW	2 3/8"	1 3/4"	4" x 9"
484-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1 **Box Size - 4 1/2" x 9 3/4"**
GAUGE: 22 (.032) **CW comes box packaged as standard.**
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

For Double Lock Combination Locksets with 2 1/8" holes with 5 1/2" centers



256-CW
258-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
256-CW	2 3/8"	1 3/4"	4" x 12"
258-CW	2 3/4"	1 3/4"	4 1/4" x 12"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For Cylinder Door Locks with 2 1/8" hole, 12" height



12-CW



12-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
12-CW	2 3/4"	1 3/4"	4 1/4" x 12"
12-2-CW	2 3/4"	1 3/4"	4 3/4" x 12"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

For Double Lock Combination Locksets with 2 1/8" holes with 3 5/8" centers



151-CW
261-CW
481-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
151-CW	2 3/8"	1 3/8"	4" x 9"
261-CW	2 3/8"	1 3/4"	4" x 9"
481-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1 **Box Size - 4 1/2" x 9 3/4"**
GAUGE: 22 (.032) **CW comes box packaged as standard.**
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Double Lock Combination Locksets with 2 1/8" holes with 4" centers



942-CW
943-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
942-CW	2 3/8"	1 3/4"	4" x 9"
943-CW	2 3/4"	1 3/4"	4 1/4" x 9"

SHELF PACK: 1
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Box Size - 4 1/2" x 9 3/4"
CW comes box packaged as standard.

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11"

For Double Lock Combination Locksets with 6" centers

NUMBER	BACKSET	DOOR	DIMENSIONS
486-CW	2 3/4"	1 3/4"	4 1/2" x 12"
946-CW	2 3/4"	1 3/4"	4 1/2" x 12"

SHELF PACK: 1
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

Box Pack



486-CW
hole sizes
1 1/2" over 2 1/8"



946-CW
hole sizes
2 1/8" over 2 1/8"

Blank Wrap-Around with Trim Screws



30-CW
40-CW
70-CW
80-CW
90-CW

NUMBER	DOOR	DIMENSIONS
30-CW	1 3/8"	4 1/4" x 9"
40-CW	1 3/4"	4 1/4" x 9"
70-CW	1 3/8"	4 1/4" x 4 1/2"
80-CW	1 3/4"	4 1/4" x 4 1/2"
90-CW	1 3/4"	5" x 12"

SHELF PACK: 1
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

Box Size - 5 1/4" x 4 1/2" and 4 1/2" x 9 3/4"
CW comes box packaged as standard.
90-CW Box Pack Only

Display Packaged also available. When ordering indicate by replacing the letters "CW" with "V" after the item number.

Display Package Size - 5 1/4" x 11" and 5 1/4" x 6 1/2"

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

20" Wrap-Around



20-CW



20B-CW



20-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
20-CW	2 3/4"	1 3/4"	5" x 20"
20B-CW	–	1 3/4"	5" x 20"
20C-CW	2 3/8"	1 3/4"	5" x 20"
20-2-CW	2 3/4"	1 3/4"	5 3/4" x 20"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: • Beveled front
• Non-handed
FINISHES: 10B (613), PB (605), S (630)

For installing the Marks Levers



75-CW



95-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
75-CW	2 3/4"	1 3/4"	4 3/4" x 5 1/2"
95-CW	2 3/4"	1 3/4"	4 3/4" x 9"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For installing the Best and Sargent Lever Locks



5K-CW



9K-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
5K-CW	2 3/4"	1 3/4"	4 3/4" x 5 1/2"
9K-CW	2 3/4"	1 3/4"	4 3/4" x 9"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For use with Heavy Duty Grade 1 & Grade 2 key-in-levers



4-2-CW



81-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
4-2-CW	2 3/4"	1 3/4"	4 3/4" x 9"
81-2-CW	2 3/4"	1 3/4"	4 3/4" x 4 1/2"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: Works with Schlage, Arrow, Yale, Sargent, Corbin Russwin and Falcon T
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Kaba/Simplex 1000, E-2000, 4000 & 5000 Series



9-CW



15-CW



4000-CW



5000-CW



E-2000-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
9-CW	2 3/4"	1 3/4"	5" x 9"
15-CW	2 3/4"	1 3/4"	5" x 15"
4000-2-CW	2 3/8"	1 3/4"	5" x 15"
4000-4-CW	2 3/4"	1 3/4"	5" x 15"
5000-CW	2 3/4"	1 3/4"	5" x 15"
E2000-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: (9-CW & 15-CW) **Works with Simplex 1000 Lock**
(E2000-CW) **Works with Simplex E-2000 Lock**
(4000-CW) **Works with Simplex 4000 Lock**
(5000-CW) **Works with Simplex 5000 Lock**
FINISHES: (9-CW, 15-CW, 4000-2-CW, 4000-4-CW) **10B (613), AB (609), PB (605), S (630)**
(5000-CW) **10B (613), PB (605), S (630)**
(E2000-CW) **10B (613), PB (605), S (630)**

For Alarm Lock 2700/T2, 3000 & DL 4100 Series Trilogy Lock



27-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
27-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: (27-CW) **10B (613), AB (609), PB (605), S (630)**

For Securitron Sable Lock



28-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
28-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: **Works with Securitron Sable Lock**
FINISHES: (28-CW) **10B (613), PB (605), S (630)**

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Best 93-KV Locks & Mas-Hamilton Power Levers



93-KV-CW



16-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
93-KV-CW	2 3/4"	1 3/4"	5 1/2" x 12 3/4"
16-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

For Arrow Revolution and Yale In Touch Locks



25-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
25-CW	2 3/4"	1 3/4"	5 1/8" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

For Schlage Cobra Locks



17-CW



18-CW



518-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
17-CW	2 3/4"	1 3/4"	5" x 12"
18-CW	2 3/4"	1 3/4"	5" x 15"
518-CW	2 3/4"	1 3/4"	5" x 12"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: Works with Schlage King Cobra Cylindrical and Mortise Lock
FINISHES: (17-CW, 18-CW) 10B (613), BZ (612), PB (605), S (630)
(518-CW) 10B (613), PB (605), S (630)

For Schlage Pro Series



5100-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
5100-CW	2 3/4"	1 3/4"	5 1/8" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: Works with Schlage/Locknetics pro series
FINISHES: 10B (613), PB (605), S (630)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Marks I-Q Locks



19-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
19-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), PB (605), S (630)

For Codelocks 2010, 4010 & 5000 Series



21-CW 22-CW 23-CW 24-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
21-CW	2 3/8"	1 3/4"	5" x 9"
22-CW	2 3/8"	1 3/4"	5" x 15"
23-CW	2 3/4"	1 3/4"	5" x 9"
24-CW	2 3/4"	1 3/4"	5" x 15"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: (21-CW, 22-CW) **Work with 2010 and 4010 series lock**
(23-CW, 24-CW) **Work with 5000 series lock**
FINISHES: 10B (613), PB (605), S (630)

For conversion of Simplex 1000 Series & Alarm Lock DL2500, 2700/T2 & 3000 Series to key-in-knob lock



14-CW



14-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
14-CW	2 3/4"	1 3/4"	5" x 14"
14-2-CW	2 3/4"	1 3/4"	5" x 14"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), PB (605), S (630)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Mortise Lock wrap-around plate for 86 cut-out



504-CW 514-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
504-CW	–	1 3/4"	5" x 12"
514-CW	2 3/4"	1 3/4"	5" x 12"

SHELF PACK: 1 Box Pack
GAUGE: 22 (.032)
FEATURES:
- **8" x 1 1/4" Recess**
- **Drill spindle and thumb turn holes in field**
- **Rectangle size 1 5/8" x 7 5/16"**
- **8" x 1 1/4" Recess**

FINISHES: 10B (613), BZ (612), PB (605), S (630)

For Converting Unit Locks to Lever Locks



NUMBER	BACKSET	DOOR	DIMENSIONS
4U-2-CW	2 3/4"	1 3/4"	4 1/2" x 5"

SHELF PACK: 1 Box Pack
GAUGE: 13 (.095) heavy gauge material
FEATURES:
- **Converts unit locks to lever locks**
- **Prepped to accept grade 1 & 2 levers**
- **Sex bolts used to secure plate to door**

FINISHES: BP, DU, S

For Mounting Don-Jo Hospital Push/Pull Latches



4500-CW
4550-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
4500-CW	2 3/4"	1 3/4"	4 3/4" x 9"
4550-CW	5"	1 3/4"	6 1/2" x 9"

SHELF PACK: 1 Box Pack
GAUGE: 22 (.032)
FEATURES: Also works with ABH 6100 Series, Glenn Johnson HL6 & Hager 311
FINISHES: 10B (613), PB (605), S (630)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

For Locks with Extended or Converted Backsets



Extended
33-CW
55-CW



Converted
33A-CW
55A-CW



Converted
33A-2-CW
55A-2-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
33-CW	3 3/4"	1 3/4"	5 1/2" x 9"
33A-2-CW	2 3/4"	1 3/4"	6 1/2" x 9"
33A-CW	2 3/4"	1 3/4"	6 1/2" x 9"
55-CW	5"	1 3/4"	6 1/2" x 9"
55A-2-CW	2 3/4"	1 3/4"	6 1/2" x 9"
55A-CW	2 3/4"	1 3/4"	6 1/2" x 9"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), BZ (612), PB (605), S (630)

For Thicker Doors



200-CW
200C-CW
212-CW
212C-CW
214-CW
214C-CW

NUMBER	BACKSET	DOOR	DIMENSIONS
200-CW	2 3/4"	2"	4 1/4" x 9"
200C-CW	2 3/8"	2"	4 1/4" x 9"
212-CW	2 3/4"	2 1/2"	4 1/4" x 9"
212C-CW	2 3/8"	2 1/2"	4 1/4" x 9"
214-CW	2 3/4"	2 1/4"	4 1/4" x 9"
214C-CW	2 3/8"	2 1/4"	4 1/4" x 9"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES:
- **Latch hole centered in door**
- **Available with lever Prep. - Custom order only**

FINISHES: 10B (613), PB (605), S (630)

Door Reinforcer for deadbolts & key-in-knob locks



10-FE
20-FE

NUMBER	BACKSET	DOOR	DIMENSIONS
10-FE	–	1 3/8"	4 1/2" x 1"
20-FE	–	1 3/4"	4 1/2" x 1"

SHELF PACK: 10 **Display Package Size - 4" x 7 3/4"**
GAUGE: 22 (.032)
FINISHES: 10B (613), AB (609), PB (605), S (630)

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010

DON-JO MFG., INC.

Mortise Lock wrap-around plate for 86 cut-out



504-FE

NUMBER	BACKSET	DOOR	DIMENSIONS
504-FE	–	1 3/4"	12" x 1"

SHELF PACK: 1 **Box Pack**
GAUGE: 22 (.032)
FEATURES: 8" x 1 1/4" Recess
FINISHES: 10B (613), S (630)

Interior Wrap-Arounds

DON-JO MFG., INC. offers a line of Interior Wrap-Arounds. Each is manufactured from high quality

prefinished steel brass plated material and is recommended for INTERIOR use only.

Available for: 1, 2, 3, 4, 5, 6, 7 ,8, 51, 61, 71, 81, 30, 40, 70, 80, 154, 264, 484, 151, 261, 481, 258, 942, 943



How to Order:
ie: 1-PB-IW

Flat Front Wrap-Arounds

DON-JO MFG., INC. also offers a complete line of "original" Flat Front Wrap-Arounds. They are perfect for repairing, reinforcing or remodeling doors. Speed nuts are supplied with all Flat Front Wrap-Arounds and can be used in certain conditions when door is severely damaged or when replacing a mortise lock.

Available for: 1, 2, 3, 4, 5, 6, 7 ,8, 51, 61, 71, 81, 30, 40, 70, 80, 154, 264, 484, 151, 261, 481, 258, 942, 943





How to Order:
ie: 1-PB-VF

info@don-jo.com • 1.800.628.8389 • 1.800.278.8202 fax

© Don-Jo Mfg. 2010