New Product Review DON-JO MFG., INC.



Did You Know?

Don-Jo Has Two Shipping Locations to Better Serve you

East Coast

Sterling, MA

West Coast

Reno, NV



EH-161 Extended Height Latch Bolt Hole







Did You Know? Don-Jo Stocks Hospital Push/Pull Latches



Cylindrical Latch, 1/2throw, passage function

- The 4500 Series is 2-3/4" backset
- The 4550 Series is 5" backset
- Equal and Comparative to GJ,
- Hager, Rockwood and Trimco
- UL Listed, Meets ADA
- For 1-3/4" DoorsField Reversible
 - Stainless Steel

New Exit Sign



HS-9070-38

- Provides visual, tactile and Grade
 2 Braille information to assist all employees and visitors.
- Designed to meet Federal ADA/ ADAAG guidelines for content, symbol design, text style, Braille translation and color contrast.
- Braille dots meet ADA requirements for size, shape and spacing.
- 6" x 9"
- Matte-finish acrylic reduces reflections and glare for better visibility.
- Includes adhesive mounting strips for easy installation.

All Gender and Title 24 Signs



CHS 9 – Title 24, All Gender

CHS 9 should be mounted on the door.
Does not have braille



HS 9070 33 - All Gender

6" x 9"
HS 9070 33 should be mounted on the wall next to the door. Includes braille

Other Title 24 Signs



CHS 1 CHS 6



CHS-2 CHS-7



CHS-3 CHS-8



CHS-4



CHS-5



HS-9050-01 HS-9060-01 HS-9070-01 HS-9090-01



HS-9060-02 HS-9070-02



HS-9060-03 HS-9070-03



HS-9070-07



HS-9060-04 HS-9070-04



HS-9050-05 HS-9060-05 HS-9070-05 HS-9090-05



HS-9060-22 HS-9070-22



HS-9070-08

Corbin Russwin, Best, Sargent & Schlage Mortise Lock Wrap

Ease of Installation for Sectional Mortise Locks!

No more drilling holes in stainless steel for select Corbin Russwin, Best, Sargent and Schlage mortise locks.

- Use 4020 CW for Corbin Russwin and Best Single Cylinder Functions
- Use 4020T CW for Corbin Russwin and Best Single Cylinder w/Thumb Turn
- Use 9080 CW for Schlage Single Cylinder Functions
- Use 9050 CW for Schlage Single Cylinder with Thumb Turn
- Use 8255 CW for Sargent 8204, 8255, 8206 and other Single Cylinder Functions





	Model	Size		Door
	4020 CW	5" x 12"		1 3/4"
Ξ	4020T CW	5" x 12"		1 3/4"
	9080 CW	5" x 12"		1 3/4"
	9050 CW	5" x 12"		1 3/4"
	8255 CW	5" x 12"		1 3/4"
	Finishes: S/630	PB/605	BZ/612	10B/613

EW-161 Extended Width Latch Bolt Hole EH-161 Extended Height Latch Bolt Hole

EW-161 EH-161

Industry First! No more filing strikes!

- The <u>EW (Extended Width)</u> strike has an increased latch bolt hole width to accommodate for bowed doors or binding in latch/strike locations.
- The centered hole gives an extra 3/16" width.
- 47/8" x 1 1/4"
- The <u>EH (Extended Height)</u> strike has an increased latch bolt hole height to allow for fluctuations in latch/strike locations.
- The centered hole gives an extra 1 / 4" to the top and bottom of the latch cut out (1 /2 " total)
- 47/8" x 1 1/4"
- Both the EW-161 and the EH-161 are available in 622, 630, DU Finish.

^{*}Please provide handing when ordering Ex: 9050 S CW RHR

Custom Adaptor Rings

Roller Latch w/Angle Stop

NEW!

Cu Lo Fo do AF

Custom Spacer for Schlage NDE Locks.

For installing NDE's on 1 3/8" doors.

AR NDE 630



1706 - Roller Latch with Angle Stop

Finishes: 613, 622, 626

1706 - 626

Custom Spacer for Yale NexTouch Deadbolts YRD.

For installing on 1 3/8" doors.

AR YRD



1706 - 613

Want to know more? Visit www.don-jo.com

TLP 110 - Narrow Latch Protector with Thru-Bolt Fastening





- · Narrow Latch Protector for Outswing Doors
- New Thru-Bolt Fastening Method
- · Works with most Exit Device Trims
- · Works with most Mortise Lock Trims
- 1 1/2" x 10"

Finishes: TLP 110-630 (Stainless Base)
TLP 210-DU, PC, SL (Steel Base)

Model				
TLP 110 (shown)				
TLP 210 SL				
TLP 210 DU				
TLP 210 PC				
9				

FDT Frame Dimpler

- · Aids in hollow metal door frame installation.
- Used when installing a new hollow metal frame in an existing masonry or stud opening.
- Hardened steel. Uses an Allen screw & wrench to smoothly add a dimple to the door.
- The FDT-1 makes the job an easy one with a professional looking fit to the fasteners.
- The tool is double-sided; after extensive use simply use the opposite side. Two allen screws and a long-arm allen wrench are also included.







DB 478M Dust Box



Forgot to weld in a dust box?

Use the new Don-Jo

DB 478M Aftermarket Dust Box -

Installs behind a 4 7/8" strike.



- Works with 4 7/8" strikes and standard latch ANSI strikes
- Pocket depth is 7/8"

Black Plastic




Industry Firsts!

Hinge Side Door Wrap Around with Hinge Reinforcement Prep

Repair Damaged or Destroyed Hinge Preps.

Prepared and reinforced to accept 4-1/2" or 5" Standard Weight Hinge*. Ready out of the box, no additional prep required.



6



45-FE

Inactive Door Wrap Around with ASA Strike Prep

Wrap Around for Inactive Door

Prepared and reinforced to accept 4-7/8" ASA Strike* Ready out of the box. No additional assembly required.

Model	Size
478 10B CW	5"x12"
478 S CW	5"x12"
478 10B FE	1"x12"
478 S FE	1"x12"



*Hinges and Strike Sold Separately

Frame Frog - Wire Pathway and Prep Kits

WP4L 001 WP4S 001

The universal design offers an easy, professional solution for all electronic locks, strike, card readers, and any other devices of a fully operational access control system.

- Unique patented shape forces fish tape down a chosen path with the flick of a finger
- Adjustable wing tabs allow for anchoring to a variety of door frame depths
- Attachment screw rotates and raises wing tab behind the frame to secure in place
- Four connection ports for multiple pathway arrangements
- Kits available



#84 Panic Device End Cap Protector

Designed and manufactured in America to protect panic device end caps from damage and destruction.

The unit fits over Corbin-Russwin, Sargent, Yale, Monarch, Von Duprin, and Adams-Rite units.

4" Overall Length.

For endurance and reliability, this unit is made of 18 gauge stainless steel with a 630 finish (32D).



#87 Door Protector



Length: 8-3/4", Width: 2"

Projects 3-1/4"

7 Gauge Stainless Steel

Protect Locks and Exit Devices from Carts, Gurneys and other Damage.



Cylinder & Deadbolt Finder Pulls



1874 DOOR PULL WITH 1 1/4" HOLE

For Mortise or Rim Cylinder 630 Finish 3 3/4" X 2"



1875 DOOR PULL WITH 2 1/8" HOLE

For Cylindrical Deadbolt 630 Finish 4 1/2" X 3"

The Architectural Pull Collection



For pricing on standard or custom pulls contact quotes@don-jo.com

Barn Door/Sliding Door Hardware Sets



BD1815 3/4" Round Pull



BD1837 1" Half Round Pull



BD1830 3/8" x 1-1/4" Flat Bar Pull





BD18 Flush Pull Only

Pair our ever-popular Architectural Flush Cup Pull with one of our Standard Pulls to create a competitively priced, architecturally appealing solution to Barn Doors/Sliding Doors.

- Stocked in 630, 613, and 622 Black
- **Custom Finishes Available**
- Full Pull Dimension: 2-1/2" x 7"


• All Pulls 6" CTC

New WSLP "Slipper" Latch Guard

WSLP "slips" under the rose of cylindrical locks (2-3/4" BS)



WSLP 204 (SL or DU)



WSLP 104 630

Frame Filler for GJ 100 & Rixson Overhead Stops

OH 100 PC

For GJ100, ABH and Don-Jo concealed OH stops



OH 16 PC

For Rixson #1 & 6 concealed OH stops



Heavy Duty Hinge Pin Stop



1512 Hinge Pin Stop

- For 4 1/2" x 4 1/2" hinge
- Opens to 170 degrees
- · Easy to Install
- Replaces Existing Pin



1513CP



1513 Hinge Pin Stop

- For 4 1/2" x 4 1/2" hinge
- · Opens to 170 degrees
- · Easy to Install
- · Uses Existing Pin
- · Works with All Commercial Hinges

Did You Know? Don-Jo makes emergency release tools for Privacy Door Latches Don-Jo #1606 **Privacy Door Latch** 1606 ERT Works with Don-Jo #1606 and other manufacturers Privacy Door Latches

Heavy Duty Crash Chain in Dark Bronze



Extended Lip Strikes in Polished Stainless





Part #	Part #
EL 115 629	9115 629
EL 175 629	9175 629
EL 102 629	9102 629
EL 125 629	9125 629
EL 103 629	9103 629
EL 104 629	9115 629 RC
EL 115 629 RC	9175 629 RC
EL 175 629 RC	9102 629 RC
EL 102 629 RC	9125 629 RC
EL 125 629 RC	9103 629 RC
EL 103 629 RC	
EL 104 629 RC	1

Extended Lip Dimple Strikes





"D" Shape Extended Lip Dimple Strike

2-1/4" tall

Available in lengths: 1-1/2", 1-3/4", 2", 2-1/2", 3", 4" Custom lengths available - per special quote

Finishes: 605, DU, 630, 622

"T" Shape Extended Lip Dimple Strike

2-3/4" tall

Available in lengths: 1-1/2", 1-3/4", 2", 2-1/2", 3", 4" Custom lengths available - per special quote

Finishes: 605, DU, 630, 622

Also available in ASA 4-7/8" versions

Black Finishes in Stock!



Non-Stock Items Also Available in Black Ladder Pulls • Wrap Arounds • Latch Protectors Filler Plates • Hinges

Part #	Part #
90 BK Kick Plates	7119 315 Pull Plate
70 BK All Size Push Plates	1700 622 Roller Latch
19 315 Door Pull	1702 622 Roller Latch
20 315 Door Pull	1704 622 Roller Latch
ADA Signs	2021 622 Coordinator
1406 622 Convex Wall Bumper	2040 622 Coordinator
1407 622 Concave Wall Bumper	9234 622 T Strike
1440 622 Low Dome Stop	ST 214 622 Replacement Strike
1442 622 High Dome Stop	ST 214 RC Replacement Strike
1450 622 Low Goose Stop	EL 100's Ext. Lip Strikes
1452 622 High Goose Stop	ETS 100's Ext. T Strikes
1504 622 Base Stop	PDL 100 Pocket Lock
1506 622 Base Stop	PDL 101 Pocket Lock
1606 622 Flip Lock	104 622 Edge Pull
125 622 Finger pull	106 622 Edge Pull

1156,1157,1158,1158,1160-315 1" Diameter offset door pulls

DON-JOMFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES

Stock and Custom Wrap Around Plates for retrofitting or replacing Stand Alone Access Control Products

Contact us at 800-628-8389 or visit www.don-jo.com for more information



Visit www.don-jo.com to explore our entire offering of Architectural Hardware & Door Safety and Security Products



PHONE: 978.422.3377 FAX: 978.422.3467 Toll Free: 800.628.8389

Toll Free: 800.628.8389 Toll Free Fax: 800.278.8202 www.don-jo.com info@don-jo.com

