

PRODUCT  
CATALOG

**DONJO**  
MFG., INC.

DOOR PULLS,  
PUSH & PULL PLATES



(800) 628-8389

sales@don-jo.com

don-jo.com




# INDEX

| Item #   | Page # | Item #        | Page # | Item #        | Page # | Item #         | Page # |
|----------|--------|---------------|--------|---------------|--------|----------------|--------|
| 10.....  | 3b     | 80.....       | 1b     | 7111 .....    | 8b     | CFL71.....     | 11b    |
| 11.....  | 2b     | 120 .....     | 13b    | 7114 .....    | 8b     | CFL7015.....   | 11b    |
| 14.....  | 2b     | 121 .....     | 13b    | 7115 .....    | 8b     | CFL7115 .....  | 11b    |
| 15.....  | 2b     | 147.....      | 5b     | 7116 .....    | 8b     | OPL5140.....   | 7b     |
| 16.....  | 2b     | 1150.....     | 4b     | 7117 .....    | 8b     | OPL5141 .....  | 7b     |
| 17.....  | 2b     | 1151 .....    | 4b     | 7119 .....    | 9b     | OPL5142.....   | 7b     |
| 19.....  | 2b     | 1152 .....    | 4b     | 7120 .....    | 9b     | OPL5143.....   | 7b     |
| 20.....  | 2b     | 1156.....     | 4b     | 7121 .....    | 9b     | OPL5150.....   | 7b     |
| 21.....  | 2b     | 1157 .....    | 4b     | 7130 .....    | 9b     | OPL5151.....   | 7b     |
| 22.....  | 2b     | 1158 .....    | 4b     | 7131 .....    | 9b     | OPL5152.....   | 7b     |
| 30.....  | 2b     | 1159.....     | 4b     | 7132.....     | 9b     | OPL5153.....   | 7b     |
| 31.....  | 2b     | 1160 .....    | 4b     | 7137 .....    | 10b    | OPL5190.....   | 7b     |
| 32.....  | 2b     | 1170 .....    | 4b     | 7138 .....    | 10b    | OPL5191 .....  | 7b     |
| 35.....  | 3b     | 1170147 ..... | 6b     | 7816 .....    | 10b    | OPL5192.....   | 7b     |
| 36.....  | 3b     | 1846 .....    | 11b    | 19147 .....   | 5b     | OPL5193.....   | 7b     |
| 37.....  | 3b     | 1848 .....    | 11b    | 20147 .....   | 5b     | OPL5200.....   | 7b     |
| 38.....  | 3b     | 1850 .....    | 11b    | 21147 .....   | 5b     | OPL5201.....   | 7b     |
| 42.....  | 3b     | 1858 .....    | 11b    | 22147 .....   | 5b     | OPL5202.....   | 7b     |
| 44 ..... | 3b     | 1860 .....    | 11b    | 1156147 ..... | 5b     | OPL5203.....   | 7b     |
| 46.....  | 13b    | 1866 .....    | 12b    | 1157147 ..... | 5b     | PL-13515 ..... | 13b    |
| 54.....  | 13b    | 1874 .....    | 12b    | 1158147 ..... | 5b     | PL5110 .....   | 7b     |
| 56.....  | 13b    | 1875 .....    | 12b    | 1159147 ..... | 5b     | PL5111 .....   | 7b     |
| 57.....  | 13b    | 7010.....     | 8b     | 1160147 ..... | 5b     | PL5112 .....   | 7b     |
| 58.....  | 13b    | 7011 .....    | 8b     | 1170147 ..... | 6b     | PL5113 .....   | 7b     |
| 59.....  | 13b    | 7014.....     | 8b     | CFC70 .....   | 11b    | PL5120 .....   | 7b     |
| 62.....  | 12b    | 7015.....     | 8b     | CFC71 .....   | 11b    | PL5121 .....   | 7b     |
| 64.....  | 12b    | 7016.....     | 8b     | CFC7015.....  | 11b    | PL5122 .....   | 7b     |
| 66.....  | 12b    | 7017.....     | 8b     | CFC7115.....  | 11b    | PL5123 .....   | 7b     |
| 69.....  | 1b     | 7019.....     | 9b     | CFD70 .....   | 11b    | PL5160 .....   | 7b     |
| 70.....  | 1b     | 7020.....     | 9b     | CFD71 .....   | 11b    | PL5161 .....   | 7b     |
| 71 ..... | 1b     | 7021 .....    | 9b     | CFD7015 ..... | 11b    | PL5162 .....   | 7b     |
| 72.....  | 1b     | 7030.....     | 9b     | CFD7115.....  | 11b    | PL5163 .....   | 7b     |
| 73.....  | 1b     | 7031 .....    | 9b     | CFK70 .....   | 11b    | PS-13515 ..... | 13b    |
| 76.....  | 1b     | 7032.....     | 9b     | CFK71 .....   | 11b    | VDP-111 .....  | 12b    |
| 77.....  | 1b     | 7037.....     | 10b    | CFK7015 ..... | 11b    |                |        |
| 78.....  | 1b     | 7038.....     | 10b    | CFK7115.....  | 11b    |                |        |
| 79.....  | 1b     | 7110 .....    | 8b     | CFL70 .....   | 11b    |                |        |



**.050 PUSH PLATES**



| NUMBER | DIMENSIONS   | ANSI A156.6 | MATERIAL  |
|--------|--------------|-------------|---|
| 69     | 3" X 12"     | J301        | Aluminum, Brass,<br>Bronze, Stainless Steel,<br>Plastic |
| 70     | 3 1/2" X 15" | J301        |   |
| 71     | 4" X 16"     | J301        |   |
| 72     | 6" X 16"     | J301        |   |
| 73     | 8" X 16"     | J301        |   |

**SHELF PACK:** 10 **Box Pack**  
**FASTENERS:** #6 x 5/8 OH SMS  
**FEATURE:** Four beveled edges  
**FINISHES:** 605, 606, 609, 612, 613, 619, 620, 626, 628, 629, 630  
**ORDERING:** Specify plate number followed by size and finish – specify additional options and/or features.

- OPTIONS:**
- Rounded corners - RC
  - Custom sizes available
  - Torx screws
  - Scotch Mount, double face tape (no holes, no screws)
  - Magnetic, no holes, no screws
  - Hole cut outs available

**.125 PUSH PLATES**



| NUMBER | DIMENSIONS   | ANSI A156.6 | MATERIAL        |
|--------|--------------|-------------|-----------------|
| 76     | 3" X 12"     | J301        | Stainless Steel |
| 77     | 3 1/2" X 15" | J301        |                 |
| 78     | 4" X 16"     | J301        |                 |
| 79     | 6" X 16"     | J301        |                 |
| 80     | 8" X 16"     | J301        |                 |

**SHELF PACK:** 10 **Box Pack**  
**FASTENERS:** #6 x 5/8 OH SMS  
**FEATURE:** Four beveled edges  
**FINISH:** 630  
**ORDERING:** Specify plate number followed by size and finish – specify additional options and/or features.

- OPTIONS:**
- Rounded corners - RC
  - Custom sizes available
  - Torx screws
  - Scotch Mount, double face tape (no holes, no screws)
  - Magnetic, no holes, no screws
  - Hole cut outs available

5/8" & 3/4" ROUND DOOR PULLS



| NUMBER | CTC    | DIAMETER | DIMENSIONS |            |           | ANSI A156.6 | MATERIAL                                       |
|--------|--------|----------|------------|------------|-----------|-------------|--|
|        |        |          | OVERALL    | PROJECTION | CLEARANCE |             |  |
| 11     | 5 1/2" | 5/8"     | 6 1/8"     | 2"         | 1 3/8"    | J401        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 14     | 5 1/2" | 3/4"     | 6 1/4"     | 2 1/4"     | 1 1/2"    | J401        |  |
| 15     | 6"     | 3/4"     | 6 3/4"     | 2 1/4"     | 1 1/2"    | J401        |  |
| 16     | 8"     | 3/4"     | 8 3/4"     | 2 1/4"     | 1 1/2"    | J401        |  |
| 17     | 10"    | 3/4"     | 10 3/4"    | 2 1/4"     | 1 1/2"    | J401        |  |

**SHELF PACK: I** **Box Pack**  
**FASTENERS:** 1/4-20 Thru bolt & finish washer  
**FEATURE:** Made from solid bar stock  
**FINISHES:** 605, 606, 609, 613, 628, 629, 630  
**OPTIONS:**

- Back to back mounting for pulls 3/4" dia. only
- Back to back mounting not available on 5/8" dia. Pulls
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

1" ROUND DOOR PULLS



| NUMBER | CTC | DIAMETER | DIMENSIONS |            |           | ANSI A156.6 | MATERIAL                                       |
|--------|-----|----------|------------|------------|-----------|-------------|--|
|        |     |          | OVERALL    | PROJECTION | CLEARANCE |             |  |
| 19     | 8"  | 1"       | 9"         | 3"         | 2"        | J401        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 20     | 10" | 1"       | 11"        | 3"         | 2"        | J401        |  |
| 21     | 12" | 1"       | 13"        | 3"         | 2"        | J401        |  |
| 22     | 18" | 1"       | 19"        | 3"         | 2"        | J401        |  |

**SHELF PACK: I** **Box Pack**  
**FASTENERS:** 1/4-20 Thru bolt & finish washer  
**FEATURE:** Made from solid bar stock  
**FINISHES:** 605, 606, 613, 628, 629, 630  
**OPTIONS:**

- Back to back mounting for pairs
- Concealed Mounting
- Specify door thickness if greater than 1 3/4"
- Use prefix "H" for 2 1/2" clearance
- See page 14b for other mounting options

FLAT BAR DOOR PULLS



| NUMBER | CTC | DIAMETER      | DIMENSIONS |            |           | ANSI A156.6 | MATERIAL                                       |
|--------|-----|---------------|------------|------------|-----------|-------------|--|
|        |     |               | OVERALL    | PROJECTION | CLEARANCE |             |  |
| 30     | 6"  | 3/8" x 1 1/4" | 6 3/8"     | 2"         | 1 5/8"    | J401        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 31     | 8"  | 3/8" x 1 1/4" | 8 3/8"     | 2"         | 1 5/8"    | J401        |  |
| 32     | 10" | 3/8" x 1 1/4" | 10 3/8"    | 2"         | 1 5/8"    | J401        |  |

**SHELF PACK: I** **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt & finish washer  
**FEATURE:** Made from solid bar stock  
**FINISHES:** 605, 613, 628, 630

HALF ROUND DOOR PULLS



| NUMBER | CTC | DIAMETER      | DIMENSIONS |            |           | ANSI A156.6 | MATERIAL                               |
|--------|-----|---------------|------------|------------|-----------|-------------|--|
|        |     |               | OVERALL    | PROJECTION | CLEARANCE |             |  |
| 37     | 6"  | 1" Half Round | 6 1/2"     | 2"         | 1 1/2"    | J401        | Aluminum,<br>Brass,<br>Stainless Steel |
| 38     | 8"  | 1" Half Round | 8 1/2"     | 2"         | 1 1/2"    | J401        |  |

SHELF PACK: 1 Box Pack  
 FASTENERS: 1/4-20 thru bolt & finish washer  
 FEATURE: Made from solid bar stock  
 FINISHES: 605, 613, 630

CAST DOOR PULLS



10



36



42

| NUMBER | CTC    | DIMENSIONS |            |           | ANSI A156.6 | MATERIAL   |
|--------|--------|------------|------------|-----------|-------------|--|
|        |        | OVERALL    | PROJECTION | CLEARANCE |             |  |
| 10     | 5 1/2" | 6 1/2"     | 1 3/4"     | 1 5/16"   | J401        | Cast<br>Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 36     | 5 1/2" | 7 1/2"     | 1 7/8"     | 1 1/2"    | J401        |  |
| 42     | 5"     | 8 1/8"     | 2 1/2"     | 2 1/8"    | J401        |  |

SHELF PACK: 1 Box Pack  
 FASTENERS: 1/4-20 thru bolt & finish washer  
 FEATURE: Made from cast material  
 FINISHES: (10) 605, 613, 628, 630  
 (36) 605, 613, 625, 626, 628, 630  
 (42) 630

SURFACE MOUNT CAST DOOR PULLS



35



44

| NUMBER | CTC    | DIMENSIONS |            |           | ANSI A156.6 | MATERIALS                                   |
|--------|--------|------------|------------|-----------|-------------|---|
|        |        | OVERALL    | PROJECTION | CLEARANCE |             |   |
| 35     | 5 1/2" | 7 1/2"     | 1 7/8"     | 1 1/2"    | J401        | Cast Aluminum,<br>Brass,<br>Stainless Steel |
| 44     | 6"     | 8 7/8"     | 3 1/4"     | 2 1/16"   | J401        |   |

SHELF PACK: 1 Box Pack  
 FASTENERS: (35) 6 ea. #10 x 1" SMS  
 (44) 4 ea. #10 x 1" SMS  
 FINISHES: (35) 605, 613, 625, 626, 628, 630  
 (44) 605, 630



"C" DOOR PULLS

| NUMBER | CTC | DIMENSIONS |         |            |           |        | ANSI A156.6 | MATERIAL        |
|--------|-----|------------|---------|------------|-----------|--------|-------------|-----------------|
|        |     | DIAMETER   | OVERALL | PROJECTION | CLEARANCE | OFFSET |             |                 |
| 1170   | 12" | 1"         | 13"     | 3"         | 2"        | 8"     | J402        | Stainless Steel |



**SHELF PACK:** 1 **Box Pack**  
**FASTENERS:** 3/8-24 x 2 1/2" MS  
**FINISH:** 630  
**OPTIONS:**

- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selection
- Specify door thickness if over 1 3/4" thick door

OFFSET DOOR PULLS

| NUMBER | CTC | DIMENSIONS |         |            |           |        | ANSI A156.6 | MATERIAL                                       |
|--------|-----|------------|---------|------------|-----------|--------|-------------|--|
|        |     | DIAMETER   | OVERALL | PROJECTION | CLEARANCE | OFFSET |             |  |
| 1150   | 8"  | 3/4"       | 8 3/4"  | 2 1/2"     | 1 3/4"    | 90°    | J402        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 1151   | 10" | 3/4"       | 10 3/4" | 2 1/2"     | 1 3/4"    | 90°    | J402        |  |
| 1152   | 12" | 3/4"       | 12 3/4" | 2 1/2"     | 1 3/4"    | 90°    | J402        |  |
| 1156   | 8"  | 1"         | 9"      | 3 1/2"     | 2 1/2"    | 90°    | J402        |  |
| 1157   | 10" | 1"         | 11"     | 3 1/2"     | 2 1/2"    | 90°    | J402        |  |
| 1158   | 12" | 1"         | 13"     | 3 1/2"     | 2 1/2"    | 90°    | J402        |  |
| 1159   | 18" | 1"         | 19"     | 3 1/2"     | 2 1/2"    | 90°    | J402        |  |
| 1160   | 9"  | 1"         | 10"     | 3 1/2"     | 2 1/2"    | 90°    | J402        |  |







**SHELF PACK:** 1 **Box Pack**  
**FASTENERS:** (1150, 1151, 1152) 1/4-20 x 2 1/2" MS  
 (1156, 1157, 1158, 1159, 1160) 3/8-24 x 2 1/2" MS  
**FINISHES:** 605, 606, 613, 628, 629, 630, 313  
**OPTIONS:**

- Back to back mounting
- Concealed mounting
- See page 14b for complete mounting selections
- Specify door thickness if over 1 3/4" thick door

PUSH/PULL BARS

| PULL    |         |            |           | PUSH    |            |           |      | ANSI A156.6                                      | MATERIAL |
|---------|---------|------------|-----------|---------|------------|-----------|------|--|----------|
| NUMBER  | CTC     | PROJECTION | CLEARANCE | CTC     | PROJECTION | CLEARANCE |      |  |          |
| 147     | Specify | 3 1/2"     | 2 1/2"    | -       | Specify    | 1 1/2"    | J501 | Aluminum,<br>Brass,<br>Bronze<br>Stainless Steel |          |
| 19147   | 8"      | 3"         | 2"        | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 20147   | 10"     | 3"         | 2"        | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 21147   | 12"     | 3"         | 2"        | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 22147   | 18"     | 3"         | 2"        | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 1156147 | 8"      | 3 1/2"     | 2 1/2"    | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 1157147 | 10"     | 3 1/2"     | 2 1/2"    | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 1158147 | 12"     | 3 1/2"     | 2 1/2"    | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 1159147 | 18"     | 3 1/2"     | 2 1/2"    | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |
| 1160147 | 9       | 3 1/2"     | 2 1/2"    | Specify | 2 1/2"     | 1 1/2"    | J504 |  |          |

**SHELF PACK: 1**                      **Box Pack**  
**FASTENER:** See page 14b for all details  
**FEATURE:** Made from solid bar stock  
**FINISHES:** 605, 606, 613, 628, 629, 630, 313  
**ORDERING:** Specify door pull, push bar, CTC of push bar & finish & mounting method.





"C" PULL/PUSH BARS

| PULL    |     |            |           | PUSH     |            |           |                 |
|---------|-----|------------|-----------|----------|------------|-----------|-----------------|
| NUMBER  | CTC | PROJECTION | CLEARANCE | CTC      | PROJECTION | CLEARANCE | MATERIAL        |
| 1170147 | 12" | 3"         | 2"        | Specify- | 2 1/2"     | 1 1/2"    | Stainless Steel |



**SHELF PACK:** 1                      **Box Pack**  
**FASTENER:** See page 14b for all details  
**FEATURE:** Made from solid bar stock  
**FINISHES:** 630  
**ORDERING:** Specify door pull, push bar, CTC of push bar & finish & mounting method.

**ADA Accessibility Guidelines for Buildings and Facilities (ADAAG)  
 As amended through January 1998**

4.13.9 **Door Hardware.** Handles, pulls, latches, locks, and other operating devices on accessible doors shall have a shape that is easy to grasp with one hand and does not require tight grasping, tight pinching, or twisting of the wrist to operate. Lever-operated mechanisms, push-type mechanisms, and U-shaped handles are acceptable designs. When sliding doors are fully open, operating hardware shall be exposed and usable from both sides. Hardware required for accessible door passage shall be mounted no higher than 48 in. (1220 mm) above finished floor.



LADDER PULLS



| NUMBER | CTC | DIMENSIONS |         |            |           | MATERIAL        |
|--------|-----|------------|---------|------------|-----------|-----------------|
|        |     | DIAMETER   | OVERALL | PROJECTION | CLEARANCE |                 |
| PL5110 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5111 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5112 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5113 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5120 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5121 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5122 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5123 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |
| PL5160 | 36" | 1 1/4"     | 48"     | 3 1/4"     | 2"        | Stainless Steel |
| PL5161 | 48" | 1 1/4"     | 60"     | 3 1/4"     | 2"        | Stainless Steel |
| PL5162 | 60" | 1 1/4"     | 72"     | 3 1/4"     | 2"        | Stainless Steel |
| PL5163 | 72" | 1 1/4"     | 84"     | 3 1/4"     | 2"        | Stainless Steel |

SHELF PACK: 1

Box Pack

OPTIONS: • See page I4b for complete mounting selection

FINISHES: 629, 630

- Other finishes available, special order
- Split finishes available, special order

- Special sizes and CTC available, special order

Center post is recommended for pulls over 60" in CTC

OFFSET LADDER PULLS



| NUMBER  | CTC | DIMENSIONS |         |            |           | MATERIAL        |
|---------|-----|------------|---------|------------|-----------|-----------------|
|         |     | DIAMETER   | OVERALL | PROJECTION | CLEARANCE |                 |
| OPL5140 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5141 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5142 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5143 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5150 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5151 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5152 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5153 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5190 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5191 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5192 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5193 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5200 | 36" | 1 1/4"     | 48"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5201 | 48" | 1 1/4"     | 60"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5202 | 60" | 1 1/4"     | 72"     | 3"         | 1 3/4"    | Stainless Steel |
| OPL5203 | 72" | 1 1/4"     | 84"     | 3"         | 1 3/4"    | Stainless Steel |

SHELF PACK: 1

Box Pack

OPTIONS: • See page I4b for complete mounting selection

FINISHES: 629, 630

- Other finishes available, special order
- Split finishes available, special order

- Special sizes and CTC available, special order

Center post is recommended for pulls over 60" in CTC

PULL PLATE W/CAST PULL

| NUMBER | PLATE        | CTC    | OVERALL | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL                                       |
|--------|--------------|--------|---------|------------|-----------|-------------|--|
| 7010   | 3 1/2" x 15" | 5 1/2" | 6 1/2"  | 1 3/4"     | 1 5/16"   | J405        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 7110   | 4" x 16"     | 5 1/2" | 6 1/2"  | 1 3/4"     | 1 5/16"   | J405        |  |



**SHELF PACK:** I                      **Box Pack**  
**FASTENER:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISHES:** 605, 613, 628, 630  
**OPTION:** Other size plates & custom sizes available

PULL PLATES W/3/4" ROUND PULLS

| NUMBER | PLATE        | CTC    | DIAMETER | OVERALL | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL                                       |
|--------|--------------|--------|----------|---------|------------|-----------|-------------|--|
| 7011   | 3 1/2" x 15" | 5 1/2" | 5/8"     | 6 1/8"  | 2"         | 1 3/8"    | J405        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 7014   | 3 1/2" x 15" | 5 1/2" | 3/4"     | 6 1/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7015   | 3 1/2" x 15" | 6"     | 3/4"     | 6 3/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7016   | 3 1/2" x 15" | 8"     | 3/4"     | 8 3/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7017   | 3 1/2" x 15" | 10"    | 3/4"     | 10 3/4" | 2 1/4"     | 1 1/2"    | J405        |  |
| 7111   | 4" x 16"     | 5 1/2" | 5/8"     | 6 1/8"  | 2"         | 1 3/8"    | J405        |  |
| 7114   | 4" x 16"     | 5 1/2" | 3/4"     | 6 1/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7115   | 4" x 16"     | 6"     | 3/4"     | 6 3/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7116   | 4" x 16"     | 8"     | 3/4"     | 8 3/4"  | 2 1/4"     | 1 1/2"    | J405        |  |
| 7117   | 4" x 16"     | 10"    | 3/4"     | 10 3/4" | 2 1/4"     | 1 1/2"    | J405        |  |



**SHELF PACK:** I                      **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISHES:** 605, 606, 613, 628, 629, 630  
**OPTIONS:**

- Add prefix "H" for 2 1/2" clearance
- Other plate sizes available



**PULL PLATES W/ 1" ROUND PULLS**


| NUMBER | PLATE        | CTC | DIAMETER | OVERALL | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL                                       |
|--------|--------------|-----|----------|---------|------------|-----------|-------------|--|
| 7019   | 3 1/2" x 15" | 8"  | 1"       | 9"      | 3"         | 2"        | J405        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 7020   | 3 1/2" x 15" | 10" | 1"       | 11"     | 3"         | 2"        | J405        |  |
| 7021   | 3 1/2" x 15" | 12" | 1"       | 13"     | 3"         | 2"        | J405        |  |
| 7119   | 4" x 16"     | 8"  | 1"       | 9"      | 3"         | 2"        | J405        |  |
| 7120   | 4" x 16"     | 10" | 1"       | 11"     | 3"         | 2"        | J405        |  |
| 7121   | 4" x 16"     | 12" | 1"       | 13"     | 3"         | 2"        | J405        |  |



**SHELF PACK:** 1                      **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISHES:** 605, 606, 613, 628, 629, 630  
**OPTIONS:** • Add prefix "H" for 2 1/2" clearance  
 • Other plate sizes available

**PULL PLATES W/FLAT PULLS**

| NUMBER | PLATE        | CTC | DIAMETER      | OVERALL | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL                                       |
|--------|--------------|-----|---------------|---------|------------|-----------|-------------|--|
| 7030   | 3 1/2" x 15" | 6"  | 3/8" x 1 1/4" | 6 3/8"  | 2"         | 1 5/8"    | J405        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 7031   | 3 1/2" x 15" | 8"  | 3/8" x 1 1/4" | 8 3/8"  | 2"         | 1 5/8"    | J405        |  |
| 7032   | 3 1/2" x 15" | 10" | 3/8" x 1 1/4" | 10 3/8" | 2"         | 1 5/8"    | J405        |  |
| 7130   | 4" x 16"     | 6"  | 3/8" x 1 1/4" | 6 3/8"  | 2"         | 1 5/8"    | J405        |  |
| 7131   | 4" x 16"     | 8"  | 3/8" x 1 1/4" | 8 3/8"  | 2"         | 1 5/8"    | J405        |  |
| 7132   | 4" x 16"     | 10" | 3/8" x 1 1/4" | 10 3/8" | 2"         | 1 5/8"    | J405        |  |



**SHELF PACK:** 1                      **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISHES:** 605, 613, 628, 630  
**OPTION:** Other plate sizes available



PULL PLATES W/ HALF ROUND PULLS

| NUMBER | PLATE        | CTC | DIAMETER      | OVERALL | PROJ. | CLEARANCE | ANSI A156.6 | MATERIAL                                       |
|--------|--------------|-----|---------------|---------|-------|-----------|-------------|--|
| 7037   | 3 1/2" x 15" | 6"  | 1" Half Round | 6 1/2"  | 2"    | 1 1/2"    | J405        | Aluminum,<br>Brass, Bronze,<br>Stainless Steel |
| 7038   | 3 1/2" x 15" | 8"  | 1" Half Round | 8 1/2"  | 2"    | 1 1/2"    | J405        |  |
| 7137   | 4" x 16"     | 6"  | 1" Half Round | 6 1/2"  | 2"    | 1 1/2"    | J405        |  |
| 7138   | 4" x 16"     | 8"  | 1" Half Round | 8 1/2"  | 2"    | 1 1/2"    | J405        |  |



**SHELF PACK:** I                      **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISHES:** 605, 613, 630  
**OPTION:** Other plate sizes available

1/8" THICK PULL PLATE W/ ROUND PULL


| NUMBER | THICKNESS | DIMENSIONS | ANSI A156.6 | MATERIAL        |
|--------|-----------|------------|-------------|-----------------|
| 7816   | .125      | 4" x 16"   | J407        | Stainless Steel |



**SHELF PACK:** I                      **Box Pack**  
**FASTENERS:** 1/4-20 thru bolt, #6 x 5/8" OH SMS  
**FINISH:** 630  
**OPTION:** Other plate sizes available



**PUSH PLATES & PULL PLATES WITH HOLES**



| NUMBER | PULL | DIMENSIONS   | MATERIAL                                       |
|--------|------|--------------|--|
| *70    | -    | 3 1/2" x 15" | Aluminum, Brass,<br>Bronze,<br>Stainless Steel |
| *71    | -    | 4" x 16"     |  |
| *7015  | 15   | 3 1/2" x 15" |  |
| *7115  | 15   | 4" x 16"     |  |

**SHELF PACK:** (70, 71) 10 **Box Pack**  
(7015, 7115) 1

**FASTENERS:** 1/4-20 thru bolt for handles, #6 x 5/8" OH SMS  
**FEATURE:** All holes are 2 1/2" on center from the end of the plate.

**FINISHES:** 605, 606, 612, 613, 628, 629, 630

**OPTIONS:** • Hole location can be varied  
• Other plate sizes & pulls can be specified

**HOW TO ORDER:**  
Hole Size, Number, Finish e.g.: CFC70 - 605

---

**HOLE SIZE:** CFC 1 1/4" - CFD 1 1/2" - CFK 2 1/8" - CFL  
2 1/8" with lever prep

**FLUSH CUP PULLS**



**1848**

**1850**

| NUMBER | DIMENSIONS      | OPENING SIZE    | DEPTH | ANSI A156.6 | MATERIAL        |
|--------|-----------------|-----------------|-------|-------------|-----------------|
| 1846   | 5" x 5"         | 3 1/2" x 3 1/2" | 7/8"  | J403        | Stainless Steel |
| 1848   | 3 1/2" x 4 3/4" | 2" x 3 1/2"     | 3/4"  | J403        |                 |
| 1850   | 3 1/2" x 4 3/4" | 2" x 3 1/2"     | 3/4"  | J403        |                 |
| 1858   | 4" x 10"        | 2" x 3 1/2"     | 3/4"  | J403        |                 |
| 1860   | 4" x 16"        | 2" x 3 1/2"     | 3/4"  | J403        |                 |

**SHELF PACK:** (1846) 1 **Box Pack**  
(1848, 1850, 1858, 1860) 10

**GAUGE:** 16 (.062)

**FASTENERS:** (1846) 4 ea. #10-24 x 5/8" Pin in head Torx MS,  
4 ea. one way x 5/8" sex nut  
(1850, 1858) 4 ea. #8 x 3/4" SMS  
(1860) 6 ea. #8 x 3/4" SMS


**FEATURES:** (1846) ADA Compliant

**FINISH:** 630

**OPTIONS:** • Back to back Mounting for 1848 & 1850 only  
• Torx screws



**1858**



**1860**



**1846**



CYLINDER PULL



| NUMBER | HOLE   | DIMENSIONS  | PROJECTION | ANSI A156.6 | MATERIAL        |
|--------|--------|-------------|------------|-------------|-----------------|
| 1874   | 1 1/4" | 2" x 3 3/4" | 5/8"       | J303        | Stainless Steel |
| 1875   | 2 1/8" | 3" x 4 1/2" | 5/8"       | J303        | Stainless Steel |

SHELF PACK: 10                      Box Pack  
 GAUGE: II (.125)  
 FEATURE: Mounts underneath cylinders  
 FINISH: 630

VANDAL PULL



| NUMBER  | DIMENSIONS | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL        |
|---------|------------|------------|-----------|-------------|-----------------|
| VDP-111 | 5" x 7"    | 1 3/4"     | 1 1/2"    | J303        | Stainless Steel |

SHELF PACK: I                      Box Pack  
 GAUGE: II (.125)  
 FASTENERS: 1/4-20 thru bolts  
 FINISH: 630  
 OPTIONS:
 

- For use with exit devices from Von Duprin, Precision, Marks and Detex
- Bolts directly to the device
- Cylinder cut out available, add CFC to part number

PUSH/PULL PLATE



| NUMBER | DIMENSIONS       | PROJECTION | ANSI A156.6 | MATERIAL        |
|--------|------------------|------------|-------------|-----------------|
| 1866   | 3 1/2" x 15 3/4" | 1 1/4"     | J303        | Stainless Steel |

SHELF PACK: 10                      Box Pack  
 GAUGE: II (.125)  
 FASTENERS: #8 x 3/4" SMS  
 FINISH: 630  
 OPTIONS:
 

- Hole cut outs available
- Torx screws

WIRE PULLS




| NUMBER | CTC    | DIAMETER | OVERALL  | PROJECTION | CLEARANCE | ANSI A156.6 | MATERIAL |
|--------|--------|----------|----------|------------|-----------|-------------|----------|
| 62     | 3"     | 5/16"    | 3 5/16"  | 1 11/32"   | 1 1/32"   | B22011      | Brass    |
| 64     | 3 1/2" | 5/16"    | 3 13/16" | 1 11/32"   | 1 1/32"   | B22011      | Brass    |
| 66     | 4"     | 5/16"    | 4 5/16"  | 1 11/32"   | 1 1/32"   | B22011      | Brass    |

SHELF PACK: 10                      Polybagged  
 FASTENERS: 2 ea. #8-32 x 1 3/4" SMS, 2 ea. #8-32 x 1" SMS  
 FINISHES: 605, 625, 626



CABINET KNOB



| NUMBER | SIZE   | PROJECTION | ANSI A156.6 | MATERIAL |
|--------|--------|------------|-------------|----------|
| 54     | 1 1/4" | 1 5/32"    | B12131      | Brass    |
| 56     | 1 1/2" | 1 17/64"   | B12131      | Brass    |
| 57     | 1 1/2" | 1/8"       | -           | Aluminum |
| 120    | 1 1/2" | 1/2"       | -           | Aluminum |
| 121    | 1 3/4" | 3/4"       | -           | Aluminum |

SHELF PACK: 10 Polybagged  
 FASTENERS: (54, 56, 120, 121) #8-32 x 1 3/4" SMS, #8-32 x 1 1/4" SMS  
 FINISHES: 605, 613, 619, 620, 626

CABINET KNOB



| NUMBER | KNOB   | BACK PLATE | PROJECTION | MATERIAL      |
|--------|--------|------------|------------|---------------|
| 58     | 1 1/4" | -          | 1 9/32"    | Cast Aluminum |
| 59     | -      | 1 3/4"     | 1/2"       | Cast Aluminum |

SHELF PACK: 10 Polybagged  
 FASTENERS: (58) #8-32 x 1 3/4" SMS  
 FINISHES: 605, 620, 625, 626

FOOT PULL



| NUMBER | DOOR THICKNESS | PROJECTION | MATERIAL        |
|--------|----------------|------------|-----------------|
| 46     | 1 3/4"         | 4 1/2"     | Stainless Steel |

SHELF PACK: 1 Polybagged  
 FASTENERS: #6 x 5/8" OH SMS  
 FEATURES: To pull door open w/foot, mounts under the bottom of the door  
 FINISH: 630

DISPLAY PACKAGED PUSH & PULL PLATES




PL-13515




PS-13515

| NUMBER   | PULL   | DIMENSIONS   |
|----------|--------|--------------|
| PL-13515 | No. 11 | 3 1/2" x 15" |
| PS-13515 | -      | 3 1/2" x 15" |

SHELF PACK: 10 Display Packaged Size - 4 1/4" x 17 1/4"  
 FASTENERS: (PL-13515) #6 x 5/8" SMS, 1/4-20" x 2 1/4" thru-bolt  
 (PS-13515) #6 x 5/8" SMS  
 FINISHES: 605, 613, 630




**1 MOUNTING - THRU BOLT (WOOD OR METAL DOORS)**




All pulls: 1/4-20 w/Finish Washer  
Offset Pulls: 3/8-24 (Finish washer not supplied.)

**4 MOUNTING - THRU BOLT (GLASS DOORS)**




3/8-24 decorative thru bolt  
w/newprene washers  
5/8" Plexiglass bushing

**2 MOUNTING - SURFACE CONCEALED (WOOD DOORS)**




1/4" x 1" w/set screw

**5 MOUNTING - BACK TO BACK (GLASS DOORS)**




3/8-24 Bolt w/set screw  
5/8" Plexiglass bushing  
w/Neoprene washers

**3 MOUNTING - BACK TO BACK (WOOD OR METAL DOORS)**




All Pulls: 1/4-20 w/set screw

**6 MOUNTING - SURFACE CONCEALED (METAL DOORS)**




1/4-20 w/set screw



Offset Pulls: 3/8-24  
w/set screw

**7 MOUNTING - CONCEALED (WOOD OR METAL DOORS)**



1/4-20 w/set screw  
Concealed studs welded to  
back of Push Plate  
\*Must mount studs to 1/8"  
thick plates only! Thinner  
gauge cannot be used!