

PRODUCT  
CATALOG

# DON-JO

MFG., INC.

## LATCH PROTECTORS



(800) 628-8389

[sales@don-jo.com](mailto:sales@don-jo.com)

[don-jo.com](http://don-jo.com)

# INDEX

| MODEL             | PAGE #    |
|-------------------|--------|-------------------|--------|-------------------|--------|-------------------|-----------|
| 9211.....         | 7g     | GLP-307-RHR.....  | 3g     | MELP-210-EBF..... | 5g     | PLP-211.....      | 7g        |
| 9211-EBF.....     | 7g     | ILP-206.....      | 3g     | MLP-111.....      | 6g     | PLP-211-EBF.....  | 7g        |
| AL-211.....       | 5g     | ILP-212.....      | 3g     | MLP-111-EBF.....  | 6g     | PMLP-111.....     | 6g        |
| ALP-206.....      | 11g    | KLP-110-LHR.....  | 10g    | MLP-211.....      | 6g     | PMLP-111-EBF..... | 6g        |
| ALP-210.....      | 11g    | KLP-110-RHR.....  | 10g    | MLP-211-EBF.....  | 6g     | PMLP-211.....     | 6g        |
| BLP-107.....      | 8g     | LELP-208.....     | 5g     | NELP-207.....     | 4g     | PMLP-211-EBF..... | 6g        |
| BLP-110.....      | 8g     | LELP-208-EBF..... | 5g     | NLP-106.....      | 9g     | PULP-111.....     | 7g        |
| BLP-207.....      | 8g     | LP-107.....       | 8g     | NLP-110.....      | 9g     | PULP-211.....     | 7g        |
| BLP-210.....      | 8g     | LP-107-EBF.....   | 8g     | NLP-206.....      | 9g     | SLP-106.....      | 8g        |
| CLP-106.....      | 9g     | LP-207.....       | 8g     | NLP-210.....      | 9g     | SLP-106-EBF.....  | 8g        |
| CLP-110.....      | 9g     | LP-207-EBF.....   | 8g     | OLP-2650.....     | 4g     | SLP-206.....      | 8g        |
| DLP-107.....      | 11g    | LP-111.....       | 7g     | OLP-2651.....     | 4g     | SLP-206-EBF.....  | 8g        |
| DLP-110.....      | 11g    | LP-111-EBF.....   | 7g     | OSLP-107.....     | 10g    | TLP-110.....      | 10g       |
| DLP-207.....      | 11g    | LP-211.....       | 7g     | OSLP-107-EBF..... | 10g    | TLP-210.....      | 10g       |
| DLP-210.....      | 11g    | LP-211-EBF.....   | 7g     | OSLP-110.....     | 10g    | ULP-111.....      | 6g        |
| ELP-208.....      | 5g     | LP-307.....       | 3g     | OSLP-110-EBF..... | 10g    | ULP-211.....      | 6g        |
| ELP-208-EBF.....  | 5g     | LP-312.....       | 4g     | OSLP-207.....     | 10g    | WSP-104.....      | 9g        |
| ELP-208P.....     | 5g     | LP-312-EBF.....   | 4g     | OSLP-207-EBF..... | 10g    | WSP-204.....      | 9g        |
| ELP-208P-EBF..... | 5g     | LP-312P.....      | 4g     | OSLP-210.....     | 10g    | Display           |           |
| FLP-111.....      | 5g     | LP-312P-EBF.....  | 4g     | OLSP-210-EBF..... | 10g    | Packs.....        | Back Page |
| FLP-211.....      | 5g     | LP-2878.....      | 11g    | PLP-111.....      | 7g     |                   |           |
| GLP-307-LHR.....  | 3g     | MELP-210.....     | 5g     | PLP-111-EBF.....  | 7g     |                   |           |




**EBF**

- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option

## FINISHES

|     |                          |        |
|-----|--------------------------|--------|
| BP  | Brass Plated             |        |
| BC  | Brass Coated             |        |
| CP  | Chrome Plated            |        |
| DU  | Duronatic Brown Coated   |        |
| PC  | Prime Coated             |        |
| SL  | Silver Coated            |        |
| 605 | Polished Brass           | US-3   |
| 613 | Dark Bronze              | US10B  |
| 619 | Satin Nickel             | US-15  |
| 620 | Antique Nickel           | US-15A |
| 622 | Black                    | US-19  |
| 625 | Polished Chrome          | US-26  |
| 626 | Satin Chrome             | US-26D |
| 629 | Polished Stainless Steel | US-32  |
| 630 | Brushed Stainless Steel  | US-32D |

## The **INTERLOCK** for inswinging doors



**ILP-206**  
**ILP-212**

| NUMBER  | DIMENSIONS | MATERIAL |
|---------|------------|----------|
| ILP-206 | 6"         | Steel    |
| ILP-212 | 12"        | Steel    |

SHELF PACK: 10

Display Package Size 4" x 12" and 4" x 16"


Gauge: 14 (.075)

FEATURES: • 6" version for use with key-in-knob and deadbolt locks

- 12" version for use with Mortise Locks, Simplex 1000 series, Alarm Lock DL-2500, DL-2700 & 3000, Card Access Systems, etc.

FINISHES: BP, CP, DU, SL, 622

## For **ALUMINUM ENTRANCE** Doors



**LP-307**

| NUMBER | DIMENSIONS  | MATERIAL              |
|--------|-------------|-----------------------|
| LP-307 | 2 5/8" x 7" | Steel/Stainless Steel |

SHELF PACK: 10

Display Package Size 4" x 12"


Gauge: 12 (.104)

FEATURES: • Reversible

- Fits over cylinder - lock removal NOT required
- Hand carriage bolt and rivet supplied
- No specific tools required
- 3/8" offset

FINISHES: 630, DU, SL, 622

## For **ALUMINUM ENTRANCE DOORS** – Solves Pull Handle Interference



**GLP-307**  
LHR Shown

| NUMBER      | DIMENSIONS  | MATERIAL              |
|-------------|-------------|-----------------------|
| GLP-307 LHR | 2 5/8" x 7" | Steel/Stainless Steel |
| GLP-307 RHR | 2 5/8" x 7" | Steel/Stainless Steel |

SHELF PACK: 10

Polybagged

Gauge: 12 (.104)


FEATURES: • Fits over cylinder - lock removal NOT required

- Hand carriage bolt and rivet supplied
- No specific tools required
- 3/8" offset

• Center of cylinder hole is 2 1/2" from end of plate

FINISHES: 630, DU, SL, 622

## For use with **ALUMINUM ENTRANCE DOORS**




**NELP-207**

| NUMBER   | DIMENSIONS   | MATERIAL |
|----------|--------------|----------|
| NELP-207 | 3 9/16" x 7" | Steel    |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: • Works with Adams Rite locks  
 • Protects electric strikes from attack  
 • Protects cylinder collar from wrenching  
 • Stops crowbar attacks  
 FINISHES: DU, SL, 622

## For use with **CENTER HUNG OUTSWING ALUMINUM DOORS**




**OLP-2650**  
**OLP-2651**

| NUMBER   | DIMENSIONS      | MATERIAL |
|----------|-----------------|----------|
| OLP-2650 | 2 5/8" x 6 1/2" | Steel    |
| OLP-2651 | 2 5/8" x 6 1/2" | Steel    |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: • (OLP-2650) available in 1 1/8" offset  
 • (OLP-2651) available in 1 3/8" offset  
 FINISHES: DU, SL, 622

## Fits **ADAMS RITE LATCH LOCK** for outswinging Doors




**LP-312**  
**LP-312P**

| NUMBER      | DIMENSIONS   | MATERIAL |
|-------------|--------------|----------|
| LP-312      | 2 5/8" x 12" | Steel    |
| LP-312P     | 2 5/8" x 12" | Steel    |
| LP-312-EBF  | 2 5/8" x 12" | Steel    |
| LP-312P-EBF | 2 5/8" x 12" | Steel    |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: • Reversible  
 • 3/8" offset - 1 7/16" hole - 1 1/8" backset  
 • LP-312P No Center Hole  
 FINISHES: DU, SL, 622


## For outswinging **ALUMINUM ENTRANCE DOORS**



| NUMBER | DIMENSIONS   | MATERIAL |
|--------|--------------|----------|
| AL-211 | 3 1/2" x 12" | Steel    |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: Sex nuts and bolts for secure mounting and professional appearance  
 FINISHES: DU, SL, 622


## For use with **ELECTRIC STRIKES**



| NUMBER       | DIMENSIONS   | MATERIAL |
|--------------|--------------|----------|
| ELP-208      | 3 1/2" x 8"  | Steel    |
| ELP-208P     | 3 1/2" x 8"  | Steel    |
| LELP-208     | 3 1/2" x 8"  | Steel    |
| MELP-210     | 2 5/8" x 10" | Steel    |
| ELP-208-EBF  | 3 1/2" x 8"  | Steel    |
| ELP-208P-EBF | 3 1/2" x 8"  | Steel    |
| LELP-208-EBF | 3 1/2" x 8"  | Steel    |
| MELP-210-EBF | 2 5/8" x 10" | Steel    |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: • Available with or without cylinder hole  
 • Designed to fit most electric strikes  
 • Completely encases the keeper for maximum protection (pocket clearance is 7/8")  
 • Use with Mortise, Keyless Locks & Exit Devices  
 • ELP-208P No Cylinder Hole  
 FINISHES: DU, SL, 622

## Fits **FOLGER ADAMS ELECTRIC STRIKE** for outswinging doors



| NUMBER  | DIMENSIONS       | MATERIAL        |
|---------|------------------|-----------------|
| FLP-111 | 1 3/4" x 11 1/4" | Stainless Steel |
| FLP-211 | 1 3/4" x 11 1/4" | Steel           |

SHELF PACK: 10 Polybagged  
 Gauge: 12 (.104)  
 FEATURES: Works with Folger Adams 310 & 710 models  
 FINISHES: (FLP-111) 630  
 (FLP-211) BP, DU, 622

American's favorite for **OUTSWINGING DOORS** – completely covers the strike plate



| NUMBER      | DIMENSIONS    | MATERIAL        |
|-------------|---------------|-----------------|
| MLP-111     | 3" x 11"      | Stainless Steel |
| MLP-211     | 3" x 11"      | Steel           |
| MLP-111-EBF | 3" x 11"      | Stainless Steel |
| MLP-211-EBF | 3" x 11"      | Steel           |
| ULP-111     | 3.5" x 11.75" | Stainless Steel |
| ULP-211     | 3.5" x 11.75" | Steel           |


SHELF PACK: 10 Polybagged

Gauge: 12 (.104)

FEATURES: (MLP-111, MLP-211) Furnished with carriage bolts, washers & acorn cap nuts for safety and strength  
 (MLP-111-EBF, MLP-211-EBF) Furnished w/carriage bolt & sex nut  
 (ULP-111, ULP-211) Cut out size: 8.75"

FINISHES: (MLP-111, ULP-111) 630  
 (MLP-211) BP, CP, DU, SL, 622  
 (ULP-211) BP, DU, SL, 626, 622

Pin Latch protectors for **OUTSWINGING DOORS**



| NUMBER       | DIMENSIONS | MATERIAL        |
|--------------|------------|-----------------|
| PMLP-111     | 3" x 11"   | Stainless Steel |
| PMLP-211     | 3" x 11"   | Steel           |
| PMLP-111-EBF | 3" x 11"   | Stainless Steel |
| PMLP-211-EBF | 3" x 11"   | Steel           |

SHELF PACK: 10 Polybagged

Gauge: 12 (.104)

FEATURES: (PMLP-111, PMLP-211)


- Solid steel pin prevents spreading of door from frame
- Pin is welded on back leaving no visible point of attack from outside

FINISHES: (PMLP-111) 630  
 (PMLP-211) BP, CP, DU, SL  
 (PMLP-211) BP, DU, SL, 626, 622


American's favorite for **OUTSWINGING DOORS** – completely covers the strike plate

**SAVE \$!**

Product available polybagged  
To order, replace "LP" with "9".  
(i.e., LP-211 will become 9211)



**LP-111  
LP-211  
9211**



- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option

| NUMBER     | DIMENSIONS | MATERIAL        |
|------------|------------|-----------------|
| LP-111     | 3" x 11"   | Stainless Steel |
| LP-211     | 3" x 11"   | Steel           |
| 9211       | 3" x 11"   | Steel           |
| LP-111-EBF | 3" x 11"   | Stainless Steel |
| LP-211-EBF | 3" x 11"   | Steel           |
| 9211-EBF   | 3" x 11"   | Steel           |

SHELF PACK: 10                      Display Package Size - 4" x 16"  
(9211, LP-111) Polybagged

Gauge: 12 (.104)


- FEATURES:
- Furnished with carriage bolts, washers & acorn cap nuts for safety and strength
  - Fits 2 3/4" and 2 3/8" backsets

FINISHES: (LP-111) 630  
(LP-211) BP, CP, DU, PC, SL, 622


See inside back cover for display packaging options

Pin Latch protectors for **OUTSWINGING DOORS**

**PULP-111  
PULP-211**



**PLP-111  
PLP-211**



- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option

| NUMBER      | DIMENSIONS    | MATERIAL        |
|-------------|---------------|-----------------|
| PLP-111     | 3" x 11"      | Stainless Steel |
| PLP-211     | 3" x 11"      | Steel           |
| PLP-111-EBF | 3" x 11"      | Stainless Steel |
| PLP-211-EBF | 3" x 11"      | Steel           |
| PULP-111    | 3.5" x 11.75" | Stainless Steel |
| PULP-211    | 3.5" x 11.75" | Steel           |


SHELF PACK: 10                      Polybagged

Gauge: 12 (.104)


- FEATURES:
- Solid steel pin prevents spreading of door from frame
  - Pin is welded on back leaving no visible point of attack from outside
  - Fits 2 3/4" and 2 3/8" backsets

(PULP-111, PULP-211) Cut out size: 8.75"  
FINISHES: (PLP-111, PULP-111) 630  
(PLP-211, PULP-211) BP, DU, SL, 622, 626

## For **OUTSWINGING DOORS**



**LP-107**  
**LP-207**



**EBF**

- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option


| NUMBER     | DIMENSIONS  | MATERIAL        |
|------------|-------------|-----------------|
| LP-107     | 2 3/4" x 7" | Stainless Steel |
| LP-207     | 2 3/4" x 7" | Steel           |
| LP-107-EBF | 2 3/4" x 7" | Stainless Steel |
| LP-207-EBF | 2 3/4" x 7" | Steel           |

SHELF PACK: 10 Display Package Size - 4" x 12"  
Gauge: 12 (.104)


FEATURES: Furnished with carriage bolts, washers & acorn cap nuts for safety and strength

FINISHES: (LP-107) 630  
(LP-207) BP, CP, DU, SL, 622

## SHORT OFFSET TYPE FOR OUTSWINGING DOORS



**SLP-106**  
**SLP-206**



**EBF**

- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option


| NUMBER      | DIMENSIONS  | MATERIAL        |
|-------------|-------------|-----------------|
| SLP-106     | 2 5/8" x 6" | Stainless Steel |
| SLP-206     | 2 5/8" x 6" | Steel           |
| SLP-106-EBF | 2 5/8" x 6" | Stainless Steel |
| SLP-206-EBF | 2 5/8" x 6" | Steel           |

SHELF PACK: 10 Display Package Size - 4" x 12"  
Gauge: 12 (.104)

FEATURES: • Display Packaged  
• May be used on hollow metal door/frame using ANSI strike  
• Works with up to 3 3/4" rose  
• Furnished with carriage bolts, washers & acorn cap nuts for safety and strength  
• 3/8" offset

FINISHES: (SLP-106) 630  
(SLP-206) BP, CP, DU, SL, 622

## For **KEY-IN-LEVER LOCKS** with up to **3 3/4" ESCUTCHEON**



**BLP-107**  
**BLP-207**

**BLP-110**  
**BLP-210**


| NUMBER  | DIMENSIONS   | MATERIAL        |
|---------|--------------|-----------------|
| BLP-107 | 3 1/4" x 7"  | Stainless Steel |
| BLP-110 | 3 1/4" x 10" | Stainless Steel |
| BLP-207 | 3 1/4" x 7"  | Steel           |
| BLP-210 | 3 1/4" x 10" | Steel           |

SHELF PACK: 10 Polybagged  
Gauge: 12 (.104)

FEATURES: • Works with up to 3 3/4" rose  
• Concealed welded studs with fasteners

FINISHES: (BLP-107, BLP-110) 630  
(BLP-207, BLP 210) BP, DU, SL, 622

# SLIPPER LATCH PROTECTOR – fits under lock rose



**WSLP-104**  
**WSLP-204**

| NUMBER   | DIMENSIONS | MATERIAL        |
|----------|------------|-----------------|
| WSLP-104 | 5" x 4"    | Stainless Steel |
| WSLP-204 | 5" x 4"    | Stainless Steel |


SHELF PACK: 10 Polybagged

Gauge:

- FEATURES:
- Sleek design allows for easy install
  - Mounts under the lock set
  - Works with most grade 1 & 2 levers & knobs
  - Prepped for most commercial locks

FINISHES: (WSLP-104) 630  
(WSLP-204) DU, SL, 622

## COMMERCIAL TYPE for outswinging doors



**CLP-106**  
**CLP-110**

| NUMBER  | DIMENSIONS   | MATERIAL        |
|---------|--------------|-----------------|
| CLP-106 | 2 1/8" x 6"  | Stainless Steel |
| CLP-110 | 2 1/8" x 10" | Stainless Steel |


SHELF PACK: 10 Polybagged

Gauge: 12 (.104)

- FEATURES:
- 6" for key-in-knobs
  - 10" for Mortise Locks
  - Architectural design
  - Concealed welded studs with fasteners

FINISH: 630, 622

## NARROW COMMERCIAL TYPE for outswinging doors



**NLP-106**  
**NLP-110**  
**NLP-206**  
**NLP-210**

| NUMBER  | DIMENSIONS   | MATERIAL        |
|---------|--------------|-----------------|
| NLP-106 | 1 1/2" x 6"  | Stainless Steel |
| NLP-110 | 1 1/2" x 10" | Stainless Steel |
| NLP-206 | 1 1/2" x 6"  | Steel           |
| NLP-210 | 1 1/2" x 10" | Steel           |


SHELF PACK: 10 Polybagged

Gauge: 12 (.104)

- FEATURES:
- 6" for key-in-knobs • 10" for Mortise Locks
  - Narrow type for outswinging doors
  - Concealed welded studs with fasteners

FINISHES: (NLP-106, NLP-110) 630  
(NLP-206, NLP-210) DU  
PC, SL, 622

## NARROW COMMERCIAL TYPE for outswinging doors



| NUMBER  | DIMENSIONS   | MATERIAL        |
|---------|--------------|-----------------|
| TLP-110 | 1 1/2" x 10" | Stainless Steel |
| TLP-210 | 1 1/2" x 10" | Steel           |

SHELF PACK: 10


Gauge: 12 (.104)

FEATURES • New Thru-Bolt Fastening Method  
 • Works with most Exit Device Trim  
 • Works with most Mortise Lock Trims  
 • Includes EBF Fasteners to prevent interference with frame

FINISHES: (TLP 110) 630 Stainless Base

(TLP 210) DU, PC, SL, 622

## For ELECTRONIC LOCKS



| NUMBER      | DIMENSIONS   | MATERIAL        |
|-------------|--------------|-----------------|
| KLP-110-LHR | 1 1/2" x 10" | Stainless Steel |
| KLP-110-RHR | 1 1/2" x 10" | Stainless Steel |

SHELF PACK: 10


Polybagged

Gauge: 12 (.104)

FEATURES: • Works with most access control locks  
 • Concealed welded studs with fastener

FINISH: 630

## 3/4" OFFSET FOR OUTSWINGING DOORS



| NUMBER   | DIMENSIONS   | MATERIAL        |
|----------|--------------|-----------------|
| OSLP-107 | 2 5/8" x 7"  | Stainless Steel |
| OSLP-207 | 2 5/8" x 7"  | Steel           |
| OSLP-110 | 2 5/8" x 10" | Stainless Steel |
| OSLP-210 | 2 5/8" x 10" | Steel           |

SHELF PACK: 10


Polybagged

Gauge: 12 (.104)

FEATURES: • May be used on hollow metal door/frame using ANSI strike  
 • Polybagged  
 • Works with up to 3 3/4" rose  
 • 3/4" offset


FINISHES: (OSLP-107, OSLP-110) 630

(OSLP-207, OSLP-210) BP, DU, SL, 622



- Special Fasteners to prevent interference with the frame
- Available on selected Latch Protectors as an option

# 1 1/8" OFFSET LATCH PROTECTOR



**DLP-107**  
**DLP-110**  
**DLP-207**  
**DLP-210**

| NUMBER  | DIMENSIONS | MATERIAL        |
|---------|------------|-----------------|
| DLP 107 |            | Stainless Steel |
| DLP 110 |            | Stainless Steel |
| DLP 207 |            | Steel           |
| DLP 210 |            | Steel           |

SHELF PACK: 10

Gauge: 12 (.104)

FEATURES: • 1 1/8" Offset

• Available 7" or 10" Height


• Works with Lock Roses up to 3 3/4" Diameter

• Now Standard with EBF Fasteners!

FINISHES: (DLP-107, DLP-110) 630

(DLP-207, DLP-210) DU, BP, SL, 622

## ANGLE TYPE for outswinging doors



**ALP-206**  
**ALP-210**

| NUMBER  | DIMENSIONS | MATERIAL |
|---------|------------|----------|
| ALP-206 | 6"         | Steel    |
| ALP-210 | 10"        | Steel    |

SHELF PACK: 10

Polybagged

Gauge: 10 (.134)


FEATURES: • 6" for key-in-knobs

• 10" for Mortise Locks

• 1 1/2" sheet metal screws for wood or metal

FINISHES: BC, DU, SL, 622

## SLIMLINE for outswinging doors



**LP-2878**

| NUMBER  | DIMENSIONS      | MATERIAL |
|---------|-----------------|----------|
| LP-2878 | 1 1/2" x 8 7/8" | Steel    |

SHELF PACK: 10

Polybagged

Gauge: 5/16" thick (.3125)

FEATURES: Sleek appearance

FINISHES: DU, PC, SL, 622

# The Industry Leader in Architectural Hardware and Door Security Products

# DON-JO MFG., INC.



SLP 106/SLP 206



LP 307



ILP 206/ILP 211



LP 107/LP 207



LP 211

## Don't see what you're looking for?

Don-Jo makes architectural, safety and security products  
for virtually any application.

Call or email today to help solve your problems.

[info@don-jo.com](mailto:info@don-jo.com) 800-628-8389

Visit [www.don-jo.com](http://www.don-jo.com) to explore our entire offering of  
Architectural Hardware & Door Safety and Security Products

